

ACCEPTED

MAY 10 1984

**FOR USE IN SOYBEANS
IN NORTH DAKOTA AND NORTHERN MINNESOTA
(SEE USE AREA BELOW)**

195
7

THIS LABEL EXPIRES DECEMBER 31, 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 241-310

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT LEAFLET LABEL BEFORE USING. SEE THE PURSUIT LEAFLET LABEL FOR ADDITIONAL USE AREAS, MIXING AND APPLICATION INFORMATION, WEEDS CONTROLLED AND ROTATIONAL CROP RESTRICTIONS. THE ROTATIONAL CROP RESTRICTIONS IN THIS SUPPLEMENTAL LABEL SUPERSEDE THE RESTRICTIONS LISTED IN THE LEAFLET LABEL.

GENERAL INFORMATION

PURSUIT herbicide is a broad spectrum herbicide that provides season long control of many weeds. Under some conditions (such as heavy texture soil, high organic matter, low pH or low rainfall) PURSUIT may cause injury to subsequent planted crops. Sugar beets are particularly sensitive to PURSUIT residues in soil. PURSUIT is not recommended in crop rotations that include sugar beets. See the ROTATIONAL CROP section of this supplemental label for rotations to other sensitive crops.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system.

USE AREA

PURSUIT may be used in North Dakota and in Minnesota north of Highway #210.

¹Trademarks of Valent U.S.A. Corporation

APPLICATION RATES

Apply PURSUIT at 3 ounces per acre postemergence only.

BROADLEAF WEEDS**WEEDS CONTROLLED**

<u>Weeds controlled</u>	<u>Maximum Leaf Stage</u>	<u>(inches)</u>
Cocklebur, common*		1-4
Nightshade,		
black	4	1-3
Eastern black	4	1-3
hairy	4	1-3
Kochia	4	1-3
Pigweed, redroot	4	1-4
Mustard species	4	1-3
Wild oats**	3	1-4

* For control of common cocklebur, add COBRA¹ herbicide at the rate of 4 ounces per acre to the spray solution.

** PURSUIT will reduce competition from wild oats.

BEST AVAILABLE COPY

PURSUIT - 3 oz/Acre
SELECT - 6-8 oz/Acre*

*Refer to the SELECT label for grasses controlled.

VOLUNTEER CORN

For control of volunteer corn, tank-mix PURSUIT and SELECT herbicides at the following rates:

PURSUIT - 3 oz/Acre
SELECT - 4 oz/Acre

Apply the tank-mixture to volunteer corn when 4 - 12 inches tall.

Refer to the COBRA or SELECT labels for additional information, precautions and restrictions. The most restrictive labeling applies when using a tank-mixture.

POSTEMERGENCE APPLICATIONS OF PURSUIT REQUIRE THE ADDITION OF AN ADJUVANT **AND** A LIQUID FERTILIZER SOLUTION.

I. ADJUVANTS

SURFACTANTS: Use a non-ionic surfactant containing at least 80% active ingredient. Apply the surfactant at the rate of 1 qt./100 gal.

OR

CROP OIL CONCENTRATE: Instead of a surfactant, a petroleum or vegetable seed based oil concentrate (such as SUN-IT II) may be used. SUN-IT II is recommended when weeds are under moisture or temperature stress. Use SUN-IT II or other crop oil concentrates at the rate of 1.5 to 2 pts./acre (use the higher rate when weeds are at the maximum label size).

include liquid fertilizers (such as 28%N, 32%N or 10-34-0) at the rate of 1-2 qts./acre. Use the higher rate when weeds are under moisture or temperature stress. Instead of a liquid fertilizer, spray grade ammonium sulfate may be used at the rate of 2.5 lbs./acre.

ROTATIONAL CROPS

The following crops may be planted after applying PURSUIT at the recommended rate in soybeans.

1. Anytime
IMI-Corn
Soybeans
2. Nine and one-half months after PURSUIT application:
Field Corn
Edible beans and peas
Wheat
3. Eighteen months after PURSUIT application:
Barley
Oats
Rye
4. Twenty six months after PURSUIT application:
Canola (rapeseed) Onions
Carrots Potatoes
Celery Spinach
Cole crops Sunflower
Garlic Tomatoes
Flax
5. Forty months after PURSUIT application.
Sugar beets

DO NOT plant other rotational crops prior to 26 months after a PURSUIT application.

This label must be in the possession of the user at the time of herbicide application.



EPA Reg. No. 241-310

395

AMENDED ROTATIONAL CROP RESTRICTION FOR PLANTING BARLEY FOLLOWING PURSUIT APPLICATIONS

THIS LABEL EXPIRES DECEMBER 31, 1994

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT LEAFLET LABEL BEFORE USING. SEE THE PURSUIT LEAFLET LABEL FOR USE AREA, MIXING AND APPLICATION INFORMATION, WEEDS CONTROLLED AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system.

GENERAL INFORMATION

Refer to the PURSUIT leaflet label for rotational crop restrictions for barley. In most areas, barley may not be planted until 9 1/2 months following an application of PURSUIT herbicide. This supplemental labeling allows planting barley 4 months following a PURSUIT application in the states listed below.

GEOGRAPHIC AREA



Indiana, Ohio, Kentucky, Pennsylvania, New Jersey, Delaware, Virginia, Maryland.

This label must be in the possession of the user at the time of herbicide application.

*Registered Trademark of American Cyanamid Company

PF-17241 1-94 SD

BEST AVAILABLE COPY



CYANAMID

American Cyanamid Company
Agricultural Products Division
Crop Protection Chemicals Department
Wayne, NJ 07470 ©1994

495

ACCEPTED
 MAY 25 1994
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 241-310

FOR DISTRIBUTION AND USE ONLY IN THE STATES OF IOWA, ILLINOIS, INDIANA AND OHIO

**PLANTING OF POPCORN
 FOLLOWING APPLICATIONS OF PURSUIT HERBICIDE**

This Label Expires December 31, 1994

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT LEAFLET LABEL BEFORE USING. SEE THE PURSUIT LEAFLET LABEL FOR MIXING AND APPLICATION INFORMATION, AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system.

GENERAL INFORMATION/CAUTION


Some popcorn varieties may be injured when planted at less than 18 months following an application of PURSUIT herbicide. Several popcorn companies have determined their popcorn varieties can be planted with no injury or minimal injury the year following PURSUIT use. Before planting popcorn, contact the popcorn company for information and recommendations regarding the tolerance of popcorn varieties planned for fields treated with PURSUIT the previous year. Since growing conditions, environmental conditions and grower practices are beyond the control of American Cyanamid Company, **ALL RISKS AND CONSEQUENCES ASSOCIATED WITH PLANTING POPCORN VARIETIES INTO FIELDS TREATED PREVIOUSLY WITH PURSUIT SHALL BE ASSUMED BY THE USER.**

Stunting and maturity delay or other adverse effects may result when popcorn is planted following PURSUIT use.

This label must be in the possession of the user at the time of herbicide application.

CROP DAMAGE DISCLAIMER

American Cyanamid does not advocate nor recommend planting popcorn at less than 18 months following an application of PURSUIT. PURSUIT herbicide may cause stunting and delayed maturity to popcorn.



American Cyanamid Company
 Agricultural Products Division
 Crop Protection Chemicals Department
 Wayne, NJ 07470 ©1994

® Registered Trademark of American Cyanamid Company
 PE-17179 Rev 1 1/94 SD

BEST AVAILABLE COPY

FOR USE IN SOYBEANS

APR 25 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
this pesticide is registered under
EPA Reg. No. 241-310

**TANK-MIXTURE OF PURSUIT + SELECT¹ HERBICIDES FOR
POSTEMERGENCE CONTROL OF VOLUNTEER CORN IN SOYBEANS**

THIS LABEL EXPIRES DECEMBER 31, 1994

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT LEAFLET LABEL BEFORE USING. SEE THE PURSUIT LEAFLET LABEL FOR MIXING AND APPLICATION INFORMATION, WEEDS CONTROLLED AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system.

APPLICATION RATES

When tank-mixing SELECT with PURSUIT, use the following rates:

PURSUIT - 4 ounces per acre
SELECT - 4 ounces per acre

Add to the spray mixture:

SUN-IT II or other crop oil concentrate - 1.5 - 2 pints per acre.

AND

Liquid nitrogen based fertilizer (such as 28%N, 32%N, or 10-34-0) at the rate of 1-2 quarts per acre.

WEEDS CONTROLLED

This tank mixture will control volunteer corn (apply when volunteer corn is 4 - 12 inches tall). Refer to the PURSUIT label for additional weeds controlled.

RESTRICTIONS

Refer to both labels for information on methods of application, additional restrictions, precautions and rotational crop guidelines. Follow the more restrictive label.

This label must be in the possession of the user at the time of herbicide application.

¹Registered Trademark of American Cyanamid Company
²Trademark of Valent U.S.A. Corporation

PE 17249 1-94 SD



CYANAMID

American Cyanamid Company
Agricultural Products Division
Crop Protection Chemicals Department
Wayne, NJ 07470 ©1994

BEST AVAILABLE COPY