

PM 23

Maurice

Reg # 241-310  
F4C

12 10

Please read instructions on reverse before completing form.

Form Approved OMB No. 2070-0060. Approval expires 11-30-93

|            |                                                                                                                              |                                                                                                                          |                                                                                            |
|------------|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <b>(A)</b> | <b>EPA</b><br>United States Environmental Protection Agency<br>Office of Pesticide Programs (H7505C)<br>Washington, DC 20460 | <input type="checkbox"/> Registration<br><input type="checkbox"/> Amendment<br><input checked="" type="checkbox"/> Other | OPP Identifier Number<br><br><div style="font-size: 24pt; font-weight: bold;">207850</div> |
|------------|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|

| Section I                                                                                                                                                                                                               |                                                                                                                                                                                          |                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| 1. Company/Product Number<br>241-310                                                                                                                                                                                    | 2. EPA Product Manager<br>R. Taylor                                                                                                                                                      | 3. Proposed Classification<br><input type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name)<br>PURSUIT® herbicide                                                                                                                                                                         | PM#<br>25                                                                                                                                                                                |                                                                                                 |
| 5. Name and Address of Applicant (Include ZIP Code)<br>American Cyanamid Company<br>Agricultural Research Center<br>P.O. Box 400<br>Princeton, NJ 08543-0400<br><input type="checkbox"/> Check if this is a new address | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:<br><br>EPA Reg. No. _____<br>Product Name _____ |                                                                                                 |

| Section II                                                                     |                                                                                        |
|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| <input type="checkbox"/> Amendment - Explain below                             | <input type="checkbox"/> Final printed labels in response to Agency letter dated _____ |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> "Me Too" Application.                                         |
| <input checked="" type="checkbox"/> Notification - Explain below.              | <input type="checkbox"/> Other - explain below.                                        |

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Notification of change in supplemental label text to agree with approved text as per PR Notice 95-2. This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

| Section III                                                                                                                                                                                                   |                                                                               |                                                                                        |                   |                                                                                                                                   |                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 1. Material This Product Will Be Packaged In:                                                                                                                                                                 |                                                                               |                                                                                        |                   |                                                                                                                                   |                   |
| Child-Resistant Packaging<br><input type="checkbox"/> Yes*<br><input type="checkbox"/> No                                                                                                                     | Unit Packaging<br><input type="checkbox"/> Yes<br><input type="checkbox"/> No | Water Soluble Packaging<br><input type="checkbox"/> Yes<br><input type="checkbox"/> No |                   | 2. Type of Container                                                                                                              |                   |
| * Certification must be submitted.                                                                                                                                                                            |                                                                               | If "Yes," Unit Package wgt.                                                            | No. per container | If "Yes," Package wgt.                                                                                                            | No. per container |
| 3. Location of Net Contents Information<br><input type="checkbox"/> Label <input type="checkbox"/> Container                                                                                                  |                                                                               | 4. Size(s) of Retail Container                                                         |                   | 5. Location of Label Directions<br><input type="checkbox"/> On Label<br><input type="checkbox"/> On Labeling accompanying product |                   |
| 6. Manner in Which Label is Affixed To Product<br><input type="checkbox"/> Lithograph<br><input type="checkbox"/> Paper glued<br><input type="checkbox"/> Stenciled<br><input type="checkbox"/> Other (_____) |                                                                               |                                                                                        |                   |                                                                                                                                   |                   |

| Section IV                                                                                                                                                                                                                                                               |                                           |                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|---------------------------------------------------|
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)                                                                                                                            |                                           |                                                   |
| Name<br>Janet M. Overholt                                                                                                                                                                                                                                                | Title<br>Product Registrations Manager    | Telephone No. (Include Area Code)<br>609-716-2410 |
| Certification<br>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law. |                                           | 6. Date Application Received<br>(Stamped)         |
| 2. Signature<br>                                                                                                                                                                                                                                                         | 3. Title<br>Product Registrations Manager |                                                   |
| 4. Typed Name<br>Janet M. Overholt                                                                                                                                                                                                                                       | 5. Date<br>12/11/95                       |                                                   |

2910

Notification of Revision to Supplemental Label for PURSUIT® Herbicide

FOR USE ON ALFALFA

EPA Reg. No. 241-310

The proposed supplemental label, dated 12/95, was derived from the previous version of the supplemental label for PURSUIT herbicide dated 11/95 (see Current Label) which was submitted as a notification on November 21, 1995. The proposed supplemental label included in this submission includes the updated rotational crop guidelines as per the full approved label (Exhibit 1).

The changes in text are highlighted for ease of review.

| Revised Label (page no.) | Approved Label (page no.) | Nature of Change                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7                        | 7                         | <p>Under item 6., Twenty six months after PURSUIT application, the statement "All other crops not listed elsewhere in this ROTATIONAL CROP GUIDELINE" has been moved to item 7., (Forty months after PURSUIT application). There is no distinction between western states and other states.</p> <p>Under item 7. sugarbeets and red table beets have been removed, the statement "All crops not listed elsewhere in this ROTATIONAL CROP GUIDELINE has been added. The paragraphs referring to a field bioassay and liming have also been added under item 7. as they are included on the main approved label (Exhibit 1, page 36).</p> <p>The paragraph referring to seed corn following PURSUIT applications has been deleted from the supplemental label (it remains on the main approved label (Exhibit 1, page 36).</p> |
| 8                        | 8                         | The label code has been changed from "Rev. 4" to "Rev. 5". The date has been changed from 11/95 to 12/95.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |



# Supplemental Labeling

3910

EPA Reg. No. 241-310

## FOR USE IN ALFALFA ONLY

### For Use In California Only

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT LEAFLET LABEL BEFORE USING. SEE THE PURSUIT LEAFLET LABEL FOR MIXING AND APPLICATION INFORMATION, WORKER PROTECTION INFORMATION AND PRECAUTIONARY STATEMENTS.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This label must be in the possession of the user at the time of herbicide application. DO NOT apply this product through any type of irrigation system.

### GENERAL INFORMATION

#### SEEDLING ALFALFA

PURSUIT must be applied postemergence to seedling alfalfa. Apply PURSUIT when the seedling alfalfa is in the second (2nd) trifoliolate stage or larger and when the majority of the weeds are 1-3 inches (see weed control tables on pages 4-6). For low growing weeds (such as mustards) apply PURSUIT before the rosette exceeds 3 inches. When PURSUIT is applied to seedling alfalfa, there may be a temporary reduction in growth. Alfalfa soon outgrows any effects of the herbicide.

#### ESTABLISHED ALFALFA

PURSUIT can be applied to established alfalfa in the fall, in the spring to dormant, or semi-dormant alfalfa (less than 3 inches of re-growth), or between cuttings. Any application should be made before significant alfalfa growth or re-growth (3 inches) to allow PURSUIT to reach the target weeds.

Replanting: If replanting is necessary in a field previously treated with PURSUIT, do not plant the field to alfalfa for 4 months following the PURSUIT application. Refer to the ROTATIONAL CROP GUIDELINE section on this label for plant-back interval of various crops.

### MIXING INSTRUCTIONS

POSTEMERGENCE APPLICATIONS OF PURSUIT REQUIRE THE ADDITION OF AN ADJUVANT.

#### ADJUVANTS

**SURFACTANTS:** Use a non-ionic surfactant containing at least 80% active ingredient. Apply the surfactant at the rate of 1 quart per 100 gallons (0.25% V/V). An organo-silicone surfactant may be used in place of a non-ionic surfactant.

OR

**CROP OIL CONCENTRATE:** Instead of a surfactant, a petroleum or vegetable seed based oil concentrate (such as SUN-IT II<sup>1</sup>) may be used. SUN-IT II is recommended when weeds are under moisture or temperature stress. Use SUN-IT II or other methylated seed oils at the rate of 1.5 to 2 pints per acre (use the higher rate when weeds are at the maximum label size), or use a crop oil concentrate at 2 pints per acre.

4 9 10

Fill the spray tank one-fourth to one-half full with clean water. Use a calibrated measuring device to measure the required amount of PURSUIT. Add PURSUIT to the spray tank while agitating. Add adjuvants and fill the remainder of the tank with water.

#### **TANK MIX COMBINATIONS WITH OTHER HERBICIDES**

To control weeds not listed on the PURSUIT label, herbicides such as Buctril<sup>2</sup>, 2,4-DB, POAST<sup>3</sup> or POAST PLUS<sup>3</sup> may be tankmixed with PURSUIT. When PURSUIT is used in combination with another herbicide, refer to the respective label for rates, methods of application, proper timing, weeds controlled, restrictions and precautions. Always use in accordance with the more restrictive label restrictions and precautions. No label dosages should be exceeded.

#### **SPRAYING INSTRUCTIONS**

DO NOT apply when wind velocity is greater than 10 mph, or when spray may be carried to sensitive crops. Sensitive crops include leafy vegetables, cole crops, sugar beets, cotton, trees and vines.

#### **GROUND APPLICATIONS**

Uniformly apply with properly calibrated ground equipment in 10 or more gallons of water per acre. Use higher gallonage (i.e. 20 gallons of water per acre) for fields with dense vegetation or heavy weed pressure. A spray pressure of 20 to 40 psi is recommended.

Adjust the boom height to ensure proper coverage of weed foliage (according to the manufacturer's recommendation). Use only flat-fan nozzle tips only.

Avoid overlaps when spraying.

**DO NOT apply by air in California.**

## APPLICATION INFORMATION

52 10

PURSUIT is effective in controlling a broad spectrum of broadleaf and grass weeds. Alfalfa has excellent tolerance to postemergence applications of PURSUIT after the second trifoliolate leaf has expanded. Minor height reduction or slight leaf yellowing may occur soon after application. The effects are temporary and the alfalfa will soon recover.

Apply PURSUIT as an early postemergence treatment when the weeds are actively growing. Weeds are generally easier to control before they exceed 3 inches in height. Weeds under stress are less susceptible to control in cold or drought stress conditions.

PURSUIT should be applied a minimum of one hour before rainfall or overhead irrigation.

### STAND ESTABLISHMENT

Apply PURSUIT after the alfalfa has 2 fully expanded trifoliolate leaves. Weeds must not exceed the size listed in the WEEDS CONTROLLED tables. PURSUIT may be applied to summer, fall or spring seeded alfalfa.

### Inter-seeded Oats

Oats inter-seeded with alfalfa will reduce soil erosion and allow the alfalfa to establish. Oats, however can compete with the alfalfa. An application of PURSUIT will kill or significantly reduce the growth of the oats and allow the alfalfa to establish with minimal erosion or competition from the oats. Apply PURSUIT to the oats when the oats have 3-4 leaves.

### ESTABLISHED ALFALFA - DORMANT

PURSUIT may be applied to dormant alfalfa in the fall following the last cutting. PURSUIT may also be applied in the spring to dormant alfalfa, or as alfalfa breaks dormancy. Apply spring treatments prior to excessive alfalfa growth (less than 3 inches), to reduce spray interference.

### ESTABLISHED ALFALFA - GROWING

For weed control during the season, apply PURSUIT following alfalfa cutting. Remove the hay from the field and apply PURSUIT prior to excessive alfalfa regrowth.

### Perennial Grass Suppression

If perennial grasses (such as orchardgrass, fescues, bromes or timothy) are present in an alfalfa stand, PURSUIT will reduce the growth and competitive effect of the grass.

Do not apply to alfalfa during the last year of the stand.

### USE RATE (3 TO 6 OUNCES PER ACRE)

Apply PURSUIT at a broadcast rate of 3 to 6 fluid ounces per acre to seedling or established alfalfa.

NOTE: A maximum of 6 ounces of PURSUIT per year may be applied to alfalfa.

### WEEDS CONTROLLED

When applied as directed, PURSUIT will control or reduce competition from the weeds listed below. Refer to the MIXING INSTRUCTIONS section on pages 1-2 for recommendations when weeds are at the maximum recommended growth stage, or are under stress.

NOTE: C = Control R = Reduced Competition

BROADLEAF WEEDS CONTROLLED

69 10

| WEEDS<br>1-3 Inches*  | PURSUIT APPLICATION RATE |        |        |
|-----------------------|--------------------------|--------|--------|
|                       | 3 Oz/A                   | 4 Oz/A | 6 Oz/A |
| Artichoke, Jerusalem  | R                        | C      | C      |
| Beets, wild           | C                        | C      | C      |
| Bedstraw, catchweed   |                          | C      | C      |
| Buckwheat, wild       |                          | C      | C      |
| Chickweed             |                          |        |        |
| common                | R                        | C      | C      |
| mouseear              | R                        | C      | C      |
| Cocklebur, common     | R                        | C      | C      |
| Dandelion             |                          | R      | R      |
| Dock,                 |                          |        |        |
| broadleaf (seedling)  |                          |        | R      |
| curly (seedling)      |                          |        | R      |
| Fiddleneck            |                          |        | R      |
| Filaree               |                          |        |        |
| redstem               |                          | R      | C      |
| whitestem             |                          | R      | C      |
| Flixweed              | R                        | C      | C      |
| Goosefoot, nettleleaf | R                        | C      | C      |
| Grounsel, common      |                          |        | R      |
| Henbit                |                          | R      | C      |
| Jimsonweed            |                          | C      | C      |
| Knotweed, prostrate   |                          | R      | C      |
| Kochia                | R                        | C      | C      |
| Lambsquarter,         |                          |        |        |
| common (1-2 leaves)   |                          | R      | R      |
| Lettuce, miners       |                          | C      | C      |
| Mallow,               |                          |        |        |
| common                |                          | C      | C      |
| little                |                          | C      | C      |
| Marshelder            |                          | C      | C      |
| Morningglory,         |                          |        |        |
| entireleaf            |                          |        | C      |
| ivyleaf               |                          |        | C      |
| pitted                |                          |        | C      |
| smallflower           |                          | C      | C      |
| tall                  |                          |        | C      |
| Mustards              |                          |        |        |
| tumble                | C                        | C      | C      |
| wild                  | C                        | C      | C      |
| black                 | C                        | C      | C      |
| Nettle, burning       |                          | C      | C      |

\*Apply PURSUIT to weeds 1-3 inches tall or when rosettes are 1-3 inches wide. This will generally occur when weeds have 2-6 leaves.

BROADLEAF WEEDS CONTROLLED - Continued

7910

| WEEDS<br>1-3 Inches  | PURSUIT APPLICATION RATE |        |        |
|----------------------|--------------------------|--------|--------|
|                      | 3 Oz/A                   | 4 Oz/A | 6 Oz/A |
| Nightshade           |                          |        |        |
| black                | C                        | C      | C      |
| Eastern black        | C                        | C      | C      |
| hairy                | C                        | C      | C      |
| Oxtongue, bristly    |                          |        | R      |
| Pennycress, field    | C                        | C      | C      |
| Pepperweed,          |                          |        |        |
| field                | C                        | C      | C      |
| Virginia             | R                        | C      | C      |
| Pigweed              |                          |        |        |
| redroot              | C                        | C      | C      |
| smooth               | R                        | C      | C      |
| spiny                |                          | C      | C      |
| Radish, wild         |                          | R      | C      |
| Ragweed              |                          |        |        |
| common               |                          | C      | C      |
| giant                |                          | C      | C      |
| Redmaids             |                          | C      | C      |
| Rocket               |                          |        |        |
| London               | C                        | C      | C      |
| yellow               | R                        | C      | C      |
| Rockpurslane, desert |                          |        | C      |
| Shepherdspurse       | C                        | C      | C      |
| Smartweed            |                          |        |        |
| ladysthumb           | R                        | C      | C      |
| Pennsylvania         | R                        | C      | C      |
| swamp (seedling)     |                          | C      | C      |
| Spurge               |                          |        |        |
| prostrate            |                          | R      | C      |
| spotted              |                          | R      | C      |
| petty                |                          | C      | C      |
| Spurry, corn         |                          | C      | C      |
| Sunflower, common    | R                        | C      | C      |
| Swinecress           |                          | C      | C      |
| Tansymustard         |                          |        |        |
| green                | C                        | C      | C      |
| pinnate              | C                        | C      | C      |
| Thistle, Russian     | R                        | C      | C      |
| Velvetleaf           | R                        | C      | C      |
| Wartcress, creeping  |                          | C      | C      |
| Watercress           |                          | C      | C      |
| Willowweed, panicle  |                          | C      | C      |

8910

GRASSES AND SEDGES CONTROLLED

| WEEDS<br>1-3 Inches      | PURSUIT APPLICATION RATE |        |
|--------------------------|--------------------------|--------|
|                          | 4 Oz/A                   | 6 Oz/A |
| Barnyardgrass            | R                        | C      |
| Bluegrass, annual        |                          | R      |
| Canarygrass, littleseed  | R                        | R      |
| Cereals, volunteer       |                          |        |
| barley                   | R                        | R      |
| oats                     | R                        | R      |
| wheat                    | R                        | R      |
| Crabgrass,               |                          |        |
| large                    | R                        | C      |
| smooth                   | R                        | C      |
| Cupgrass, woolly*        | C                        | C      |
| Foxtail,                 |                          |        |
| giant (1-6 leaves)       | C                        | C      |
| green                    | C                        | C      |
| yellow                   | R                        | C      |
| Johnsongrass,            |                          |        |
| seedling (1-6 leaves)    | C                        | C      |
| rhizome                  | R                        | R      |
| Millet, wild proso       | R                        | C      |
| Nutsedge,                |                          |        |
| yellow                   | R                        | R      |
| purple                   | R                        | R      |
| Oats, wild               | R                        | R      |
| Rice, red                | C                        | C      |
| Shattercane (1-6 leaves) | C                        | C      |
| Signalgrass, broadleaf   | R                        | C      |
| Quackgrass**             |                          | R      |

\*PURSUIT controls emerged woolly cupgrass only.

\*\*Quackgrass will be suppressed only when actively growing and before it exceeds 7 inches in height.

### ROTATIONAL CROP GUIDELINE

The following rotational crops may be planted after applying PURSUIT at the recommended rate: (Planting earlier than the recommended interval may result in crop injury).

1. Anytime
  - Lima beans
  - Southern peas
  - Soybeans
  - Peanuts
  - IMI-Corn™ (resistant/tolerant to PURSUIT)
2. Four months after PURSUIT application:
  - Alfalfa
  - Rye
  - Wheat
  - Edible beans and peas (other than lima beans and Southern peas)
3. Eight and one-half months after PURSUIT application:
  - Field corn
  - Field corn grown for seed\*\*
4. Nine and one-half months after PURSUIT application:
  - Barley
  - Tobacco
5. Eighteen months after PURSUIT application:
 

|           |            |
|-----------|------------|
| Cotton    | Lettuce    |
| Oats      | Popcorn    |
| Safflower | Sorghum    |
| Sunflower | Sweet corn |
6. Twenty six months after PURSUIT application.
  - Potatoes
  - ~~All crops not listed elsewhere in this ROTATIONAL CROP GUIDELINE.\*\*~~
7. Forty months after PURSUIT application\*.
  - Sugar-beets
  - Red-table-beets
  - All crops not listed elsewhere in this ROTATIONAL CROP GUIDELINE\*

~~\* Several seed companies have tested a wide range of inbreds for sensitivity to PURSUIT soil residues and have reported good crop safety. However, due to the proprietary nature of seed production, American Cyanamid has not been given access to the inbred data. Growers are directed to contact the seed company for information and recommendations regarding the planting of corn grown for seed in fields treated with PURSUIT the previous year. Since growing conditions, environmental conditions and grower practices are beyond the control of American Cyanamid Company, all risks and consequences associated with planting seed corn inbreds into fields treated previously with PURSUIT shall be assumed by the user.~~

~~\*\* Applies to states other than the western states.~~

~~\*\*\* Applies to western states (including: Washington, Oregon, California, Montana, Idaho, Utah, Nevada, Wyoming, Colorado, Arizona, New Mexico, west Texas, western Kansas, western Nebraska, and South Dakota).~~

\*Following forty months after a PURSUIT application, and before planting any crop not listed elsewhere in the ROTATIONAL CROP GUIDELINE, a successful field bioassay must be completed. The field bioassay consists of a test strip of the intended rotational crop planted across the previously treated field and grown to maturity. The test strip should include low areas and knolls, and include variations in soil such as type and pH. If no crop injury is evident in the test strip, the intended rotational crop may be planted the following year.

10 9 18  
If the field is limed to adjust pH prior to planting rotational crops not listed in the ROTATIONAL CROP GUIDELINE, apply the lime at least 12 months prior to planting the rotational crop.

Use of PURSUIT herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

### PRECAUTIONS

---

Only rotational crops harvested at maturity may be used for feed or food.

In the event of a crop loss due to weather, do not plant alfalfa until 4 months following the PURSUIT application.

Do not feed, graze or harvest alfalfa for 30 days following an application of PURSUIT to alfalfa.

For additional information regarding the use of PURSUIT herbicide, call telephone no. 800-942-0500.

<sup>1</sup>Trademark of Agsco, Inc.

<sup>2</sup>Trademark of Rhone-Poulenc Ag Company

<sup>3</sup>Trademark of BASF Corporation

®/™ Trademarks of American Cyanamid Company

PE-17272 Rev. 4/95 11/12/95 SD



**CYANAMID**

American Cyanamid Company  
Agricultural Products Division  
Crop Protection Chemicals Department  
Wayne, NJ 07470 ©1995