

Please read Instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

|   |  |  |                                     |
|---|--|--|-------------------------------------|
| <b>(A)</b><br> | United States Environmental Protection Agency<br>Office of Pesticide Programs (H7505C)<br>Washington, DC 20460 | <input type="checkbox"/> Registration<br><input type="checkbox"/> Amendment<br><input checked="" type="checkbox"/> Other | OPP Identifier Number<br><br>207860 |
|   | <b>Application for Pesticide:</b>  |  |                                     |
|   | <b>Section I</b>   |  |                                     |


|   |  |   |
|---|--|---|
| 1. Company/Product Number<br>241-310  | 2. EPA Product Manager<br>R. Taylor  | 3. Proposed Classification<br><input type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name)<br>PURSUIT® herbicide   | PM#<br>25  |   |
| 5. Name and Address of Applicant (Include ZIP Code)<br>American Cyanamid Company<br>Agricultural Research Center<br>P.O. Box 400<br>Princeton, NJ 08543-0400<br><input type="checkbox"/> Check if this is a new address | 6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:<br><br>EPA Reg. No. _____<br>Product Name _____ |   |

|  |  |
|--|--|
| <b>Section II</b>  |  |
| <input type="checkbox"/> Amendment - Explain below                             | <input type="checkbox"/> Final printed labels in response to Agency letter dated _____ |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> "Me T" Application.   |
| <input checked="" type="checkbox"/> Notification - Explain below.              | <input type="checkbox"/> Other - explain below.  |

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Notification of revision and addition of advisory statements per PR Notice 95-2. This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

|  |   |   |  |
|--|---|---|--|
| <b>Section III</b>   |   |   |  |
| 1. <b>Material This Product Will Be Packaged In:</b>   |   |   |  |
| Child-Resistant Packaging<br><input type="checkbox"/> Yes*<br><input type="checkbox"/> No                    | Unit Packaging<br><input type="checkbox"/> Yes<br><input type="checkbox"/> No | Water Soluble Packaging<br><input type="checkbox"/> Yes<br><input type="checkbox"/> No  | 2. Type of Container<br><input type="checkbox"/> Metal<br><input type="checkbox"/> Plastic<br><input type="checkbox"/> Glass<br><input type="checkbox"/> Paper<br><input type="checkbox"/> Other (Specify) _____ |
| * Certification must be submitted.   |   | If "Yes," Unit Package wgt  | No. per container  |
|  |   | If "Yes," Package wgt.  | No. per container  |
| 3. Location of Net Contents Information<br><input type="checkbox"/> Label <input type="checkbox"/> Container |   | 4. Size(s) of Retail Container  |  |
|  |   | 5. Location of Label Directions<br><input type="checkbox"/> On Label<br><input type="checkbox"/> On Labeling accompanying product                             |  |
| 6. Manner In Which Label Is Affixed To Product   |   | <input type="checkbox"/> Lithograph<br><input type="checkbox"/> Paper glued<br><input type="checkbox"/> Stenciled<br><input type="checkbox"/> Other ( _____ ) |  |

|  |   |   |
|--|---|---|
| <b>Section IV</b>  |   |   |
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)  |   |   |
| Name<br>Janet M. Overholt  | Title<br>Product Registrations Manager    | Telephone No. (Include Area Code)<br>609-716-2410 |
| <b>Certification</b><br>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. |   | 6. Date Application Received<br>(Stamped)         |
| 2. Signature<br>  | 3. Title<br>Product Registrations Manager |   |
| 4. Typed Name<br>Janet M. Overholt   | 5. Date<br>1/10/96                        |   |

With corrections

Notification of Minor Changes to Supplemental Label For

PURSUIT® Herbicide  
EPA Reg. No. 241-310

**PURSUIT® AND ROUNDUP<sup>1</sup> TANK-MIXTURE FOR WEED CONTROL IN  
NO-TILL SOYBEANS  
AND IN ROUNDUP READY<sup>1</sup> SOYBEANS**

On August 21, 1995 the EPA approved a supplemental label recommending the tank-mixture of PURSUIT and Roundup (see Approved Label). Minor changes have been made to the supplemental label in order to clarify wording. The label refers to glyphosate containing products (in addition to Roundup). This is to provide growers flexibility in choice of products in the event that other formulations of glyphosate with other tradenames are approved for use on soybeans.

Text deletions are noted by ~~strike through~~ and text additions are underlined.

Label Changes:

| Proposed Label (page no.) | Approved Label (page no.) | Nature of Change  |
|---------------------------|---------------------------|---|
| 1                         | 1                         | The user is referred to the PURSUIT leaflet for information including PRECAUTIONS" and "WORKER PROTECTION STANDARD INFORMATION" in addition to other advisory information.<br><br>Under GENERAL INFORMATION, "glyphosate products" has replaced Roundup, and "(or other glyphosate containing products)" have been added to include other potential products, including Roundup. The word "postemergence" has been added to clarify the use pattern intended in this statement. |
| 1                         | 1                         | Under BURNDOWN WEED CONTROL, the wording "(or other glyphosate containing products)" or "glyphosate product" has been added following Roundup to include other products which contain glyphosate.   |
| 1                         | 1                         | The statement requiring a non-ionic surfactant or fertilizer has been removed because it is redundant. Specific instructions are included on page 2.  |

| Proposed Label (page no.) | Approved Label (page no.) | Nature of Change   |
|---------------------------|---------------------------|--|
| 1                         | 1                         | <p>Under ROUNDUP READY SOYBEANS, "(or other glyphosate containing products)" has been added to Roundup. In the same paragraph Roundup has been replaced with "glyphosate" and "glyphosate product" to provide the user with flexibility.</p> <p>An advisory statement has been added at the bottom of the page reminding the user that glyphosate containing products may only be applied postemergence to Roundup Ready soybeans.</p>   |
| 2                         | 1                         | <p>In the first sentence on p. 2, the phrase "including Roundup" has been changed to "(other than glyphosate)" to clarify the fact that herbicides other than Roundup may be tank-mixed with PURSUIT.</p>  |
| 2                         | 2                         | <p>Under RATES, "or other glyphosate product" has been added following Roundup.</p> <p>Under CROP OIL CONCENTRATE, "(glyphosate)" has been added following Roundup.</p> <p>in the second paragraph under FERTILIZER, "and glyphosate product label" has been added for clarification to the user in referring to labels. As an additional advisory statement, the user is referred to tank-mixture partner labels for information regarding, "precautions" and "adjuvants recommended".</p> <p>In the precautionary statement following MIXING INSTRUCTIONS, "PRECAUTIONARY STATEMENTS AND WORKER PROTECTION INFORMATION" was deleted (these statements are included in the first paragraph of the label).</p> <p>The advisory statement "When tank-mixing herbicides, always follow the most restrictive label" has been added.</p> <p>The label identification "Rev. 1" has been added.</p> <p>The label date has been changed from 6/95 to 12/95.</p> |

<sup>1</sup>Trademarks of Monsanto Agricultural Products Co.

<sup>®</sup>Registered Trademark of American Cyanamid Company

4 9 7

EPA Reg. No. 241-310

**PURSUIT AND ROUNDUP<sup>1</sup> TANK-MIXTURE FOR WEED CONTROL IN  
NO-TILL SOYBEANS  
AND IN ROUNDUP READY<sup>1</sup> SOYBEANS**

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT LEAFLET LABEL BEFORE USING. SEE THE PURSUIT LEAFLET LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, USE AREA, MIXING AND APPLICATION INFORMATION, WEEDS CONTROLLED AND ROTATIONAL CROP RESTRICTIONS.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system. This label must be in the possession of the user at the time of herbicide application.

**GENERAL INFORMATION**

PURSUIT provides control of many broadleaf and grassy weeds when applied to the soil or postemergence to weeds. It also provides season-long control of many weeds. It can be applied no-till to soybeans either as a burndown prior to planting or postemergence to soybeans for weed control. Roundup Glyphosate products may be tank-mixed with PURSUIT for control of difficult weeds common to no-till production, such as marestalk.

Roundup (or other glyphosate containing products) may be tank mixed with PURSUIT for enhanced postemergence weed control in Roundup Ready soybeans.

**BURNDOWN WEED CONTROL (No-till soybeans and stale seedbed)**

Apply PURSUIT plus Roundup (or other glyphosate containing products) for burndown of weeds in no-till soybeans. This tank mixture may be applied prior to planting any soybean variety (including Roundup Ready soybeans). Roundup will enhance the control of weeds including marestalk, common lambsquarters, common ragweed and waterhemp species. ~~Always include a non-ionic surfactant and ammonium sulphate or a liquid fertilizer such as 28%N.~~ Refer to the Roundup glyphosate product label for recommended rates of application.

**ROUNDUP READY SOYBEANS (glyphosate resistant)**

Roundup (or other glyphosate containing products) may be tank mixed with PURSUIT for postemergence weed control in Roundup Ready soybeans. Apply the combination of PURSUIT and Roundup glyphosate for general weed burndown and residual control of broadleaf and grassy weeds. Refer to the Roundup glyphosate product label for application rates and weeds controlled.

**NOTE: Glyphosate containing products should be applied postemergence only to Roundup Ready soybean varieties (these varieties contain the glyphosate resistant gene). Use only glyphosate products that are registered for use on Roundup Ready soybeans.**

(see other side)

## RATES

Apply PURSUIT at the rate of 4 ounces per acre.

(In North Dakota and in Minnesota north of highway #210 apply 3 ounces per acre).

Refer to the Roundup (or other glyphosate product) label for recommended use rates.

## MIXING INSTRUCTIONS

BURNDOWN OR POSTEMERGENCE APPLICATIONS REQUIRE THE ADDITION OF AN ADJUVANT AND FERTILIZER.

**SURFACTANTS:** Use a non-ionic surfactant containing at least 80% active ingredient. Apply the surfactant at the rate of 1 quart per 100 gallons.

## OR

**CROP OIL CONCENTRATE:** If herbicides other than Roundup (glyphosate) are mixed with PURSUIT, a petroleum or vegetable based oil concentrate (such as SUN-IT II<sup>2</sup>) may be used instead of a surfactant. SUN-IT II is recommended when weeds are under moisture or temperature stress. Use SUN-IT II or methylated seed oils at the rate of 1.5 to 2 pints per acre (use the higher rate when weeds are at the maximum label size), or use a crop oil concentrate at 2 pints per acre. Do not use a crop oil concentrate when Roundup (or other glyphosate product) is tank-mixed with PURSUIT.

## AND

**FERTILIZER:** Include a fertilizer in the spray solution. When Roundup (glyphosate) is used with PURSUIT, add spray grade ammonium sulfate at the rate of 2.5 lb. per acre. Instead of ammonium sulfate, a nitrogen-based liquid fertilizer (such as 28%N, 32%N or 10-34-0) may be used at the rate of 1-2 quarts per acre. Use the higher rate when weeds are under moisture or temperature stress.

Refer to the PURSUIT label and glyphosate product label for additional information regarding WEEDS CONTROLLED AND MIXING AND SPRAYING INSTRUCTIONS, PRECAUTIONARY STATEMENTS AND WORKER PROTECTION INFORMATION. Refer to the Roundup label or other herbicide labels for additional information regarding application rates, restrictions, precautions, weeds controlled, adjuvants recommended and other information.

**When tank-mixing herbicides, always follow the most restrictive label.**

<sup>1</sup>Trademarks of Monsanto Agricultural Company

<sup>2</sup>Trademark of Agsco, Inc

<sup>3</sup>Registered Trademark of American Cyanamid Company

EPA Reg. No. 241-310

697

**PURSUIT AND ROUNDUP<sup>1</sup> TANK-MIXTURE FOR WEED CONTROL IN  
NO-TILL SOYBEANS  
AND IN ROUNDUP READY<sup>1</sup> SOYBEANS**

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT LEAFLET LABEL BEFORE USING. SEE THE PURSUIT LEAFLET LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, USE AREA, MIXING AND APPLICATION INFORMATION, WEEDS CONTROLLED AND ROTATIONAL CROP RESTRICTIONS.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system. This labeling must be in the possession of the user at the time of herbicide application.

**GENERAL INFORMATION**

PURSUIT provides control of many broadleaf and grassy weeds when applied to the soil or postemergence to weeds. It also provides season-long control of many weeds. It can be applied no-till to soybeans either as a burndown prior to planting or postemergence to soybeans for weed control. Glyphosate products may be tank-mixed with PURSUIT for control of difficult weeds common to no-till production, such as marestalk.

Roundup (or other glyphosate containing products) may be tank mixed with PURSUIT for enhanced postemergence weed control in Roundup Ready soybeans.

**BURNDOWN WEED CONTROL (No-till soybeans and stale seedbed)**

Apply PURSUIT plus Roundup (or other glyphosate containing products) for burndown of weeds in no-till soybeans. This tank mixture may be applied prior to planting any soybean variety (including Roundup Ready soybeans). Roundup will enhance the control of weeds including marestalk, common lambsquarters, common ragweed and waterhemp species. Refer to the glyphosate product label for recommended rates of application.

**ROUNDUP READY SOYBEANS (glyphosate resistant)**

Roundup (or other glyphosate containing products) may be tank mixed with PURSUIT for postemergence weed control in Roundup Ready soybeans. Apply the combination of PURSUIT and glyphosate for general weed burndown and residual control of broadleaf and grassy weeds. Refer to the glyphosate product label for application rates and weeds controlled.

**NOTE: Glyphosate containing products should be applied postemergence only to Roundup Ready soybean varieties (these varieties contain the glyphosate resistant gene). Use only glyphosate products that are registered for use on Roundup Ready soybeans.**

(see other side)



Refer to the PURSUIT label for recommended herbicides. Refer to the other herbicide labels for weeds controlled and recommended applications rates.

## RATES

Apply PURSUIT at the rate of 4 ounces per acre.

(In North Dakota and in Minnesota north of highway #210 apply 3 ounces per acre).

Refer to the Roundup (or other glyphosate product) label for recommended use rates.

## MIXING INSTRUCTIONS

**BURNDOWN OR POSTEMERGENCE APPLICATIONS REQUIRE THE ADDITION OF AN ADJUVANT AND FERTILIZER.**

**SURFACTANTS:** Use a non-ionic surfactant containing at least 80% active ingredient. Apply the surfactant at the rate of 1 quart per 100 gallons.

## OR

**CROP OIL CONCENTRATE:** If herbicides other than Roundup (glyphosate) are mixed with PURSUIT, a petroleum or vegetable based oil concentrate (such as SUN-IT II<sup>2</sup>) may be used instead of a surfactant. SUN-IT II is recommended when weeds are under moisture or temperature stress. Use SUN-IT II or methylated seed oils at the rate of 1.5 to 2 pints per acre (use the higher rate when weeds are at the maximum label size), or use a crop oil concentrate at 2 pints per acre. Do not use a crop oil concentrate when (or other glyphosate product) is tank-mixed with PURSUIT.

## AND

**FERTILIZER:** Include a fertilizer in the spray solution. When Roundup (glyphosate) is used with PURSUIT, add spray grade ammonium sulfate at the rate of 2.5 lb. per acre. Instead of ammonium sulfate, a nitrogen-based liquid fertilizer (such as 28%N, 32%N or 10-34-0) may be used at the rate of 1-2 quarts per acre. Use the higher rate when weeds are under moisture or temperature stress.

Refer to the PURSUIT label and glyphosate product label for additional information regarding WEEDS CONTROLLED AND MIXING AND SPRAYING INSTRUCTIONS. Refer to the Roundup label or other herbicide labels for additional information regarding application rates, restrictions, precautions, weeds controlled, adjuvants recommended and other information.

**When tank-mixing herbicides, always follow the most restrictive label.**

<sup>1</sup>Trademarks of Monsanto Agricultural Company

<sup>2</sup>Trademark of Agsco, Inc.

®Registered Trademark of American Cyanamid Company

PE- xxxxx Rev. 1 -12/95 SD

American Cyanamid Company  
Agricultural Products Division  
Crop Protection Chemicals Department  
Wayne, NJ 07470 1995©