

04/10/2013



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Chris Hofelt, Ph.D.
BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709

APR 10 2013

Subject: Supplemental Label Amendment
Pursuit Herbicide
EPA Reg. No. 241-310
Application Dated: March 27, 2013

Dear Dr. Hofelt:

The supplemental labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

The supplemental labeling must be incorporated into the main product labeling within twelve (12) months from the date of this letter.

A stamped copy of the label is enclosed for your records. You must submit one (1) copy of the final printed label before you release the product for shipment. Products released for shipment after twelve (12) months from the date of this letter must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions, please contact Amaris Johnson at (703) 305-9542 or at johnson.amaris@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Kable Bo Davis", written over a horizontal line.

Kable Bo Davis
Product Manager 25
Herbicide Branch
Registration Division (7505P)

ACCEPTED
APR 10 2013
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticides registered under EPA Reg. No. 241-310

Supplemental Label



For weed control in birdsfoot trefoil in the state of Utah only

This supplemental label expires December 31, 2014, and must not be used or distributed after this date.

Active Ingredient*:

Ammonium salt of imazethapyr (±)-2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-5-ethyl-3-pyridinecarboxylic acid..... 22.87%

Other Ingredients:..... 77.13%

Total:..... 100.00%

* Equivalent to 21.6% (±)-2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-5-ethyl-3-pyridinecarboxylic acid
1 gallon contains 2.0 pounds of active ingredient as the free acid.

EPA Reg. No. 241-310

Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire Pursuit® herbicide container label, EPA Reg. No. 241-310, must be in possession of the user at the time of application.
- Read the label affixed to the container for Pursuit before applying.
- Use of Pursuit according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Pursuit.

Use Rate

4 ozs/A Pursuit

Apply Pursuit at a broadcast rate of 4 ozs/A postemergence only to seedling or established birdsfoot trefoil grown for forage or hay. Apply Pursuit to birdsfoot trefoil with nonionic surfactant (NIS) and urea ammonium nitrate (UAN) or ammonium sulfate (AMS) only. **DO NOT** use crop oil concentrate (COC) or methylated seed oil (MSO) in place of NIS when applying Pursuit to birdsfoot trefoil.

A maximum of 0.063 lb ae/A of imazethapyr (4 ozs/A of Pursuit) per year may be applied to birdsfoot trefoil.

AS IS
(for EPA Submission)

Seedling Birdsfoot Trefoil

Pursuit must be applied postemergence to seedling birdsfoot trefoil. Apply Pursuit when seedling birdsfoot trefoil is in the third trifoliolate stage or larger and when the majority of the weeds are 1 to 3 inches. For low growing weeds (such as mustards), apply Pursuit before the rosette exceeds 3 inches. When Pursuit is applied to seedling birdsfoot trefoil, there may be a temporary reduction in growth.

Established Birdsfoot Trefoil

Pursuit can be applied to established birdsfoot trefoil in the fall, in the spring to dormant or semi-dormant birdsfoot trefoil (less than 3 inches of regrowth), or between cuttings. Make any application before significant birdsfoot trefoil growth or regrowth (3 inches) to allow Pursuit to reach the target weeds.

Replanting. If replanting is necessary in a field previously treated with Pursuit, **DO NOT** plant birdsfoot trefoil for 4 months following a Pursuit application. Refer to the **ROTATIONAL CROP RESTRICTIONS** section on the main label for plant-back interval of various crops.

Preharvest Interval

DO NOT feed, graze, or harvest birdsfoot trefoil for 30 days following an application of Pursuit to birdsfoot trefoil.

Weeds Controlled

Refer to list of weeds controlled at the 4 ozs/A rate in the **ALFALFA AND CLOVER** section of the main label.



Application Information

Pursuit[®] herbicide is effective in controlling a broad spectrum of broadleaf and grass weeds. Birdsfoot trefoil is tolerant to postemergence applications of **Pursuit** after the third trifoliate leaf has expanded. Height reduction or leaf yellowing may occur soon after application.

Apply **Pursuit** as an early postemergence treatment when weeds are actively growing. Weeds are generally easier to control before they exceed 3 inches in height. Weeds under stress are less susceptible to control in cold or drought stress conditions.

If applied to birdsfoot trefoil under cool conditions (40° F or less), temporary stunting and yellowing of the crop may occur.

Dormant Established Birdsfoot Trefoil

Pursuit may be applied to dormant birdsfoot trefoil in the fall following the last cutting. **Pursuit** may also be applied in the spring to dormant birdsfoot trefoil or as birdsfoot trefoil breaks dormancy. Apply spring treatments prior to excessive birdsfoot trefoil growth (less than 3 inches) to reduce spray interference.

Growing Established Birdsfoot Trefoil

For weed control during the season, apply **Pursuit** following birdsfoot trefoil cutting. Remove hay from the field and apply **Pursuit** prior to excessive birdsfoot trefoil regrowth.

Perennial Grass Suppression

If perennial grass (such as orchardgrass, fescue, brome or timothy) is present in a birdsfoot trefoil stand, **Pursuit** will reduce the growth and competitive effect of the grass.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Pursuit is a registered trademark of BASF.

© 2013 BASF Corporation
All rights reserved.

000241-00310.20130322.NVA 2013-04-130-0059
Supersedes: NVA 2010-04-130-0171

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709



The Chemical Company