

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

241-313

DATE OF ISSUANCE

SEP 23 1992

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

AMDRO Roach Control PCO Gel

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Reg # 241-313

PM-13

179

American Cyanamid Company
Agricultural Research Division
P.O. Box 400
Princeton, NJ 08543-0400

146 / 423251
N / 2

NOTE. Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) since you have agreed to:

1. Submit and/or cite all data or other material for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.

2. Submit the data listed below, conducted in accordance with the Code of Federal Regulations (CFR) Section 158.340, Guidelines Reference No. 85-2, within 15 months of the date of this notice:

Dermal Penetration.

3. Make the labeling change listed below before you release the product for shipment:

a. Add the phrase, "EPA Registration No. 241-313."

b. Add a referral statement to the label on the plastic dispenser indicating

See carton or caulking tube for directions for use and additional precautionary labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

TML 8/26/92

c. Under Directions for Use, change "Use locations include undersurface of tables only, counters, shelving,..." to "Use locations include undersurface only of tables, counters, shelving,..."

3. Submit 5 copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

) Enclosures

)

Label on Plastic Dispenser

AMDRO® Roach Control PCO Gel
insecticide

ONLY FOR SALE TO, USE AND STORAGE BY PEST CONTROL OPERATORS

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL, OR INSTITUTIONAL
AREAS.

ACTIVE INGREDIENT: Hydramethylnon [tetrahydro-5,5-dimethyl-2(1H)- pyrimidinone (3-[4-(trifluoromethyl)phenyl]-1-(2-[4-(trifluoromethyl) phenyl]ethenyl)-2-propenylidene)hydrazone].....	2.0%
INERT INGREDIENTS.....	98.0%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION!

Use only in areas not easily accessible to children and pets.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid skin contact. Wear
rubber gloves during application. Wash thoroughly after
handling.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink two glasses of water and induce vomiting by touching
back of throat with finger. Do not induce vomiting or give anything by
mouth to an unconscious person. Get medical attention. In case of
emergency, call collect, day or night, (201) 835-3100.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage
or disposal. Wrap used dispensers and place in a
trash can.

Net Wt.:

EPA Reg. No. 241-313
EPA Est. No.

CYANAMID

©1992 American Cyanamid Company
Vegetation and Pest Control
Wayne, NJ 07470

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 23 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

241-313

•Registered Trademark of American Cyanamid Company

4 7 9

Carton for Plastic Dispenser

Front

AMDRO® Roach Control PCO Gel
insecticide

ONLY FOR SALE TO, USE AND STORAGE BY PEST CONTROL OPERATORS

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL, OR INSTITUTIONAL
AREAS.

ACTIVE INGREDIENT: Hydramethylnon [tetrahydro-5,5-dimethyl-2(1H)-
pyrimidinone (3-[4-(trifluoromethyl)phenyl]-1-(2-[4-(trifluoromethyl)
phenyl]ethenyl)-2-propenylidene)hydrazone]..... 2.0%

INERT INGREDIENTS..... 98.0%

TOTAL.....100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Back Panel For Additional Precautionary Statements

Use only in areas not easily accessible to children and pets.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid skin contact. Wear
rubber gloves during application. Wash thoroughly after
handling.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink two glasses of water and induce vomiting by touching
back of throat with finger. Do not induce vomiting or give anything by
mouth to an unconscious person. Get medical attention. In case of
emergency, call collect, day or night, (201) 835-3100.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage
or disposal. Wrap used dispensers and place in a
trash can.

Do not remove plastic dispenser from carton except for immediate use.

Net Wt.:

EPA Reg. No. 241-313
EPA Est. No.

CYANAMID

©1992 American Cyanamid Company
Vegetation and Pest Control
Wayne, NJ 07470

•Registered Trademark of American Cyanamid Company

7/92a



599

Carton for Plastic Dispenser

AMDRO® Roach Control PCO Gel

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use AMDRO Roach Control PCO Gel only in areas not easily accessible to children and pets. Keep exposed gel away from open food and food contact surfaces.

AMDRO Gel may be used as a spot or crack and crevice treatment for the control of cockroaches in and around homes and the non-food/feed areas of institutional, warehousing and commercial establishments, including hospitals, laboratories, computer facilities, sewers, buses, boats/ships, trains, pet shops, and zoos.

Do not use in the food/feed product areas of food/feed processing plants, restaurants or other areas where food/feed is commercially prepared, processed, served, stored, or exposed.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Not for use in USDA meat and poultry plants.

Application rate is dependent on level of infestation and species to be controlled.

<u>Cockroach Species</u>	<u>Application Rate</u> (g/m ² infested surface areas)	<u>Application Method</u>
Small, such as German or brown-banded	0.25 - 0.50	Thin film or small spots
Large, such as American, Smoky brown or Oriental	0.5 - 1.0	Larger spots

The lower application rate should be used for low to moderate infestations and the higher rate for more severe infestations. Gel placements should be at or near harborages or aggregation areas, such as cracks and crevices, corners, or areas of movement. Use locations include undersurfaces of tables only, counters, shelving, drawers, and sinks and around pipe collars, above suspended ceilings, inside electrical boxes, adjacent, or under trash receptacles and carts, under and behind stoves, and refrigerators, under drain plates and around electrical equipment and machines.

BEST AVAILABLE COPY

Priority treatment areas may be identified by visual inspection of such areas listed above or aided by trapping techniques or spot flushings.

To apply gel, remove the cap on nozzle, touch the tip to surface, and apply. Recap the dispenser after treatment is completed. The bait will adhere to non-greasy or non-dusty surfaces and will remain palatable to cockroaches as long as it is visibly present.

Reapply when bait is no longer visibly present, according to the remaining level of infestation, which is generally at a lower rate than the initial treatment. A visual inspection of bait placements is recommended at one week after the initial treatment where high infestations are being treated. Reapplication should be made if the bait is visibly depleted.

Numerous smaller placements will provide faster control than few larger spots, especially for German cockroach control.

Pest population reduction will be apparent within a week or less. Cockroaches become lethargic after ingesting the bait and some may be seen during daylight hours.

Note: Do not apply gel to areas which have been recently sprayed with insecticides or spray insecticides over gel placements, as this may cause the bait to become repellant. Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces.

DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Reduced performance or other unintended consequences may result from external factors such as environmental conditions, presence of other materials, or the use or application of the product contrary to label instructions all of which are beyond the control of American Cyanamid Company. All such risks shall be assumed by the user. American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

7 2 9

Label on Caulking Tube

AMDRO® Roach Control PCO Gel
insecticide

ONLY FOR SALE TO, USE AND STORAGE BY PEST CONTROL OPERATORS

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL, OR INSTITUTIONAL
AREAS.

ACTIVE INGREDIENT: Hydramethylnon [tetrahydro-5,5-dimethyl-2(1H)- pyrimidinone (3-[4-(trifluoromethyl)phenyl]-1-(2-[4-(trifluoromethyl) phenyl]ethenyl)-2-propenylidene)hydrazone].....	2.0%
INERT INGREDIENTS.....	98.0%
TOTAL.....	100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Back Panel For Additional Precautionary Statements

Use only in areas not easily accessible to children and pets

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid skin contact. Wear
rubber gloves during application. Wash thoroughly after
handling.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink two glasses of water and induce vomiting by touching
back of throat with finger. Do not induce vomiting or give anything by
mouth to an unconscious person. Get medical attention. In case of
emergency, call collect, day or night, (201) 835-3100.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage
or disposal. Wrap used dispensers and place in a
trash can.

Net Wt.:

EPA Reg. No. 241-313
EPA Est. No.

CYANAMID

©1992 American Cyanamid Company
Vegetation and Pest Control
Wayne, NJ 07470

®Registered Trademark of American Cyanamid Company

7/92a

BEST AVAILABLE COPY

Label on Caulking Tube

AMDRO® Roach Control PCO Gel

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use AMDRO Roach Control PCO Gel only in areas not easily accessible to children and pets. Keep exposed gel away from open food and food contact surfaces.

AMDRO Gel may be used as a spot or crack and crevice treatment for the control of cockroaches in and around homes and the non-food/feed areas of institutional, warehousing and commercial establishments, including hospitals, laboratories, computer facilities, sewers, buses, boats/ships, trains, pet shops, and zoos.

Do not use in the food/feed product areas of food/feed processing plants, restaurants or other areas where food/feed is commercially prepared, processed, served, stored, or exposed.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Not for use in USDA meat and poultry plants.

Application rate is dependent on level of infestation and species to be controlled.

Cockroach

<u>Species</u>	<u>Application Rate</u> (g/m ² infested surface areas)	<u>Application Method</u>
Small, such as German or brown-banded	0.25 - 0.50	Thin film or small spots
Large, such as American, Smoky brown or Oriental	0.5 - 1.0	Larger spots

The lower application rate should be used for low to moderate infestations and the higher rate for more severe infestations. Gel placements should be at or near harborages or aggregation areas, such as cracks and crevices, corners, or areas of movement. Use locations include undersurfaces of tables only, counters, shelving, drawers, and sinks and around pipe collars, above suspended ceilings, inside electrical boxes, adjacent or under trash receptacles and carts, under and behind stoves, and refrigerators, under drain plates and around electrical equipment and machines.

BEST AVAILABLE COPY

Priority treatment areas may be identified by visual inspection of such areas listed above or aided by trapping techniques or spot flushings.

To apply gel. remove the cap on nozzle, touch the tip to surface, and apply. Recap the dispenser after treatment is completed. The bait will adhere to non-greasy or non-dusty surfaces and will remain palatable to cockroaches as long as it is visibly present.

Reapply when bait is no longer visibly present, according to the remaining level of infestation, which is generally at a lower rate than the initial treatment. A visual inspection of bait placements is recommended at one week after the initial treatment where high infestations are being treated. Reapplication should be made if the bait is visibly depleted.

Numerous smaller placements will provide faster control than few larger spots, especially for German cockroach control.

Pest population reduction will be apparent within a week or less. Cockroaches become lethargic after ingesting the bait and some may be seen during daylight hours.

Note: Do not apply gel to areas which have been recently sprayed with insecticides or spray insecticides over gel placements, as this may cause the bait to become repellent. Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces.

DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Reduced performance or other unintended consequences may result from external factors such as environmental conditions, presence of other materials, or the use or application of the product contrary to label instructions all of which are beyond the control of American Cyanamid Company. All such risks shall be assumed by the user. American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

BEST AVAILABLE COPY