

ACCEPTED

DEC 22 1991

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered for the pesticide use listed under EPA Reg. No. 241-313



**ONLY FOR SALE TO, USE
AND STORAGE BY PEST
CONTROL OPERATORS
FOR USE IN AND AROUND
HOMES, COMMERCIAL,
INDUSTRIAL, OR
INSTITUTIONAL AREAS:**

ACTIVE INGREDIENT:
Hydramethylnon [tetrahydro-5,
5-dimethyl-2(1H)-pyrimidinone
(3-[4-(trifluoromethyl)phenyl]-1-
(2-[4-(trifluoromethyl)phenyl]
ethenyl)-2-propenylidene)-
hydrazone]

	2.0%
INERT INGREDIENTS	98.0%
TOTAL	100.0%

EPA Reg. No. 241-313
EPA Est. No. 34797-IA-03

**KEEP OUT OF REACH
OF CHILDREN
CAUTION!**

**See Back Panel For Additional
Precautionary Statements**

**Use only in areas not easily
accessible to children and pets.
Do not remove plastic dispensers
from carton except for immediate use.**

CYANAMID
American Cyanamid Company
Agricultural Division
Vegetation and Pest Control Department
Wayne, NJ 07470 ©1992

Net Wt.: 120g. Contains 4 x 30ml
™ Trademark of American Cyanamid Company 10/92

**STATEMENT OF
PRACTICAL TREATMENT**

If swallowed, drink two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. In case of emergency, call collect, day or night, (201) 835-3100.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION

May be harmful if swallowed. Avoid skin contact. Wear rubber gloves during application. Wash thoroughly after handling.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

See complete Directions For Use inside leaflet.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Wrap used dispensers and place in a trash can.

See Disclaimer inside leaflet.



RECYCLED PACKAGE

70% Pre-Consumer Material Content
30% Post-Consumer Material Content



Contains Four Pre-filled Dispensers





ONLY FOR SALE TO, USE AND STORAGE BY PEST CONTROL OPERATORS
FOR USE IN AND AROUND HOMES, COMMERCIAL,
INDUSTRIAL, OR INSTITUTIONAL AREAS.

Contains: Hydramethylnon 2.0%

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 241-313

CAUTION!

EPA Est. No. 34797-IA-03

Use only in areas not easily accessible to children and pets.

See additional precautionary statements and directions for use in enclosed leaflet.



Net Wt.: 30g

*Trademark of American Cyanamid Company

18/92

PRINTER INFORMATION: PRINT FULL COLOR. SIEGE, TM AND BULLSEYE PRINT PMS 108 YELLOW. ARROW AND RINGS ON BULLSEYE PRINT PMS 032 RED. "GEL INSECTICIDE" REVERSES OUT WHITE. LOGO BACKGROUND PRINTS BLACK. ALL REMAINING COPY AND CYANAMID LOGO PRINT BLACK. REFER TO COLOR COMP FOR BREAKS.

a:\74850av2.cdr

Date: 8/28/92, 9/4, 9/10, 9/29

**SIEGE GEL INSECTICIDE SYRINGE LABEL
CLIENT REVIEW - 4**

30

ACTIVE INGREDIENT: Hydramethylinon (tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone (3-[4-(trifluoromethyl)phenyl]-1-(2-[4-(trifluoromethyl)phenyl]ethoxy)-2-propoxyidene)hydrazene) 2.0%

INERT INGREDIENTS 98.0%

TOTAL 100.0%

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

May be harmful if swallowed. Avoid skin contact. Wear rubber gloves during application. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. In case of emergency, call collect, day or night, (201) 835-3100.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Wrap used dispensers and place in a trash can.

Do not remove plastic dispenser from carton except for immediate use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use SIEGE Gel insecticide only in areas not easily accessible to children and pets. Keep exposed gel away from open food and food contact surfaces.

SIEGE Gel may be used as a spot or crack and crevice treatment for the control of cockroaches in and around homes and the non-food/feed areas of institutional, warehousing and commercial establishments, including hospitals, laboratories, computer facilities, sewers, buses, boats/ships, trains, pet shops, and zoos.

Do not use in the food/feed product areas of food/feed processing plants, restaurants or other areas where food/feed is commercially prepared, processed, served, stored, or exposed.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Not for use in USDA meat and poultry plants.

Application rate is dependent on level of infestation and species to be controlled.

Cockroach Species	Application Rate (g/m ² infested surface areas)	Application Method
Small, such as German or brown-banded	0.25 - 0.50	Thin film or small spots
Large, such as American, Smokey brown or Oriental	0.5 - 1.0	Larger spots

The lower application rate should be used for low to moderate infestations and the higher rate for more severe infestations. Gel placements should be at or near harborage or aggregation areas, such as cracks and crevices, corners, or areas of movement. Use locations include undersurfaces only of tables, counters, shelving, drawers, and sinks and around pipe collars, above suspended ceilings, inside electrical boxes, adjacent or under trash receptacles and carts, under and behind stoves and refrigerators, under drain plates and around electrical equipment and machines.

Priority treatment areas may be identified by visual inspection of such areas listed above or aided by trapping techniques or spot flushings.

To apply gel, remove the cap on nozzle, touch the tip to surface, and apply. Recap the dispenser after treatment is completed. The bait will adhere to non-greasy or non-dusty surfaces and will remain palatable to cockroaches as long as it is visibly present.

Reapply when bait is no longer visibly present, according to the remaining level of infestation, which is generally at a lower rate than the initial treatment. A visual inspection of bait placements is recommended at one week after the initial treatment where high infestations

are being treated. Reapplication should be made if the bait is visibly depleted.

Numerous smaller placements will provide faster control than few larger spots, especially for German cockroach control.

Pest population reduction will be apparent within a week or less. Cockroaches become lethargic after ingesting the bait and some may be seen during daylight hours.

Note: Do not apply gel to areas which have been recently sprayed with insecticides or spray insecticides over gel placements, as this may cause the bait to become repellent. Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces.

DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible

to eliminate all risks inherently associated with use of this product. Reduced performance or other unintended consequences may result from external factors such as environmental conditions, presence of other materials, or the use or application of the product contrary to label instructions all of which are beyond the control of American Cyanamid Company. As such risks shall be assumed by the user. American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

American Cyanamid Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.



**ONLY FOR SALE TO, USE AND STORAGE
BY PEST CONTROL OPERATORS
FOR USE IN AND AROUND HOMES,
COMMERCIAL, INDUSTRIAL, OR INSTITUTIONAL AREAS.
Use only in areas not easily accessible to children and pets.
EPA Reg. No. 241-313
KEEP OUT OF REACH OF CHILDREN
CAUTION!**

™ Trademark of American Cyanamid Company

18/92

PRINTING INFORMATION:
ALL COPY AND ART PRINT BLACK

h6h