

EVENT

grass growth regulator

For Use on
Tall Fescues
Perennial
Ryegrasses,
Bluegrasses,
and Bahiagrasses



ACTIVE INGREDIENTS:

Ammonium salt of imazethapyr [(2-ethyl-6-methyl-4-(1-methyl-1H-imidazol-2-yl)-5-ethoxyphenyl)acetic acid] 17.26%
Ammonium salt of imazapyr [2-[4-(2-imidazol-2-yl)-3-pyridinyl]acetic acid] 0.84%
TOTAL ACTIVE INGREDIENTS 18.10%
EPA Reg. No. 241-517

INERT INGREDIENTS

18.10%
EPA Reg. No. 241-517

KEEP OUT OF REACH OF CHILDREN
CAUTION!

PRECAUCION AL USUARIO: Si usted no lo entiende, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

See Additional Precautionary Statements Inside.
See Directions For Use Inside.

Net Contents: 1 quart
Trademark of American Cyanamid Company

NET WT 32 OZ (1.0 L)
D40
289

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation.
IF IN EYES: Flush with plenty of water.
IF INHALED: Remove victim to fresh air.

In case of an emergency endangering life or property involving this product, call collect, day or night, area code 201-835-3100.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION!

Harmful if inhaled or absorbed through skin. Avoid breathing spray mist. Avoid contact with eyes, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect nontarget plants.
DO NOT apply directly to water or wetlands.
DO NOT contaminate water when disposing of equipment washwaters.

GENERAL INFORMATION

EVENT reduces the foliar growth of established tall fescue, perennial ryegrass, bluegrass, bahiagrass. EVENT controls seedhead production by tall fescue and controls or suppresses seedhead production by perennial ryegrass, bluegrass, and bahiagrass. EVENT may be used on limited care-low maintenance areas, such as roadsides, lawns, and golf course roughs, and limited wear areas such as industrial, institutional, and veterinary grounds.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

BEST ANSWER TO THE COP

BEST AVAILABLE

SPRAYING INSTRUCTIONS

Uniformly apply EVENT sprays with a properly calibrated sprayer in sufficient volume to insure adequate coverage. **AVOID DRIFT** onto the foliage of desirable nontarget plants or injury may result. **AVOID overlaps** when spraying. A spray indicator dye is useful for preventing overlaps. **DO NOT** apply when wind velocity is greater than 10 mph.

HERBICIDE COMBINATIONS

EVENT may be used in combination with EMBARK* or TELAR** for broad-spectrum grass seedhead suppression. To use, mix 2 to 4 ounces of EVENT with either 8 ounces of EMBARK or 1/8 to 1/4 ounce of TELAR per acre.

Where control of broadleaf weeds is desirable, EVENT may be tank-mixed with most broadleaf herbicides currently registered for use in turf. **DO NOT** tank-mix with sulfonyleurea (EXCEPT TELAR) or imidazolinone herbicides. EVENT may be tank-mixed with methylarsonate herbicides such as MSMA or DSMA. **DO NOT** tank-mix with other postemergence grass herbicides labeled for use in turfgrasses. EVENT may be used prior to or sequential to all currently registered herbicides EXCEPT there must be a three month interval of grass growth between applications of EVENT and sulfonyleurea and imidazolinone herbicide applications.

*Registered Trademark of P. B. I. Gordon

**Registered Trademark of DuPont

MIXING INSTRUCTIONS

Fill the spray tank one half to three quarters full with clean water. While agitating, add the required measured amount of EVENT. When thoroughly mixed, add the required measured amount of nonionic surfactant. Fill the tank to required volume and add an antifoam agent, if needed.

When tank mixing EVENT with recommended herbicides, add the herbicide first and make sure it is thoroughly mixed. Then add EVENT and proceed as above.

SPECIAL PRECAUTIONS

USE ONLY on well-established non-stressed grass stands.
DO NOT use on newly established stands less than 1-year old.
DO NOT use on highly managed turfgrasses.
DO NOT reseed before three months following an application of EVENT.
DO NOT use on intense wear areas such as athletic fields, playgrounds, or footpaths.
DO NOT use on ornamental plants as injury may result.
DO NOT graze or feed clippings of treated grasses to livestock.
DO NOT apply aenally.

IMPORTANT: Thoroughly clean application equipment after use. Flush tank, pump, hoses, and boom with several changes of water after removing nozzle tips and screens (clean these parts separately).

DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on research and field use. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Turf injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the use of, or application of the product contrary to label instructions, all of which are beyond the control of American Cyanamid Company. All such risks shall be assumed by the user.

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or valuations or any other special or indirect damages.

American Cyanamid Company makes no other express or implied warranty, including other express or implied warranty of FITNESS or of MERCHANTABILITY.

NO

ACCEPTED
APR 14 1990

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, and Rodeo as amended, for the registered under EPA Reg. No. 246-



INTEG™ is protected by the following Patents: U.S. 4675062, Canada 422793, and others.

CHILDREN CAUTION!

ACTIVE INGREDIENTS:

Ammonium salt of imazethapyr
[(±)-2-[4,5-dihydro-4-methyl-
4-(1-methyl-2-yl)-5-oxo-1H-
imidazol-2-yl]-5-ethyl-3-pyridine
carboxylic acid]* 17.26%
Ammonium salt of imazapyr [2-[4,5-
dihydro-4-methyl-4-(1-methyl-2-yl)-
5-oxo-1H-imidazol-2-yl]-3-pyrid-
inecarboxylic acid)]* 0.64%

INERT INGREDIENTS 82.10%
TOTAL 100.00%

*Equivalent to 16.3% imazethapyr and
0.6% imazapyr or 1.46 pounds acid
per gallon

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

Harmful if inhaled or absorbed through
skin. Avoid breathing spray mist.
Avoid contact with skin, eyes, or cloth-
ing. Wash thoroughly with soap and
water after handling. Remove con-
taminated clothing and wash before
reuse.

ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect
nontarget plants.

DO NOT apply directly to water or
wetlands.

DO NOT contaminate water when dis-
posing of equipment washwaters.

DIRECTIONS FOR USE • It is a
violation of Federal law to use this
product in a manner inconsistent with

CONTAINER DISPOSAL: Triple
rinse (or equivalent). Then offer for
recycling or reconditioning, or punc-
ture and dispose of in a sanitary
landfill, by incineration or if allowed
by State and Local authorities by burn-
ing. If burned, stay out of smoke.

See Disclaimer Inside Label

**In case of an emergency re-
sponding to or properly in-
vestigating this product, call
collect, day or night, area code
201-635-3100.**



Ammonium Cyanamid Cor-
poration
200 West
Wayne, N.J. 07090

© 1989

Net Contents:
1 quart

048
2/89

BEST AVAILABLE COPY