

(Household Use Version)

TIME-OUT™
Grass Growth Regulator

A Grass Growth Regulator for Use on Established Lawns of
St. Augustinegrass, Bermudagrass and Zoysiagrass

ACTIVE INGREDIENT:

Ammonium salt of imazaquin (2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-quinolinecarboxylic acid)*..... 0.79%

INERT INGREDIENTS..... 99.21%

TOTAL..... 100.00%

*Equivalent to 0.75% 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-quinolinecarboxylic acid.


CONTAINS WILL TREAT 4,000 SQ. FT. OF LAWN

EPA Reg. No. 141-

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN

CAUTION!



In case of emergency involving this product, call collect, day or night,
Area Code 201-835-8100.

See next page for Additional Precautionary Statements

American Cyanamid Company
Agricultural Division
VPC Ventures
Wayne, NJ 07470 •1989

Net Contents:

™Trademark of American Cyanamid Company

7/13/89

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION!

Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID

- IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.
- IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

DO NOT apply directly to water or wetlands (swamps, bogs, marshes and potholes). DO NOT contaminate water when disposing of equipment washwaters.

IMPORTANT

DO NOT use on tuftgrass species that do not appear on the front label, including Bahiagrass and Dichondra.

DO NOT apply to newly seeded, sodded or sprigged lawns.

DO NOT use on ornamentals or on mulched or bare ground areas where ornamentals (including shrubs or trees) are growing.

Apply only when the air is calm to avoid spray contact with non-target plants.

NOTE: This product may result in temporary discoloration (yellow or blue) of the grass. Return to original color will be rapid, with length of time dependent on weather conditions.

GENERAL INFORMATION

TIME-OUT is a unique product that slows grass growth and reduces mowing frequency. Grass growth will be slowed enough to reduce the need for mowing for a three to six week interval after application. Duration of the interval depends on various lawn care practices and environmental influences. Apply according to label directions. USE ONLY TWO TIMES PER GROWING SEASON.

7/13/89

BEST AVAILABLE COPY

DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on research and field use. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Plant injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the use of, or application of the product contrary to label instructions, all of which are beyond the control of American Cyanamid Company. All such risks shall be assumed by the user.

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

American Cyanamid Company makes no other express or implied warranty, including other express or implied warranty of FITNESS or MERCHANTABILITY.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Observe all cautions and limitations on this label. The use of TIME-OUT not consistent with this label may result in injury to turfgrass and ornamental plants. Keep containers closed to avoid spills and contamination.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dark place.

PESTICIDE

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER

DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

TIME-OUT APPLICATION RATE:

TIME-OUT use rate is 16 oz. per 1000 square feet applied through the hose end sprayer supplied with the product. The contents of this container will treat 4,000 square feet of lawn.

USE THIS PRODUCT ONLY on established lawns of:

- St. Augustinegrass
- Bermudagrass
- Zoysiagrass

WHEN TO APPLY TIME-OUT:

Apply TIME-OUT after the lawn has greened-up fully, is actively growing, and has been mowed a minimum of two times. ONLY APPLY TIME-OUT TWICE IN A SINGLE GROWING SEASON. Cut the grass a minimum of twice between the first and second application. TIME-OUT should not be used later than one month prior to the onset of winter dormancy.

TIME-OUT can be applied before or after mowing the lawn.

- 1. Before Mowing: Apply TIME-OUT three or less days before mowing. This allows time for the product to stop growth prior to cutting and provide a slight height advantage.
- 2. After Mowing: Apply TIME-OUT within 24 hours of mowing to prevent excessive and uneven growth from occurring before grass growth stops.

HOW TO APPLY TIME-OUT:

1. Estimate the size of area to be treated. For example, 750 sq. ft. = an area 50 ft. X 15 ft. This 64 oz. bottle is enough TIME-OUT to treat 4,000 sq. ft. Use the graduated scale on the side of the bottle as a guide to uniformly apply TIME-OUT over the treatment area.
2. Remove cap from bottle, be sure the siphon tube is in place, and screw spray nozzle onto bottle. (CAUTION: Do not squeeze bottle. Liquid could come out of the nozzle).
3. Attach spray nozzle to hose. Make sure the rubber washer is in proper position.
4. Turn ON/OFF toggle switch to the OFF position (toward hose). Hold bottle in one hand and turn on the water at the tap with the other.
5. At the treatment area, turn toggle switch ON (away from hose) and begin spraying. The water automatically mixes with TIME-OUT at the proper ratio. Hold the sprayer at waist level with spray directed away from face and body.



- 6. Apply TIME-OUT using a steady walking pace while sweeping the sprayer in a smooth side to side motion. Overlap treated areas slightly.

TO INSURE MOST UNIFORM COVERAGE, apply TIME-OUT in two right angle (perpendicular) passes over the treatment area. One half of the TIME-OUT is applied on the first pass over the treatment area. The other half is applied to the same area in a direction that is at a right angle to the first pass. This will prevent "striping" or "misses" that might occur when all material is applied in one direction.

"MISSES" AT LAWN EDGES CAN BE AVOIDED by carefully spraying all grass up to the edges of trees, flower beds, driveways, and walkways.

- 7. For SUPERIOR PERFORMANCE, lightly water the entire lawn immediately after applying TIME-OUT.

BEST AVAILABLE COPY