

241-322

4.4.2007

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Craig D. Kleppe, Ph.D.
Registration Scientist
BASF Corporation
26 Davis Drive
P.O. Box 13528
Research Triangle Park, NC 27709

NOTIFICATION

APR 4 2007

APR 04 2007

SUBJECT: Applications for Pesticide Notification – Changes per 12/08/06 EPA Letter
✓ AMDRO Granular Insecticide EPA Reg. No. 241-260
✓ AMDRO Fire Ant Insecticide EPA Reg. No. 241-322
Applications Dated February 27, 2007

Dear Dr. Kleppe:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the products above. The Registration Division (RD) has conducted a review of these requests for their applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped “Notification” and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
 Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number BASF Corporation / 241-322	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) BASF Corporation / AMDRO Fire Ant Insecticide	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) BASF Corporation 26 Davis Drive, PO Box 13528 Research Triangle Park, NC 27709 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated <u>December 8, 2006</u>
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION to submit revised product master labeling and final print labeling in response to EPA comments from letter dated December 8, 2006.

NOTIFICATION

No PRIA code/fee is applicable to this notification.

APR 04 2007

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.
* Certification must be submitted			No. per container	Metal Plastic Glass Paper Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Craig D. Kleppe	Title Product Registration Manager	Telephone No. (Include Area Code) 919 547 2000 ext 2615
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Product Registration Manager	
4. Typed Name Craig D. Kleppe	5. Date February 27, 2007	

February 26, 2007

U.S. Environmental Protection Agency
Office of Pesticide Programs (7505P)
Document Processing Desk 7504P (NOTIF)
Room S-4900
One Potomac Yard (South Building)
2777 South Crystal Drive
Arlington, VA 22202 U.S.A.
Attention: Mr. Richard Gebken, Insecticide Branch, Product Manager 10

NOTIFICATION

APR 04 2007

NOTIFICATION

APR 04 2007

**RE: NOTIFICATION –
Submission of Revised Product Labeling and Final Print Labeling
AMDRO® Fire Ant Insecticide (EPA Reg.No. 241-322)
In Response to EPA Letter Dated December 8, 2006**

Dear Mr. Gebken:

With this letter as a notification in response to EPA letter dated December 8, 2006, BASF is providing revised product labeling and final print labeling for **AMDRO® Fire Ant Insecticide** (EPA Reg. No. **241-322**). The following labels are attached:

1. **revised master labeling** - BASF has made all the changes on the label as requested by EPA in their letter to BASF dated December 8, 2006. Additionally, the statement on the front page was revised to "See inside booklet for **First Aid, Precautionary Statements, Directions for Use, Conditions of Sale and Warranty**, and state-specific crop and/or use site restrictions." And finally, a "Conditions of Sale and Warranty" section was added to the last page to meet recent EPA guidance on such statements.
2. **final print labeling** – this version is essentially the fully revised master label (as provided above) but with references to the Argentine ant (throughout label) and the alternate tradenames (on front page) removed. This final print label is attached to product container prior to commercial release and shipment.

Also, please note that from the internet websites www.turfacts.com and www.pestcontrolfacts.com, BASF has removed all the inappropriate claims and/or statements that EPA had identified and referred to as "Collateral Labeling."

Please find enclosed the following documentation to support this notification:

1. Application Form 8570-1
2. **Master Label** (2 copies)
3. **Final Print Label** (2 copies)

Thank you for your continued assistance with **AMDRO® Fire Ant Insecticide**.

Regards,



BASF Corporation

BASF

4/11

Craig D. Kleppe, Ph.D.
Product Registration Manager
email *craig.kleppe@basf.com*, Tel 919-547-2615, Fax 919-547-2850

® Registered Trademark of Central Garden and Pet Company

5/11

AMDRO® Fire Ant Insecticide

Alternate Tradenames:

AMDRO® Granular Insecticide
AMDRO® Pro Fire Ant Bait
SIEGE® Pro Fire Ant Bait

NOTIFICATION

APR 04 2007

**KILLS IMPORTED AND NATIVE FIRE ANTS
and other ants
KILLS THE QUEEN DESTROYS THE MOUND**

ACTIVE INGREDIENT:

hydramethylnon: Tetrahydro-5,5-dimethyl 2(1H)-pyrimidinone(3,4-(trifluoromethyl)phenyl)-1-(2-[4-(trifluoromethyl)phenyl] ethenyl)-2-propenylidene) hydrazone	0.73%
Inert Ingredients:	<u>99.27%</u>
Total:	100.00%

EPA Reg. No. 241-322

EPA Est. No.

**KEEP OUT OF REACH OF CHILDREN
CAUTION! ¡PRECAUCION!**

*Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)*

See inside booklet for additional **First Aid, Precautionary Statements, Directions for Use, Conditions of Sale and Warranty**, and state specific crop and/or use site restrictions.

In case of an emergency endangering life or property involving this product,
call day or night 1-800-832-HELP.

NET CONTENTS: _____

Manufactured for
BASF Corporation
Agricultural Products
26 Davis Drive
Research Triangle Park, NC 27709



FIRST AID	
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • DO NOT induce vomiting unless told to do so by the poison control center or doctor. • DO NOT give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact BASF Corporation for emergency medical treatment information: 1-800-832-HELP (4357).	

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)**

CAUTION!

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. May be harmful if swallowed.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves (such as rubber or water-proof gloves)
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product is toxic to fish. **DO NOT** apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

DO NOT contaminate water when disposing of equipment washwaters. **DO NOT** apply when weather conditions favor drift from target areas.

General Information

AMDRO® Fire Ant Insecticide is a bait which is highly attractive to imported and native fire ants and other ants. Worker ants carry it into the mound as food for the colony. They eat it and feed it to the queen. **AMDRO** starts to kill ants immediately. In about a week the queen is dead, which destroys the mound.

Further information regarding ants may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product by any method not specified on this label.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of **12 hours**.

The PPE required for early entry to treated areas which is permitted under the Worker Protection Standard and that involves contact with anything which has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves (such as rubber or water-proof gloves)
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standards for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

- Keep unprotected persons out of treated area during pesticide applications.

Outdoor Use

AMDRO® Fire Ant Insecticide controls imported, little, and native fire ants and other ants, such as harvester ants, bigheaded ants and Argentine ant. **AMDRO** is for use on lawns, landscaped areas, golf courses, and other noncropland areas such as airports, roadsides, cemeteries, commercial grounds, parks, school grounds, picnic grounds, athletic fields and other recreational areas, as well as on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Avoid direct exposure of animals to **AMDRO** granules.

AMDRO may be used in and around container or field-grown ornamental and nonbearing nursery stock and on sod farms (commercial turf). **AMDRO** may also be applied to the soil around nonbearing fruit or nut trees. **DO NOT** harvest food/feed from nonbearing nursery stocks within one year of application.

DO NOT graze or feed lawn or sod clippings to livestock.

Treatment	Rate	Comments
Individual mounds: imported fire ants little fire ants native fire ants harvester ants bigheaded ants Argentine ant	2 to 5 level tablespoons	Distribute bait uniformly around the mound. DO NOT disturb the mound. DO NOT apply more than 2.0 lb per acre. DO NOT contaminate kitchen utensils by use or storage.
Broadcast treatment: imported fire ants little fire ants native fire ants harvester ants	1.0-1.5 lb/acre [2.0-3.0 oz/5,000 square feet]	Broadcast bait uniformly with ground (granular spreaders) or aerial equipment.
Broadcast treatment: bigheaded ants Argentine ant	1.0-2.0 lb/acre [2.0-4.0 oz/5,000 square feet]	Broadcast bait uniformly with ground (granular spreaders) or aerial equipment.

Apply when ants are actively foraging (typically when soil temperature is greater than 60° F). Repeat applications as needed.

Grass Forage (Pasture and Rangeland) Use

AMDRO controls imported, little and native fire ants and other ants, such as harvester ants, bigheaded ants and Argentine ant. **AMDRO** may only be applied to grass forage (pasture and rangeland) for the control of fire ants only in the following states: Alabama, Arkansas, Florida, Georgia, Louisiana, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, and Virginia. Use of **AMDRO** on grass forage in states other than those listed is unlawful. Reference the table below for application directions. Applications of **AMDRO** to grass forage may not exceed a maximum rate of 8.0 pounds per acre per year, and **AMDRO** may not be applied more than 4 times per year with minimum application intervals of 90 days.

DO NOT cut and bale hay from pastures and rangeland treated with **AMDRO** until 7 days after the bait application is made. The restrictions on the use of **AMDRO** on cutting and baling hay **DO NOT APPLY** when the treated pasture and rangeland is used solely to support companion animals (e.g. horses, llamas). These companion animals cannot be used for food or feed.

Treatment	Rate	Comments
Individual mounds: imported fire ants little fire ants native fire ants harvester ants bigheaded ants Argentine ant	2 to 5 level tablespoons	Distribute bait uniformly around the mound. DO NOT disturb the mound. DO NOT apply more than 2.0 lb. per acre. DO NOT contaminate kitchen utensils by use or storage.
Broadcast treatment: imported fire ants little fire ants native fire ants harvester ants	1.0-1.5 lb/acre [2.0-3.0 oz/ 5,000 square feet]	Broadcast bait uniformly with ground (granular spreaders) or aerial equipment.
Broadcast treatment: bigheaded ants Argentine ant	1.0-2.0 lb/acre [2.0-4.0 oz/ 5,000 square feet]	Broadcast bait uniformly with ground (granular spreaders) or aerial equipment.

Apply when ants are actively foraging (typically when soil temperature is greater than 60° F).

AMDRO® Fire Ant Insecticide plus Extinguish® Professional Fire Ant Bait

Apply a blend of **AMDRO** and **Extinguish** to control imported fire ants in non-agricultural lands and grass forage (pasture and rangeland). **AMDRO** may only be applied to grass forage (pasture and rangeland) in the following states: Alabama, Arkansas, Florida, Georgia, Louisiana, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, and Virginia. Use of **AMDRO** on grass forage in states other than those listed is unlawful. See table below for application directions. These products cannot be mixed with any other product bearing a label prohibiting against such mixing. Always read and follow all label directions when using any pesticide alone or in tank mix/hopper blend combinations. Observe all conditions, restrictions and precautions which appear on all product labels. The most restrictive labeling applies when using tank mixtures.

Treatment	Rate	Comments
Broadcast treatment: Imported fire ants	0.75 lb/acre AMDRO plus 0.75 lb/acre EXTINGUISH	Mix bait products together thoroughly prior to application; distribute bait uniformly with ground (granular spreaders) or aerial equipment.

Apply when ants are actively foraging (typically when soil temperature is greater than 60° F). Test using a small amount of bait near a fire ant mound.

Pineapple Use

For use in pineapple fields and in uncultivated land surrounding pineapple fields to control pest ants.

Treatment	Rate	Comments
Individual mounds: imported fire ants little fire ants native fire ants bigheaded ants Argentine ant	5 level tablespoons	Distribute bait uniformly around the mound. DO NOT disturb the mound. DO NOT contaminate kitchen utensils by use or storage.
Broadcast treatment: imported fire ants little fire ants native fire ants	1.0 - 1.5 lb/acre/ application	Broadcast by ground or aerial equipment (helicopter only) using disc or turbine blower type spreaders to all infested fields. Apply the first application approximately one month after planting. Apply AMDRO no more than 4 applications per 12-month period with minimum application intervals of 90 days.
Broadcast treatment: bigheaded ants Argentine ant	1.0 - 1.5 lb/acre/ application for moderate infestations 1.5 - 3.0 lbs/acre/ application for heavier infestations	Broadcast by ground or aerial equipment (helicopter only) using disc or turbine blower type spreaders to all infested fields. Apply the first application approximately one month after planting. Apply AMDRO no more than 4 applications per 12-month period with minimum application intervals of 90 days.

Conduct ant surveys to monitor ant populations before and after treatments. Apply when ants are active (typically when soil temperature is greater than 60° F).

DO NOT exceed 6.0 lbs of **AMDRO** per acre within any 12-month period.

Aerial applications are prohibited within 200 feet of irrigation ditches, streams, ponds and public roadways, and 1000 feet of residential areas.

DO NOT harvest within thirty (30) days after last application.

DO NOT make applications if it is likely to rain within an hour of application.

Green chop (leaves and crowns) shall not be fed to animals.

Tropical Fruit and Nut Orchard Crop Use Applied in Bait Stations

AMDRO® Fire Ant Insecticide may be used in tropical fruit and nut orchards when applied in bait stations. This treatment involves placing **AMDRO** into bait stations (see section below entitled **Use Directions for AMDRO Applied in Bait Stations** for list of applicable bait stations) that have been positioned in and around the listed orchard crops.

DO NOT apply **AMDRO** directly to the ground around these crops. **DO NOT** apply directly to any part of the crop plant.

Tropical fruit and nut orchard crops include the following: acerola, ambarella, blimbe, carob bean, cashew, date, fig, guava, imbu, jaboticaba, jujube, Indian jujube, natal plum, noni, olie, otaheite gooseberry, mountain papaya, persimmon, pomerac, rose apple, sentul, starfruit, surinam cherry, abiu, akee apple, atemoya, avocado, banana, biriba, breadfruit, canistel, cherimoya, custard apple, durian, feijoa, Governor's plum, ilama, imbe, jackfruit, longan, lychee, mamey apple, mango, mangosteen, marmaladebox, monstera, naranjilla, papaya, passionfruit, pawpaw, pitaya, pomegranate, prickly pear, pulasan, rambutan, sapodilla, black sapote, green sapote, mamey sapote, soursop, Spanish lime, star apple, strawberry pear, sugar apple, tamarind, wax jambu, macadamia nut, betel nut, coconut, pili nut, coffee, citrus, almond.

Apply for control of bigheaded ants or fire ants or little fire ants.

When applying for control of little fire ants, apply **AMDRO** in orchards only during non-fruiting periods of the growing season to avoid possible contamination of the fruit. Remove bait stations from orchard after flowering but before fruiting structures appear on crop plants. **DO NOT** apply **AMDRO** in orchards when fruits are present on crop plants.

Grape and Blueberry Crop Use Applied in Bait Stations

AMDRO may be used in grape and blueberry crops when applied in bait stations. This treatment involves placing **AMDRO** into bait stations (see section below entitled **Use Directions for AMDRO Applied in Bait Stations** for list of applicable bait stations) that have been positioned in and around these crops.

DO NOT apply **AMDRO** directly to the ground around these crops. **DO NOT** apply directly to any part of the crop plant.

Apply for control of bigheaded ants or fire ants or little fire ants.

When applying for control of little fire ants, apply **AMDRO** in crops only during non-fruiting periods of the growing season to avoid possible contamination of the fruit. Remove bait stations from crops after flowering but before fruiting structures appear on crop plants. **DO NOT** apply **AMDRO** in crops when fruits are present on crop plants.

Use Directions for AMDRO Applied in Bait Stations

1. Bait Station Applications in fields with actively foraging ants:

See the **BAIT STATION Chart** to determine the amount(s) of **AMDRO** to be placed into bait stations that are spaced at various lengths. Place the specified amount of **AMDRO** into the bait station depending on the spacing of bait stations in the fields. Other bait station spacing may be used (e.g. 8 x 8, 22 x 22, etc.) depending on the design of the orchard, spacing of trees and/or applicator preference to keep bait stations away from heavy traffic areas or roads or alley ways. Then, the amount of **AMDRO** to be placed in the bait station needs to be recalculated depending on the actual spacing of bait stations used. **DO NOT** exceed 1.5 lb of **AMDRO** per acre when applied in bait stations.

BAIT STATION Chart

Bait Station spacing (feet x feet)	Amount (in grams) of AMDRO placed into each bait station	Amount (in ounces) of AMDRO placed into each bait station
50 x 50	39	1.375
45 x 45	31.6	1.115
40 x 40	25	0.88
35 x 35	19.2	0.675
30 x 30	14	0.495
25 x 25	10	0.345
20 x 20	6.5	0.22
15 x 15	3.5	0.124
10 x 10	1.6	0.055

After a minimum of 2 weeks, move bait stations further away from treated area into adjacent infested areas. Place bait stations at desired spacing and place the specified amount of **AMDRO® Fire Ant Insecticide** into the bait station. However, if ants continue to be actively foraging in or around the bait stations, leave bait stations in place (and refill as necessary only with the specified amounts of **AMDRO**) until foraging activity is minimal or has ceased. Bait stations need not be placed immediately adjacent to nests.

2. Bait Station Applications along field border (to prevent ants from reinfesting field):

Place bait stations in border areas of the fields at between 10 ft x 10 ft and 50 ft x 50 ft spacings, depending on orchard configuration and intensity of ant infestation. See **BAIT STATION Chart**, and place the specified amount of **AMDRO** into the bait station depending on the spacing of bait stations. Monitor stations at 2-week intervals and replace **AMDRO** as necessary.

3. Bait Replacement in Bait Stations:

Monitor bait stations to determine if ants are present. If ants are not present or **AMDRO** has remained in the bait station for >10 weeks, remove **AMDRO** from the bait station and distribute uniformly in noncrop border areas. Replace with the specified amount (see chart above, amount depends on bait station spacing) of fresh **AMDRO** in the bait station, and continue to monitor ant activity and **AMDRO** at 2-week intervals; or remove bait station from site.

AMDRO may remain effective for up to 10 weeks (or longer) depending on environmental conditions. Excessively wet (prolonged high humidity, frequent and prolonged rainfall, and heavy mist) conditions may reduce the effectiveness of **AMDRO**. Monitor ant activity in and around bait station and replace bait as necessary. Monitor ant activity either by visual or mechanical (e.g. traps) methods.

4. Bait Stations:

Several bait stations have been tested and allow the ants to take the bait [e.g. **Perimeter Patrol System™**, **Drax Liquidator**, **A.C.E. Station**, **Ants-No-More**]. Bait stations that minimize exposure to sunlight (dark colored) and moisture will help retain the effectiveness of **AMDRO**.

Indoor Use

AMDRO controls imported and native fire ants and other ants, such as harvester ants, bigheaded ants and Argentine ant. For use in homes, residential, commercial and other structures, and in the nonfood/feed areas of institutional, warehousing and commercial establishments, such as groceries and supermarkets, hotels and

motels, hospitals and nursing homes, schools, laboratories, computer facilities, food storage areas, sewers, transportation equipment, pet shops, or zoos, and in the inedible product areas of meat or poultry plants. Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Using a duster, or similar equipment, apply bait **ONLY** into cracks and crevices or other inaccessible areas such as, but not limited to, structural voids, unfinished attics or crawl spaces. Apply 0.25 to 0.5 ounce per crack, crevice or other inaccessible area where ants are entering the structure or where ants are nesting. Clean up any loose or excess bait. Apply evenly in unfinished attics and crawl spaces at a rate of 0.25 ounce per 100 sq feet only if the space is secured or otherwise inaccessible to children or domestic animals.

Aerial Drift Management

Avoiding drift at the application site is the responsibility of the applicator. The interaction of many equipment- and weather-related factors determine the potential for drift. The applicator and the grower are responsible for considering all these factors when making decisions.

Where states have more stringent regulations, they should be observed.

The applicator should be familiar with and take into account the information covered in **aerial drift reduction advisory** Information.

Aerial Drift Reduction Advisory

APPLICATION HEIGHT

Applications should not be made at a height greater than 10 feet above the top of the largest plants unless a greater height is required for aircraft safety.

SWATH ADJUSTMENT

When applications are made with a crosswind, the swath will be displaced downwind. Therefore, on the up and downwind edges of the field, the applicator must compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase with increasing drift potential (higher wind, etc.)

11/11

WIND

Drift potential is lowest between wind speeds of 2 to 10 mph. However, many factors, including equipment type, determine drift potential at any given speed.

NOTE: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect drift.

SENSITIVE AREAS

The pesticide should only be applied when the potential for drift to adjacent sensitive areas (e.g. residential areas, bodies of water, known habitat for threatened or endangered species, nontarget crops) is minimal (e.g. when wind is blowing away from sensitive areas).

STORAGE AND DISPOSAL

Prohibitions: **DO NOT** contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Storage: Store in cool, dry, secure place and keep container tightly closed. Store container away from pets. This product is formulated in an oil bait. Prolonged exposure to air may turn oil rancid and reduce the attractiveness of the bait. Use within 3 months after opening.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

(for plastic packaging)

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(for paper bags)

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

General: Consult federal, state, or local disposal authorities for approved alternative procedures.

CONDITIONS OF SALE AND WARRANTY

The **Directions For Use** of this product reflects the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent permitted by law, all such risks shall be assumed by the Buyer.

To the extent consistent with applicable law, BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

SIEGE is a registered trademark of BASF.

AMDRO is a registered trademark of Central Garden and Pet Company.

Extinguish is a registered trademark of Wellmark International.

Perimeter Patrol System is offered for sale by B&G Equipment Company.

Drax is a registered trademark of Waterbury Companies, Incorporated.

Ants-No-More is a registered trademark of Kness Mfg. Co., Inc.

© 2007 BASF Corporation
All rights reserved.

000241-00322.20070108c.NVA 2005-04-166-0031
Supersedes: NVA 2004-04-166-0215

BASF Corporation
Agricultural Products
26 Davis Drive
Research Triangle Park, NC 27709

 **BASF**
The Chemical Company