

(Household Use Version)

**TIMEOUT™**  
Grass Growth Regulator

A Grass Growth Regulator for Use on Established Lawns of  
St. Augustinegrass, Bermudagrass and Zoysiagrass

**ACTIVE INGREDIENT:**

Ammonium salt of imazaquin (2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-quinolinecarboxylic acid)\*..... 0.79%

INERT INGREDIENTS..... 99.21%

TOTAL..... 100.00%

\*Equivalent to 0.75% 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-quinolinecarboxylic acid.

CONTENTS WILL TREAT 4,000 SQ. FT. OF LAWN

EPA Reg. No. 241-

EPA Est. No.


KEEP OUT OF REACH OF CHILDREN

CAUTION!

For questions or comments, call 1-800-XXX-XXXX (M-F) 9-5 EST.

In case of emergency involving this product, call collect, day or night, Area Code 201-835-3100.

See next page for Additional Precautionary Statements



American Cyanamid Company  
Agricultural Division  
VPC Ventures  
Wayne, NJ 07470 ©1990

Net Contents:

™Trademark of American Cyanamid Company

1/10/90

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS

#### CAUTION!

Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### FIRST AID

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

#### ENVIRONMENTAL HAZARDS

DO NOT apply directly to water or wetlands (swamps, bogs, marshes and potholes). DO NOT contaminate water when disposing of equipment washwaters.

#### IMPORTANT

DO NOT apply TIMEOUT using spray equipment other than the one supplied with TIMEOUT.

DO NOT mix any other products with TIMEOUT during spray application.

DO NOT use on turfgrass species that do not appear on the front label, including Bahiagrass, Dichondra, and Tall Fescue.

DO NOT apply within six months following establishment of new lawns by seeding, sodding, plugging, or sprigging.

DO NOT use on ornamentals or on mulched or bare ground areas where ornamentals (including shrubs or trees) are growing.

DO NOT apply to flower or vegetable gardens, flower beds, or other non-turfgrass areas.

AVOID walking on the treated area until the turfgrass has dried.

Apply only when the air is calm to avoid spray contact with non-target plants.

NOTE: This product may result in temporary discoloration (yellow or blue) of the grass. Return to original color will be rapid, with length of time dependent on weather conditions.

1/10/90

## GENERAL INFORMATION

TIMEOUT is a unique product that slows grass growth and reduces mowing frequency. Grass growth will be slowed enough to skip mowing for a three to four week interval after application. Duration of the interval depends on various lawn care practices and environmental influences. Apply according to label directions. **USE ONLY TWO TIMES PER GROWING SEASON.**

## DISCLAIMER

It is impossible to eliminate all risks inherently associated with use of this product, including factors such as weather conditions, presence of other materials, or the use of, or application of the product contrary to label instructions, all of which are beyond the control of American Cyanamid Company. All such risks shall be assumed by the user. Cyanamid warrants only that this product conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above, and makes no other express or implied warranty, including that of FITNESS for a particular purpose or of MERCHANTABILITY. Any damages arising from breach of this warranty shall be limited to the purchase price of the product.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Observe all cautions and limitations on this label. The use of TIMEOUT not consistent with this label may result in injury to turfgrass and ornamental plants. Keep containers closed to avoid spills and contamination.

---

**STORAGE AND DISPOSAL**

**STORAGE:** Store in a cool, dark place.

**PESTICIDE**

**DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER**

**DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

---

**TIMEOUT APPLICATION RATE:**

TIMEOUT use rate is 16 oz. per 1000 square feet applied through the hose end sprayer supplied with the product. The contents of this container will treat 4,000 square feet of lawn.

USE THIS PRODUCT ONLY on established lawns of:

St. Augustinegrass  
Bermudagrass  
Zoysiagrass

**WHEN TO APPLY TIMEOUT:**

Apply TIMEOUT after the lawn has greened-up fully, is actively growing, and has been mowed a minimum of two times. ONLY APPLY TIMEOUT TWICE IN A SINGLE GROWING SEASON. Cut the grass a minimum of two times between the first and second application. TIMEOUT should not be used later than one month prior to the onset of winter dormancy.

After mowing grass, apply TIMEOUT within 48 hours of mowing to prevent excessive and uneven growth from occurring before grass growth stops.

**HOW TO APPLY TIMEOUT:**

1. Estimate size of area to be treated. For example, 750 sq. ft. - an area 50 ft. X 15 ft. This 64 oz. bottle treats 4,000 sq. ft. Use graduated scale on side of the bottle as a guide to uniformly apply TIMEOUT over treatment area.

**BEST AVAILABLE COPY**

1/10/90

2. Remove cap from bottle, be sure the siphon tube is in place, and screw spray nozzle onto bottle. Attach spray nozzle to hose.
3. Turn ON/OFF toggle switch to OFF position (toward hose) and turn on water at tap.
4. At treatment area, turn toggle switch ON and begin spraying. The water automatically mixes with TIMEOUT at the proper ratio. Hold sprayer at waist level with spray directed away from face and body.
5. Apply TIMEOUT using a rapid and uniform walking pace while sweeping the sprayer in a smooth side to side motion. Overlap treated areas slightly.

TO INSURE MOST UNIFORM COVERAGE, apply TIMEOUT in two right angle (perpendicular) passes over treatment area. One half of the TIMEOUT is applied on the first pass over the treatment area. The other half is applied to the same area in a direction that is at a right angle to the first pass. This will prevent "striping" or "misses" that might occur when all material is applied in one direction.

"MISSES" AT LAWN EDGES CAN BE AVOIDED by carefully spraying all grass up to the edges of trees, flower beds, driveways, and walkways.

6. For SUPERIOR PERFORMANCE, lightly water the entire lawn immediately after applying TIMEOUT.