

NOV 20 1996

Ms. Janet M. Overholt
American Cyanamid Co.
P.O. Box 400
Princeton, NJ 08543

Dear Ms. Overholt:

Subject: Supplemental Labeling-Soybeans
SQUADRON® Herbicide
EPA Reg. No. 241-327
Your submission dated Oct. 23, 1996.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable and a stamped copy is enclosed for your records.

Sincerely yours,

Robert J. Taylor
Product Manager 25
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure

BEST AVAILABLE COPY

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

SQUADRON[®]
herbicide

Supplemental
Labeling

ACCEPTED
with COMMENTS
for EPA Letter Dated
NOV 20 1996

EPA Reg. No. 241-327

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

FOR USE IN SOYBEANS

241-327 THIS LABEL EXPIRES APRIL 30, 1998

SQUADRON followed by Classic¹ for Sicklepod Control in Soybeans

OBSERVE ALL PRECAUTIONARY STATEMENTS AND LIMITATIONS IN THE SQUADRON LABEL BEFORE USING. SEE THE SQUADRON LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, APPLICATION INFORMATION AND USES WITH OTHER PRODUCTS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system. This label must be in the possession of the user at the time of herbicide application.

A single early preplant, preplant incorporated or preemergence application of SQUADRON may be made at the 3 pint per acre rate. For heavy sicklepod infestations Classic may be applied postemergence at 1/2 to 3/4 ounces per acre following a soil application of SQUADRON. Apply the higher rate of Classic if sicklepod seedlings are taller than 2 inches. A cultivation 14 days after Classic application may be required to control sicklepod escapes. SQUADRON followed by Classic sequential program may be used only in Use Region 1 (except Oklahoma), Virginia and Kentucky.

ROTATIONAL CROP RESTRICTIONS

Soybeans may be planted anytime. Field Corn may be planted 9 1/2 months after the last herbicide application. Barley, edible beans, grain sorghum, oats, peanuts, rice, tobacco, and wheat may be planted 15 months after the last herbicide application. Cotton may be planted 18 months after the last herbicide application. Refer to rotational crop restrictions listed in the Classic label. Always follow the more restrictive label.

Consult the SQUADRON label for spraying and application information, weeds controlled, and use rates. When tank mixing, always follow the more restrictive label.

Use of SQUADRON herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risk associated with the use of SQUADRON and, therefore, rotational crop injury is always possible.

 **CYANAMID**
American Cyanamid Company
Agricultural Products Division
Crop Protection Chemicals Department
Wayne, NJ 07470 ©1996

REC'D LMA/ERP/DPD1
OCT 24 AM 1:43

[®] Registered Trademark of American Cyanamid Company
¹ Registered trademark of E. I. du Pont de Nemours and Company
PE-21124 Rev. 1 9/6/96 SD

394

NOV 20 1996

Ms. Janet Overholt
American Cyanamid Co.
P.O. Box 400
Princeton, NJ 08543

Dear Ms. Overholt:

Subject: Rotational Crop Interval-Tobacco
SQUADRON® Herbicide
EPA Reg. No. 241-327
Your submission dated Oct. 31, 1996

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable and a stamped copy is enclosed for your records.

Sincerely yours,

Robert J. Taylor
Product Manager 25
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure

BEST AVAILABLE COPY

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

SQUADRON[®]
herbicide

4 24
**Supplemental
Labeling**

EPA Reg. No. 241-327

FOR USE IN SOYBEANS
THIS LABEL EXPIRES DECEMBER 31, 1998

REVISED TOBACCO ROTATIONAL INTERVAL

OBSERVE ALL PRECAUTIONARY STATEMENTS AND LIMITATIONS IN THE SQUADRON LABEL BEFORE USING. SEE THE SQUADRON LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, APPLICATION INFORMATION AND USES WITH OTHER PRODUCTS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system. This label must be in the possession of the user at the time of herbicide application.

ROTATIONAL CROP RESTRICTIONS

Tobacco may be planted 9½ months following an application of SQUADRON at 3 pints per acre and no more than a total of 0.125 pounds of imazaquin applied per acre.

Use of SQUADRON herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risk associated with the use of SQUADRON and, therefore, rotational crop injury is always possible.

ACCEPTED
~~with COMMENTS~~
In EPA Letter Dated

NOV 20 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
241-327

 **CYANAMID**
American Cyanamid Company
Agricultural Products Division
Crop Protection Chemicals Department
Wayne, NJ 07470 ©1996

96 NOV -6 P 3:35

RECD CMA/CP/DPD1

BEST AVAILABLE COPY