



000241-00327-020498

Printed: 09:47:51 Thursday, 24 Jun, 1999 # 39 / 3439

Systems Integration Group, Inc.

pm 25 241-327 3/4/98 Page 1 of 2

SQUADRON®

herbicide

Supplemental Labeling

EPA Reg. No. 241-327

FOR USE IN SOYBEANS

TANK MIXTURES OF SQUADRON AND FIRSTRATE¹ IN PREPLANT OR PREEMERGENCE TREATMENTS, OR SEQUENTIAL APPLICATIONS OF SQUADRON FOLLOWED BY FIRSTRATE, FOR WEED CONTROL IN SOYBEANS

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE SQUADRON AND FIRSTRATE LABELING BEFORE USING. SEE THE SQUADRON LEAFLET LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, APPLICATION INFORMATION, WEEDS CONTROLLED, USES WITH OTHER PRODUCTS AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The use of SQUADRON herbicide not consistent with this labeling may result in injury to crops. **DO NOT** apply this product through any type of irrigation system.

This label must be in the possession of the user at the time of herbicide application.

GENERAL INFORMATION


SQUADRON provides control of broadleaf and grass weeds when applied preplant or preemergence, and can be applied to either conventional or no-till soybeans. SQUADRON may be used on both Roundup Ready² soybeans and non glyphosate-resistant soybeans. FirstRate may be tank-mixed with SQUADRON when applied preplant, preplant incorporated, or preemergence, for enhanced control of common ragweed and giant ragweed. FirstRate may also be applied postemergence following a soil application of SQUADRON. For sequential treatments, a sufficient time period should elapse between treatments to allow an appropriate assessment of weed control needs.

When tank-mixing herbicides, always follow the most restrictive label.

USE RATE

Apply SQUADRON at the rate of 3 pints per acre.
See the FirstRate label for recommended rates.

(See other side)



ROTATIONAL CROP INFORMATION

Refer to rotational crop restrictions in the SQUADRON and FirstRate product labels. **Always follow the most restrictive label.**

Use of SQUADRON herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.



®Registered Trademark of American Cyanamid Company
 ¹Trademark of Dow AgroSciences
 ²Trademark of Monsanto Agricultural Products Company

