

Dr. Zareen Ahmed  
American Cyanamid Co.  
P.O. Box 400  
Princeton, NJ 08543

Dear Dr. Ahmed:

Subject: Supplemental Label- Tank Mix with 2,4-D  
for Use on Soybeans  
PURSUIT® PLUS EC HERBICIDE  
EPA Reg. No. 241-331  
Your submission dated March 12, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Robert J. Taylor  
Product Manager 25  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

Enclosure

RD:RTaylor:eja:4/1/93:3056800

293

**PURSUIT® PLUS EC SUPPLEMENTAL LABEL**

EPA Reg. No. 241-331

FOR USE IN SOYBEANS

**TANK MIXTURE OF PURSUIT PLUS + 2,4-D  
EARLY PREPLANT APPLICATIONS**

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT PLUS EC LEAFLET LABEL BEFORE USING. SEE THE PURSUIT PLUS EC LEAFLET LABEL FOR USE AREA, MIXING AND APPLICATION INFORMATION, WEEDS CONTROLLED AND ROTATIONAL CROP RESTRICTIONS.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system.

PURSUIT PLUS EC will control emerged problem weeds such as velvetleaf, smartweed, common cocklebur, and pigweeds. The weed size should not exceed 3" for velvetleaf and smartweed, and 8" for cocklebur and pigweeds. Add surfactant to the spray mixture at the rate of 1 qt./100 gal. AND a nitrogen based fertilizer (such as 28%N, 32%N or 10-34-0) at the rate of 1-2 qt./acre for optimum activity. Ammonium sulfate (spray grade) may be substituted for liquid fertilizer at the rate of 4 lbs. per acre.

PURSUIT PLUS EC may be applied up to 45 days prior to soybean planting. If other vegetation is present (not controlled by PURSUIT PLUS EC), apply paraquat, Roundup<sup>1</sup> or 2,4-D in combination with PURSUIT PLUS EC. If 2,4-D is used, apply the following rates of 2,4-D in tank mixtures with PURSUIT PLUS.

<u>2,4-D Formulation</u>	<u>Rate (lb a.i./A)</u>	<u>Minimum Days before Planting</u>
Ester	0.5	7
Amine	0.5	15
Ester or Amine	1.0	30

Use ground equipment only.

**ACCEPTED  
with COMMENTS  
in EPA Letter Dctch**

APR 1 - 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

241-331

®Registered Trademark of American Cyanamid Company

<sup>1</sup>Roundup is a trademark of Monsanto Agricultural Products Company.

Page 2

TANK MIXTURE OF PURSUIT PLUS + 2,4-D (cont.)

When PURSUIT PLUS EC is used in combination with another herbicide, refer to the respective label for rates, methods of application, proper timing, weeds controlled, restrictions and precautions. Always use in accordance with the more restrictive label restrictions and precautions. No label dosages should be exceeded. PURSUIT PLUS EC cannot be mixed with any product containing a label prohibiting such mixtures.

This label must be in the possession of the user at the time of pesticide application.

PE-17147 2/1/93

American Cyanamid Company  
Agricultural Division  
Crop Protection Chemicals Department  
Wayne, NJ 07470 ©1993