

Please read instructions on reverse before completing form. Form Approved OMB No 2070-0060 Approval expires 11-30-93

(A) EPA	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington DC 20460	1 <input type="checkbox"/> Registration 2 <input type="checkbox"/> Amendment 3 <input checked="" type="checkbox"/> Other	OPP Identifier Number 208092
	Application for Pesticide:		
	Section I		

1 Company/Product Number 241-331	2 EPA Product Manager P. ERELCO	3 Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4 Company/Product (Name) PURSUIT® PLUS EC herbicide	PM# 25	
5 Name and Address of Applicant (Include ZIP Code) American Cyanamid Company Agricultural Research Center P.O. Box 400 Princeton, NJ 08543-0400 <input type="checkbox"/> Check if this is a new address	6 Expedited Review In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to EPA Reg No. Product Name	

Section II	
Amendment Explain below	Final printed labels in response to Agency letter dated NOTIFICATION
Resubmission in response to Agency letter dated	"Me Too" Application JAN 23 1997
<input checked="" type="checkbox"/> Notification Explain below	Other explain below

Explanation Use additional page(s) if necessary (For section I and Section II)

Notification of self imposed expiration date per PR Notice 95-2 This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA

Section III			
1 Material This Product Will Be Packaged In			
Child Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2 Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
* Certification must be submitted. If "Yes" Unit Package wgt. No per container		If "Yes" Package wgt. No per container	
3 Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4 Size(s) of Retail Container	5 Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6 Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other			

Section IV		
1 Contact Point (Complete items directly below for identification of individual to be contacted if necessary to process this application)		
Name Janet M. Overholt	Title Product Registrations Manager	Telephone No (Include Area Code) 609-716-2410
I certify that the statements I have made on this form and all attachments thereto are true accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law		6 Date Application Received (Stamped)
2 Signature <i>Janet M. Overholt</i>	3 Title Product Registrations Manager	
4 Typed Name Janet M. Overholt	5 Date 12/31/96	

Pursuit
herbicide
Plus EC

Supplemental Labeling

EPA Reg. No. 241-331

FOR USE IN SUCCULENT PEAS, DRY EDIBLE PEAS, LENTILS, CHICKPEAS, AND LIMA BEANS

PURSUIT PLUS EC can be used on succulent peas, dry edible peas (including chickpeas) lentils, and lima beans in Washington (Adams, Asotin, Columbia, Garfield, Lincoln, Spokane, Walla Walla and Whitman counties), Idaho (Benewah, Clearwater, Idaho, Kootenai, Latah, Lewis, and Nez Perce counties), Oregon (Gilliam, Morrow, Umatilla and Wallowa counties) and Montana only.

3 9 4
7 4
NOTIFICATION
JAN 23 1997

OBSERVE ALL PRECAUTIONARY STATEMENTS AND SPRAYING AND APPLICATION INFORMATION IN THE PURSUIT PLUS EC LEAFLET LABEL BEFORE USING. APPLY WITH GROUND EQUIPMENT ONLY.

GENERAL INFORMATION

Reduced crop growth, quality, yield and/or delayed maturity may result from a PURSUIT PLUS EC application to edible legume vegetables. Since crop maturity may be delayed, timing of harvest may need to be adjusted accordingly. **DO NOT** apply PURSUIT PLUS EC if planting is delayed and chance of frost prior to maturity is likely.

DO NOT apply PURSUIT PLUS EC if cold and/or wet conditions are present or predicted to occur within one week of application.

USE PURSUIT PLUS EC ONLY if proper agronomic practices have been utilized, including good soil fertility, proper crop rotation, disease and insect management and tillage practices that eliminate compaction and hardpans.

Use of PURSUIT PLUS EC herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

DISCLAIMER

THE USER ASSUMES ALL RISKS AND CONSEQUENCES ASSOCIATED WITH APPLICATIONS OF PURSUIT PLUS EC TO EDIBLE LEGUME VEGETABLE CROPS.

REFER TO THE PURSUIT PLUS EC LEAFLET LABEL FOR ADDITIONAL DISCLAIMER STATEMENTS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system. This label must be in the possession of the user at the time of herbicide application.

DO NOT apply by air.

DO NOT apply PURSUIT PLUS EC in any manner not specifically described in this label.

Sensitive crops such as sugar beets, canola, and leafy vegetables may be injured by spray drift or other indirect contact with PURSUIT PLUS EC.

Spray equipment used for PURSUIT PLUS EC application must be drained and thoroughly cleaned with water before being used to apply other products.

DO NOT make more than one application of PURSUIT PLUS EC per year.

DO NOT apply PURSUIT PLUS EC to sand, loamy sand, or sandy loam soils.

DO NOT apply PURSUIT PLUS EC after June 20.

Allow at least 30 days between application and harvest of succulent peas.

Allow at least 60 days between application and harvest of dry edible peas, chickpeas, lentils, and lima beans.

When PURSUIT PLUS EC is used in combination with another herbicide, refer to the respective label for rates, methods of application, proper timing, weeds controlled, restrictions and precautions. Always use in accordance with the more restrictive label restrictions and precautions. No label dosages should be exceeded. PURSUIT PLUS EC cannot be mixed with any product containing a label prohibiting such mixtures.

Preplant Incorporated Applications. Apply PURSUIT PLUS EC at the broadcast rate of 30 ounces per acre within 1 week before planting. Applied preplant incorporated, PURSUIT PLUS EC may be tank-mixed with other registered herbicides.

For control of the annual grass weed species listed on the PROWL® herbicide label, add 8 oz/acre of PROWL herbicide to PURSUIT PLUS EC. Do not use on sand, loamy sand, or sandy loam soils.

WEEDS CONTROLLED

PURSUIT PLUS EC applied at the broadcast rate of 30 ounces per acre preplant incorporated will control:

- | | |
|-----------------------|---------------------------|
| Buckwheat, wild | Nightshade, Eastern black |
| Kochia | Nightshade, hairy |
| Lambsquarters, common | Pigweed, redroot |
| Mustard, wild | Shepherdspurse |
| Nightshade, black | Thistle, Russian |

ROTATIONAL CROP GUIDELINE

The following crops may be planted after applying PURSUIT PLUS EC as recommended in this label:

1. Anytime:

Soybeans	Peas
Peanuts	Lima beans
Chickpeas	
Lentils	
2. Four months after PURSUIT PLUS EC application:
 - Dry edible beans
 - Snap beans (three months)
 - Wheat
3. Nine and one-half months after PURSUIT PLUS EC application:
 - Barley
 - Field corn
 - Field corn grown for seed*
 - Rye
 - Tobacco

4. Eighteen months after PURSUIT PLUS EC application:

- | | |
|---------|---------------------|
| Alfalfa | Safflower |
| Cotton | Sorghum |
| Lettuce | Sunflower |
| Oats | Sweet corn, , , , , |
| Popcorn | |

5. Twenty-six months after PURSUIT PLUS EC application: potatoes

6. Forty months after PURSUIT PLUS EC application:

All crops not listed elsewhere in this ROTATIONAL CROP GUIDELINE. Following forty months after a PURSUIT PLUS EC application, and before planting any crop not listed elsewhere in the ROTATIONAL CROP GUIDELINE, a successful field bioassay must be completed. The field bioassay consists of a test strip of the intended rotational crop planted across the previously treated field and grown to maturity. The test strip should include low areas and knolls, and include variations in soil such as type and pH. If no crop injury is evident in the test strip, the intended rotational crop may be planted the following year.

If the field is limed to adjust pH prior to planting rotational crops not listed in the ROTATIONAL CROP GUIDELINE, apply the lime at least 12 months prior to planting the rotational crop.

In the event of a crop loss, the crops listed may be replanted.

DO NOT feed treated forage, hay, or straw to livestock.

* Several seed companies have tested a wide range of inbreds for sensitivity to PURSUIT PLUS EC soil residues and have reported good crop safety. However, due to the proprietary nature of seed production, American Cyanamid has not been given access to the inbred data. Growers are directed to contact the seed company for information and recommendations regarding the planting of corn grown for seed in fields treated with PURSUIT PLUS EC the previous year. Since growing conditions, environmental conditions and grower practices are beyond the control of American Cyanamid Company, all risks and consequences associated with planting seed corn inbreds into fields treated previously with PURSUIT PLUS EC shall be assumed by the user.

CONSULT THE PURSUIT PLUS EC LEAFLET LABEL FOR OTHER PRECAUTIONS.



American Cyanamid Company
Agricultural Products Division
Crop Protection Products Department
One Campus Drive
Parsippany, NJ 07054 ©1996

®Registered Trademark of American Cyanamid Company
PE-17342 Rev. 1 12/17/96 SD