

000241-00331-123098

Printed: 07:46:06 Tuesday, 08 Jun, 1999 # 14 / 3226

Systems Integration Group, Inc.

. PM 23 FSA 09/2	, -
Please read instructions on reverse before completing form. United States	Registration OPP Identifier Number
Environmental Protectio Washington, DC 204	
Application for Pesticide - Section I	
1. Company/Product Number 241-331	2. EPA Product Manager J. Tompkins 3. Proposed Classification
4. Company/Product (Name) PURSUIT® PLUS EC herbicide	PM# 25
5. Name and Address of Applicant (Include ZIP Code) American Cyanamid Company Agricultural Research Division P.O. Box 400 Princeton, NJ 08543-0400 Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name
Section - II	
- Notice	
Amendment - Explain below. Resubmission in response to Agency letter dated	Final printed labels in response to Agency letter dated "Me Too" Application. DEC 3 0 1998
X Notification - Explain below.	
Notification to revise self-imposed label expiration date per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.	
Section - III	
1. Material This Product Will Be Packaged In:	
Child-Resistant Packaging Yes Yes	Water Soluble Packaging 2. Type of Container Yes Metal
No No	Plastic
* Certification must be submitted If "Yes" No. per Unit Packaging wgt. container	If "Yes" No. per Package wgt container Other (Specify)
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label On Label On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product Lithog	graph Other
Section - IV	
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this ஷ்றிர்ஷில்)	
Name Janet M. Overholt	Title Product Registrations Manager Telephone & (Include Area Code) 609-T16-2410
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Repoived (Stamped)	
2. Signature Junt M. Ovulult	3. Title Product Registrations Manager
4. Typed Name Janet M. Overholt	5. Date 12/17/98

PURSUIT® PLUS EC herbicide

Supplemental Labeling

383

EPA Reg. No. 241-331 FOR USE IN SOYBEANS Notification

DEC 3 0 1998

TANK-MIXTURE APPLICATIONS OF PURSUIT PLUS EC AND CANOPY¹ FOR ENHANCED BURNDOWN WEED CONTROL IN SOYBEANS

FOR DISTRIBUTION AND USE ONLY IN THE STATES OF ILLINOIS, INDIANA, KENTUCKY, MICHIGAN, MISSOURI (EXCEPT THE BOOTHEEL), OHIO, PENNSYLVANIA, AND ON THE DELMARVA PENINSULA IN THE STATES OF DELAWARE, MARYLAND, AND VIRGINIA

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT PLUS EC AND CANOPY LABELING BEFORE USING. SEE THE PURSUIT PLUS EC LEAFLET LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, APPLICATION INFORMATION, WEEDS CONTROLLED, USES WITH OTHER PRODUCTS AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The use of PURSUIT PLUS EC herbicide not consistent with this labeling may result in injury to crops. **DO NOT** apply this product through any type of irrigation system.

This label must be in the possession of the user at the time of herbicide application.

GENERAL INFORMATION

PURSUIT PLUS EC applied early preplant or preemergence in conservation tillage systems provides early season weed control and residual activity on broadleaf weeds and grass weeds. Canopy may be tank-mixed with PURSUIT PLUS EC when applied early preplant or preemergence for enhanced burndown control of weeds common to soybean production, such as marestail and common ragweed.

When tank-mixing herbicides, always follow the most restrictive label.

USE RATE

Apply PURSUIT PLUS EC at the rate of 2.5 pints per acre. Apply Canopy at a maximum rate of 3 ounces per acre.

(see other side)

APPLICATION INSTRUCTIONS

For burndown applications in conservation tillage systems, add either a methylated seed oil concentrate (e.g., SUN-IT II²) or a crop oil concentrate at 1 quart/acre, or a nonionic surfactant (containing at least 80% active ingredient) at 0.25% v/v (1 quart in 100 gallons of spray mixture) AND a nitrogen based fertilizer (such as 28%N, 32%N, or 10-34-0) at the rate of 1-2 quarts/acre for optimum activity. Ammonium sulfate (spray grade) at the rate of 2.5 lbs/acre may be substituted for liquid fertilizer. To ensure thorough coverage, use a minimum of 10 gallons of water per acre, with higher gallonage for fields with dense vegetation or heavy crop residues. Apply with ground equipment only.

Refer to the PURSUIT PLUS EC product label for additional information on application instructions.

USE AREA

Application of tank-mixes of PURSUIT PLUS EC and Canopy may be made in the states of Illinois, Indiana, Kentucky, Michigan, Missouri (except the bootheel), Ohio, Pennsylvania, and on the Delmarva Peninsula in the states of Delaware, Maryland, and Virginia.

In the states of Illinois, Indiana, Michigan, Missouri, Ohio, and Pennsylvania, **DO NOT** apply Canopy in tank mixture with PURSUIT PLUS EC to soils of greater than pH 6.8, since unacceptable follow crop injury from Canopy may result. In the state of Kentucky, and on the Delmarva Peninsula in the states of Delaware, Maryland, and Virginia, **DO NOT** apply Canopy in tank mixture with PURSUIT PLUS EC to soils with a calcareous surface layer or a pH greater than 7.5. Refer to the Canopy label for additional information on the importance of soil pH.

Refer to the Canopy label for soybean varieties that are sensitive to Canopy. **DO NOT** apply Canopy in tank mixture with PURSUIT PLUS EC to these soybean varieties.

ROTATIONAL CROP INFORMATION

Refer to rotational crop restrictions listed in the PURSUIT PLUS EC and Canopy product labels. Always follow the most restrictive label.

Use of PURSUIT PLUS EC herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.



® Registered Trademark of American Cyanamid Company

¹Trademark of E. I. du Pont de Nemours and Company

²Trademark of Agsco, Inc.

PE-17390 Rev. 1 12/15/98