

241-331

4-23-2002

1/2

Pursuit Plus
herbicide
EC

Supplemental Labeling

ACCEPTED

APR 23 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 241-331

EPA Reg. No. 241-331

FOR USE IN SOYBEANS

THIS LABEL EXPIRES DECEMBER 31, 2002

FOR USE IN THE STATES OF MINNESOTA (NORTH OF STATE HIGHWAY 210, SOUTH OF STATE HIGHWAY 2) AND NORTH DAKOTA (SOUTH OF STATE HIGHWAY 2)

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT PLUS EC LABELING BEFORE USING. SEE THE PURSUIT PLUS EC LEAFLET LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, APPLICATION INFORMATION, WEEDS CONTROLLED, USES WITH OTHER PRODUCTS AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The use of PURSUIT PLUS EC herbicide not consistent with this labeling may result in injury to crops. **DO NOT** apply this product through any type of irrigation system.

This labeling must be in the possession of the user at the time of herbicide application.

GENERAL INFORMATION

PURSUIT PLUS EC may be applied preplant incorporated to soybeans for early season weed control and residual activity on broadleaf weeds and grass weeds. If weeds emerge later, a diphenylether such as STATUS® herbicide, or a registered grass herbicide, may be applied postemergence for control of broadleaf weeds and grass weeds, respectively. For control of emerged weeds in Roundup Ready¹ soybeans, Roundup¹ Ultra may be applied postemergence. For sequential treatments, a sufficient time period should elapse between treatments to allow an appropriate assessment of weed control needs.

NOTE: DO NOT apply Roundup Ultra postemergence to non glyphosate-resistant soybeans.

USE RATE

Apply PURSUIT PLUS EC preplant incorporated at a rate of 1.8 pints per acre. If heavy grass or waterhemp pressure is expected, PROWL 3.3 EC herbicide may be added to the spray mixture at a rate up to 1.75 pints per acre.

APPLICATION INFORMATION

PURSUIT PLUS EC may be applied following land preparation and should be thoroughly incorporated to a depth of 1 to 2 inches. Applications may be made up to 45 days prior to planting (early preplant). Incorporate prior to soybean planting and within 7 days of application.

(Continued on other side)

WEEDS CONTROLLED

When applied as directed, PURSUIT PLUS EC will control (C) or reduce competition (R) from the following weeds:

<u>Broadleaf Weeds Controlled</u>	<u>Level of Control</u>
Cocklebur, common	R
Kochia	C*
Lambsquarters, common	C
Mallow, Venice	R
Mustard species	C
Nightshade,	
black	C
Eastern black	C
hairy	C
Pigweed,	
redroot	C
smooth	C
Sunflower, common	R
Velvetleaf	C

<u>Grass Weeds Controlled</u>	<u>Level of Control</u>
Barnyardgrass	C
Crabgrass,	
large	R
smooth	R
Cupgrass, woolly	R
Foxtail,	
giant	C
green	C
yellow	C
Millet, wild-proso	R

*If kochia is resistant to ALS/AHAS inhibitors, then it will not be controlled by this or other products with the ALS/AHAS mode of action. A sequential program and, or a tank mix partner with another herbicide mode of action must be used to control ALS/AHAS-resistant kochia.

USE AREA

PURSUIT PLUS EC applied preplant incorporated at a rate of 1.8 pints per acre may be used in the states of Minnesota (north of State Highway 210, south of State Highway 2), and North Dakota (south of State Highway 2).

ROTATIONAL CROP INFORMATION

Barley and winter wheat may be planted 18 months after application of PURSUIT PLUS EC at the recommended rate. For other rotational crops, refer to the guidelines provided in the PURSUIT PLUS EC product label.

Use of PURSUIT PLUS EC herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

[®]Registered Trademarks of BASF Corporation
[†]Trademarks of Monsanto Agricultural Products Company

BASF Corporation
P.O. Box 13528
Research Triangle Park, NC 27709

