Maso reed Instructions on I	reverse b <u>efore c</u> omplet	ling form.	03/21/2		proved	1. OMB No. 207	/0-0060, Approvel expires 2-28-95	
\$EPA	United States					Registration Amendme Other	OPP Identifier Number	
		Application	on for Pestic	ide - Sec	tion	l		
1. Company/Product Number 241-331			2. EPA Product Manager J. Tompkins				3. Proposed Classification None Restricted	
4. Company/Product (Name) Pursuit Plus Herbicide			PM# 25					
5. Name and Address of Applicant (Include ZIP Code) BASF Corporation 26 Davis Drive Research Triangle Park, NC 27709-3528 Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name					
			Section -					
Amendment - Explain	ı below.		[1	d label	ls in repsonse to	NOTIFICATION	
Resubmission in response to Agency letter dated				Agency letter dated "Me Too" Application.			MAR 2 1 2005	
Notification - Explain	below.			Other - Explain below.				
Notice 98-10 and EPA regulation product. I understand that it	ations at 40 CFR 152.46, is a violation of 18 U.S.C PR Notice 98-10 and 40 (, and no other C. Sec. 1001 to	changes have beer o wilifully make any this product may be	n made to the I false statemer in violation of	labeling nt to Ef	g or the confident PA. I further unde	stent with the provisions of PR tial statement of formula of this erstand that if this notification is not bject to enforcement action and	
			Section -	111				
1. Material This Product Will	, 		T			1 40-		
Child-Resistant Packaging Yes No No No			Water Soluble Packaging 2. Typ Yes No			PI	fletal flastic ilass	
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt					
3. Location of Net Contents Information 4. Size(s) Re			etail Container 5. Location of Laboration			cation of Label C	Directions	
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stenci	greph Other					
			Section - I	V				
1. Contact Point (Complete	items directly below fo	r identificatio	n of individual to l	e contacted,	if nec	essary, to proces	ss this application)	
Name Rebecca L. Johnston			Title Senior Regulatory Affairs Manager (To:(e)xhone No. (Include Area Code) 919-647-2609					
	ments I have made on t y knowlinglly false or n law.		all attachments th					
2. Canature Rebeile J. Johnn			3. Title Senior Global Regulatory Affairs Manager				•:.::	
4. Typed Name Rebecca L. Johnston			5. Date March					



Supplemental Labeling

EPA Reg. No. 241-331

FOR USE IN ENGLISH PEAS, LIMA BEANS, NAVY, NOTIFICATION GREAT NORTHERN, RED KIDNEY, BLACK TURTLE, CRANBERRY, MAR 2 1 2005

USE ONLY IN ILLINOIS, IOWA, MICHIGAN,
MINNESOTA (south of highway # 210), NORTH DAKOTA, AND WISCONSIN

OBSERVE ALL PRECAUTIONARY STATEMENTS AND SPRAYING AND APPLICATION INFORMATION IN THE PURSUIT® PLUS EC HERBICIDE LEAFLET LABEL BEFORE USING. APPLY WITH GROUND EQUIPMENT ONLY.

GENERAL INFORMATION

Reduced crop growth, quality, yield and/or delayed maturity may result from a PURSUIT® PLUS EC herbicide application to edible legume vegetables. Since crop maturity may be delayed, timing of harvest may need to be adjusted accordingly. DO NOT apply PURSUIT PLUS EC if planting is delayed and chance of frost prior to maturity is likely.

DO NOT apply **PURSUIT PLUS EC** if cold and/or wet conditions are present or predicted to occur within one week of application.

USE PURSUIT PLUS EC ONLY if proper agronomic practices have been utilized, including good soil fertility, proper crop rotation, disease and insect management and tillage practices that eliminate compaction and hardpans.

Use of **PURSUIT PLUS EC** in accordance with labeling directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system. This labeling must be in the possession of the user at the time of herbicide application.

DO NOT apply by air.

DO NOT apply PURSUIT PLUS EC in any manner not specifically described in this label.

Sensitive crops such as sugar beets, canola, and leafy vegetables may be injured by spray drift or other indirect contact with PURSUIT PLUS EC.

Spray equipment used for **PURSUIT PLUS EC** application must be drained and thoroughly cleaned with water before being used to apply other products.

DO NOT make more than one application of **PURSUIT PLUS EC** per year.

DO NOT apply to Domino variety black turtle beans.

DO NOT apply PURSUIT PLUS EC after June 30.

Allow at least 60 days between application and harvest of navy, great northern, red kidney, cranberry, black turtle, and small white dry beans. Allow at least 30 days_between application and harvest of lima beans and English peas.

Preplant Incorporated Applications. Apply PURSUIT® PLUS EC herbicide within 1 week before planting. Applied preplant incorporated, PURSUIT PLUS EC may be tank-mixed with other registered herbicides. Refer to the following table for use rate:

Soil Type	EC Use Rate (oz/acre)		
Sands, loamy sands in Michigan	DO NOT USE		
Sandy loams and all other soils with ≤ 2% O.M. in Michigan and North Dakota	20 (1.25 pts)		
All other soils with > 2% O.M in Michigan and any soil type in Iowa, Illinois, Minnesota, and Wisconsin. Not for use in North Dakota at this rate.	30		

For control of the annual grass weed species listed on the PROWL® 3.3 EC herbicide label, add 0.75 to 1 pt/acre of PROWL 3.3 EC to the 20 oz/acre rate of PURSUIT PLUS EC, and 0.25 to 0.5 pt/acre of

PROWL 3.3 EC to the 30 oz/acre rate of PURSUIT PLUS EC.

WEEDS CONTROLLED

PURSUIT PLUS EC applied to low organic matter soils at the broadcast rate of 20 ounces per acre preplant incorporated will control light to moderate infestations of:

> Mustard, wild Nightshade, black Nightshade, Eastern black Pigweed, redroot

PURSUIT PLUS EC applied at the broadcast rate of 30 ounces per acre preplant incorporated will control:

Mustard, wild Nightshade, black Nightshade, Eastern black Nightshade, hairy Pigweed, redroot

ROTATIONAL CROP GUIDELINE

The following crops may be planted after applying PURSUIT PLUS EC as recommended in this label:

1. Anytime:

Soybeans

Peanuts

Edible bean and pea types listed on this label (Refer to heading on page 1)

2. Two months after PURSUIT PLUS EC application:

Snap Beans

3. Four months after PURSUIT PLUS EC application:

Barley

Edible bean and pea types not listed on this label (Refer to heading on page 1)

Wheat

4. Eight and one-half months after PURSUIT PLUS EC application:

Field com

Field corn grown for seed*

5. Nine and one-half months after PURSUIT PLUS EC application:

Alfalfa

Tobacco

6. Eighteen months after PURSUIT PLUS EC application:

Cotton Lettuce Popcorn Safflower Sunflower Sweet Com

Oats

Sorghum

7. Twenty-six months after PURSUIT PLUS EC application:

Potatoes

4/7

8. Forty months after PURSUIT® PLUS EC herbicide application:

All crops not listed elsewhere in this **ROTATIONAL CROP GUIDELINE**. Following forty months after a **PURSUIT PLUS EC** application, and before planting any crop not listed elsewhere in the **ROTATIONAL CROP GUIDELINE**, a successful field bioassay must be completed. The field bioassay consists of a test strip of the intended rotational crop planted across the previously treated field and grown to maturity. The test strip should include low areas and knolls, and include variations in soil such as type and pH. If no crop injury is evident in the test strip, the intended rotational crop may be planted the following year.

If the field is limed to adjust pH prior to planting rotational crops not listed in the ROTATIONAL CROP GUIDELINE, apply the lime at least 12 months prior to planting the rotational crop.

In the event of a crop loss, the bean or pea crop may be replanted.

DO NOT feed treated forage, hay, or straw to livestock.

* Several seed companies have tested a wide range of inbreeds for sensitivity to PURSUIT PLUS EC soil residues and have reported good crop safety. However, due to the proprietary nature of seed production, BASF Corporation has not been given access to the inbred data. Growers are directed to contact the seed company for information and recommendations regarding the planting of corn grown for seed in fields treated with PURSUIT PLUS EC the previous year. Since growing conditions, environmental conditions and grower practices are beyond the control of BASF Corporation, all risks and consequences associated with planting seed corn inbreeds into fields treated previously with PURSUIT PLUS EC shall be assumed by the user.

CONSULT THE PURSUIT PLUS EC LEAFLET LABEL FOR OTHER PRECAUTIONS.

EXCEPTIONS TO ROTATIONAL CROP GUIDELINE

Sweet corn and popcorn varieties: (States of Iowa, Illinois, Michigan, Minnesota, and Wisconsin only). Sweet corn and popcorn varieties may be planted the year following an application of PURSUIT® PLUS EC herbicide. Some sweet corn and popcorn varieties may be injured when planted at less than 18 months following an application of PURSUIT PLUS EC herbicide. Before planting sweet corn for processing, contact the processor company for information and recommendations regarding the tolerance of sweet corn varieties planned for fields treated with PURSUIT PLUS EC the previous year. DO NOT plant fresh market sweet corn varieties prior to 18 months after PURSUIT PLUS EC use. Before planting popcorn, contact the popcorn company for information and recommendations regarding the tolerance of popcorn varieties. Planned for fields treated with PURSUIT PLUS EC the previous year. Since growing conditions, environmental. conditions and grower practices are beyond the control of BASF Corporation, ALL RISKS AND CONSEQUENCES ASSOCIATED WITH PLANTING SWEET CORN OR POPCORN VARIETIES INTO FIELDS TREATED PREVIOUSLY WITH PURSUIT PLUS EC SHALL BE ASSUMED BY THE USER.

Stunting and maturity delay or other adverse effects may result when sweet corn or popcorn are planted following PURSUIT PLUS EC use.

Conditions of Sale and Warranty

The Directions For Use of this product reflects the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. All such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT PERMITTED BY LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Pursuit and Prowl are registered trademarks of BASF

©2005 BASF Corporation All rights reserved

000241-00331.20050307.NVA 2005-04-131-0092 Supercedes NVA 2004-04-131-0017

BASF Corporation Agricultural Products 26 Davis Drive Research Triangle Park, NC 27709






March 9, 2005

Mr. James Tompkins
Product Manager (25)
Registration Division (H7505C)
Office of Pesticide Programs
U. S. Environmental Protection Agency
Crystal Mall, Bldg. 2, Room 266A
1921 Jefferson Davis Highway
Arlington, VA 22202

Re: PURSUIT® PLUS Herbicide, EPA Reg. No. 241-331
Notification of Minor Changes to Supplemental Label
For Use in English Peas, Lima Beans, Navy, Great
Northern, Red Kidney, Black Turtle, Cranberry, and

Approved March 1, 2005 OPP. Id. No. 276999

Small White Type Dry Beans Only



Dear Mr. Tompkins:

BASF hereby notifies EPA of the following minor revisions to a PURSUIT PLUS (EPA Reg. No. 241-331) supplemental label for Use in English Peas, Lima Beans, Navy, Great Northern, Red Kidney, Black Turtle, Cranberry, and Small White Type Dry Beans Only. The changes to the label include correcting the typo "north" of highway 210 to "south" of highway 210. North was mistakenly written on the last approved label of March 1, 2005. Also at this time, BASF decided to reformat the label and update the new BASF logo. Additionally, the Conditions of Sale and Warranty have been updated to comply with EPA regulations.

In support of this notification, an application form and a copy of the proposed label are enclosed. A copy of the current stamp-approved label is also enclosed as the Approved Label. For your convenience, 5 copies of the proposed supplemental label are included for your files.

D-BASF

The Chemical Company

Thank you for your continued assistance with the registration issues of this product. If there are any questions regarding this application, I can be reached at (919)-547-2609 or by email at johnstrl@basf.com.

Sincerely,

Rebecca L. Johnston

Senior Regulatory Affairs Manager

Global Regulatory Affairs

® Registered Trademark of BASF