JUN 30 1993

Dr. Zareen Ahmed American Cyanamid Co. P.O. Box 400 Princeton, NJ 08543

Subject: Final Printed Labels

PROWL® 3.3 EC HERBICIDE EPA Reg. No. 241-337

Your submission dated June 9, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is englosed for your records.

Sincerely yours,

Robert J. Taylor Product Manager 25 Fungicide-Herbicide Branch Registration Division (H7505C)

Enclosure

RD:RTaylor:eja:6/30/93:3056800

BEST AVAILABLE COPT

EPA Reg. No. 241-337

FOR USE IN FIELD CORN GROWN IN NO-TILL SYSTEMS

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PROWL 3.3 EC LEAFLET LABEL BEFORE USING. SEE THE PROWL 3.3 EC LEAFLET LABEL FOR PRECAUTIONS, GENERAL INFORMATION, MIXING AND APPLICATION AND SPRAYING INSTRUCTIONS, USE RATES, USES WITH OTHER PRODUCTS, WEEDS CONTROLLED, AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This label must be in the possession of the user at the time of herbicide application.

CHEM. GATION: Refer to the PROWL 3.3 EC leaflet label for use directions for chemigation. **DO NOT** apply this product through any type of irrigation system unless the label instructions on chemigation are followed.

DO NOT use in California.

PROWL 3.3 EC herbicide controls labeled weeds as they germinate, but it will not control established weeds. Destroy existing weeds before applying PROWL 3.3 EC (except as recommended in specific postemergence combination treatments).

DO NOT apply tank-mix combinations unless each product is labeled for use in no-till systems. If other herbicides are mixed with PROWL 3.3 EC, the label restrictions for these herbicides must also be followed. Observe the most restrictive instructions on any product label.

PROWL 3.3 EC alone and in tank-mix combinations may be applied in field corn grown in no-till systems. PLANT CORN AT LEAST 1 1/2 INCHES DEEP. CORN SEED MUST BE COMPLETELY COVERED WITH SOIL. The use of no-till planters under conditions which do not allow good soil coverage of the corn seed can result in reduced crop stand or injury if PROWL 3.3 EC contacts germinating corn seed. Check equipment to ensure good seed coverage. Apply in 20 or more gallons of spray solution per acre.

For additional information regarding the use of PROWL 3.3 EC herbicide, call telephone number (800) 942-0500.

*Registred Tradestark of Assurcan Cyanimus Company FE-8520 \$728/93 SD



JUN 30 1993

Acres Alexander