

PM

25

241-337

Page 1 of 2

JUL 14 1995

Dr. Zareen Ahmed
American Cyanamid Co.
P.O. Box 400
Princeton, NJ 08543

Dear Dr. Ahmed:

Subject: Supplemental Labeling- Fall Applications Followed
by Early Post Applications of PURSUIT® Herbicide
PROWL® 3.3 EC HERBICIDE
EPA Reg. No. 241-337
Your submission dated June 27, 1995

The labeling referred to above, submitted in connection
with registration under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, is acceptable and a stamped
copy is enclosed for your records.

I have enclosed a copy of our review for your information.

Sincerely yours,

Robert J. Taylor
Product Manager 25
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

102

EPA REG. NO. 241-337

**FALL APPLICATIONS OF PROWL 3.3 EC
FOLLOWED BY EARLY POST APPLICATIONS OF PURSUIT®
HERBICIDE FOR SOYBEANS GROWN NORTH OF
INTERSTATE 80 (I-80) AND IN THE ENTIRE STATE OF IOWA**

OBSERVE ALL PRECAUTIONARY STATEMENTS ON THE PROWL 3.3 EC LEAFLET LABEL BEFORE USING. OBSERVE ALL USE DIRECTIONS INCLUDING PRECAUTIONS, RESTRICTIONS AND LIMITATIONS, GENERAL INFORMATION, MIXING AND APPLICATION INSTRUCTIONS, USES WITH OTHER PRODUCTS, WEEDS CONTROLLED AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Refer to the PROWL 3.3 EC leaflet label for impregnation on dry bulk fertilizer instructions. **DO NOT** apply PURSUIT through any type of irrigation system.

PROWL 3.3 EC may be surface applied or incorporated for soybean weed control in the fall when followed by a postemergence program using PURSUIT herbicide the following spring. Apply PROWL 3.3 EC between October 1 and December 31 at the following rates:

Broadcast Rate Per Acre of PROWL 3.3 EC

Soil Texture	PROWL 3.3 EC (pints)
Coarse	2.4
Medium	3.0 to 3.6
Fine	3.6

For situations where incorporation is desired, consult the PROWL 3.3 EC leaflet label for incorporation instructions. Minimize furrow and ridge formation in the tillage operation. Consult the PURSUIT label for PURSUIT herbicide application instructions and precautions.

Roundup¹, 2, 4-D, Butyrac² 200 (2,4-DB), or paraquat should be used to kill existing vegetation, if present before planting. Fall application of PROWL 3.3 EC is not recommended on fields that are poorly drained or are subject to periods of flooding.

OBSERVE ALL PRECAUTIONS, LIMITATIONS, AND CROPPING RESTRICTIONS ON THE PRODUCT LEAFLET LABELS. ALWAYS FOLLOW THE MOST RESTRICTIVE LABEL.

This label must be in the possession of the user at the time of herbicide application.

®Registered Trademark of American Cyanamid Company

¹Roundup is a trademark of Monsanto Agricultural Products Company

²Butyrac 200 is a trademark of Rohm and Haas Agricultural Company

PE- 6/15/95 SD



ACCEPTED
in EPA Letter # 241-337

JUL 14 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this label was approved by EPA on 7/14/95.

241-337

BEST COPY AVAILABLE