

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

250783

Application for Pesticide - Section I

1. Company/Product Number 241-337	2. EPA Product Manager J. Tompkins	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) PROWL® 3.3 EC Herbicide	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) American Cyanamid Company Agricultural Research Division P.O. Box 400 Princeton, NJ 08543-0400 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below.

Resubmission in response to Agency letter dated \_\_\_\_\_

Notification - Explain below.

Final printed labels in response to Agency letter dated \_\_\_\_\_

"Me Too" Application.

Other - Explain below.

NOTIFICATION

FEB 5 1999

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
Notification of minor revision (extension of self-imposed expiration date) to supplemental label as per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Zareen Ahmed	Title Sr. Product Registrations Manager	Telephone No. (Include Area Code) 609-716-2321
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received ..... : (Stamped) : ..... ..... .....
2. Signature <i>Zareen Ahmed</i>		
3. Title Sr. Product Registrations Manager		
4. Typed Name Zareen Ahmed		5. Date 2/3/99

**PROWL**<sup>®</sup>  
3.3 EC herbicide

213

# Supplemental Labeling

EPA Reg. No. 241-337

**FOR LAYBY USE IN COTTON  
RECOMMENDED FOR USE IN ALABAMA, ARKANSAS,  
FLORIDA, GEORGIA, LOUISIANA, MISSISSIPPI,  
MISSOURI, NORTH CAROLINA, SOUTH CAROLINA,  
TENNESSEE AND VIRGINIA ONLY**

**LABEL EXPIRES DECEMBER 31, 2000.**

OBSERVE ALL PRECAUTIONARY STATEMENTS ON THE PROWL 3.3 EC LEAFLET LABEL BEFORE USING. SEE THE PROWL 3.3 EC LABEL FOR MIXING AND APPLICATION INFORMATION, WEED SPECIES CONTROLLED, AND FOLLOW CROP RESTRICTIONS. THIS LABEL MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF HERBICIDE APPLICATION.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system for layby applications.

### GENERAL INSTRUCTIONS

PROWL 3.3 EC may be applied as a layby application in cotton. Layby applications can be applied in cotton previously treated with PROWL 3.3 EC or any herbicide(s) registered for use in cotton. Consult the labels of those herbicides for suggested treatments, rates to be used, and precautions or restrictions for use in cotton and for follow crop restrictions.

PROWL 3.3 EC is most effective in controlling weeds when adequate rainfall or irrigation is received within 7 days after application.

**DO NOT APPLY AS A BROADCAST SPRAY OVER TOP OF COTTON, OR SERIOUS CROP INJURY CAN RESULT.** Apply PROWL 3.3 EC directed to the soil between rows and avoid contact of the spray to the non-woody portion of cotton stems and to cotton foliage or **SERIOUS CROP INJURY CAN RESULT.**

There must be an interval of at least 60 days between the last PROWL 3.3 EC application and cotton harvest.

NOTE: **DO NOT** feed forage or graze livestock in treated cotton fields. If loss of cotton crop occurs due to weather conditions, cotton or any crop registered for PROWL 3.3 EC preplant incorporated use can be replanted the same year without adverse effects. If replanting is necessary, a light reworking of the soil will retain the herbicidal activity of PROWL 3.3 EC.

PROWL 3.3 EC is not recommended for use on peat or muck soils.

**NOTIFICATION**

FEB 5 1999

## USE METHODS AND TIMINGS

**APPLICATIONS AT LAST CULTIVATION (LAYBY)** - Apply PROWL 3.3 EC directly to the soil between rows as a directed spray following the last normal cultivation (layby). Destroy existing weeds prior to application.

**DO NOT APPLY** as a broadcast spray over the top of the cotton or **SERIOUS CROP INJURY CAN RESULT. AVOID CONTACT OF THE SPRAY** to the non-woody portion of cotton stems and to cotton foliage or **SERIOUS CROP INJURY CAN RESULT.**

## PROWL 3.3 EC USE RATES

### Broadcast Rate Per Acre of PROWL 3.3 EC for Layby Applications in Cotton

Soil Texture	PROWL 3.3 EC (pints)
Coarse	1.2 to 1.8
Medium	1.8 to 2.4
Fine	2.4 to 3.6

For heavy clay soils, apply PROWL 3.3 EC at the broadcast rate of 3.6 pints per acre.

The high rate for each soil texture above should be used if heavy weed populations are anticipated.

The total amount of PROWL 3.3 EC applied per acre per season can not exceed the highest labeled rate for a given soil type.

## PROWL 3.3 EC TANK MIXES

To extend the spectrum of weed control, PROWL 3.3 EC may be tank-mixed with other herbicides labeled for layby use in cotton.

When PROWL 3.3 EC is tank mixed with other herbicides, follow all cropping restrictions, precautionary statements and limitations in the tank mix partner label. Always follow the most restrictive label recommendations.



**CYANAMID**  
 American Cyanamid Company  
 North America Agricultural Products Division  
 Crop Protection Products Department  
 One Campus Drive, Parsippany, NJ 07054 ©1999

® Registered Trademark of American Cyanamid Company

