

Kochia
Lambsquarters
Pigweed
Puncturevine
Purslane
Pusley, Florida
Rocket, London
Shepherdspurse
Smartweed, Pennsylvania
Speedwell, Corn
Spurge, Annual
Spurge, Prostrate
Woodsorrel, Yellow
Velvetleaf (Buttonweed)

137

Kochia scoparia
Chenopodium album
Amaranthus spp.
Tribulus terrestris
Portulaca oleracea
Richardia scabra
Sisymbrium irio
Capsella bursa-pastoris
Polygonum pensylvanicum
Veronica arvensis
Euphorbia spp.
Euphorbia matriculata
Oxalis stricta
Abutilon theophrasti

ACCEPTED
EPA Reg. No. 2-41-340

PENWOLM[®]

WDG Industrial Herbicide

015 1/2

10/1

10/1

For preemergence control of the weed species listed, apply PENDULUM WDG Industrial Herbicide at the following rates.

Length of Control	PENDULUM WDG Industrial Herbicide Rate
Short Term Control (2-4 months)	3.3 lbs./Acre (1.2 oz/1,000 sq ft.)
Long Term Control (6-8 months)	6.6 lbs./Acre (2.4 oz/1,000 sq ft.)

PENDULUM WDG Industrial Herbicide will not control established weeds.

NONCROPLAND WEED CONTROL

PENDULUM WDG Industrial Herbicide is recommended for preemergence control of most annual grasses and certain

as railroad, utility, highway, and pipeline rights-of-way, highway guardrails, delineators, and sign posts; utility substations; petroleum tank farms, pumping installations; fence rows, storage areas; windbreaks and shelterbelts; and other similar areas.

For postemergence control of weeds, tank-mix combinations of PENDULUM WDG Industrial Herbicide plus ARSENAL® herbicide are recommended. DO NOT tank mix with ARSENAL in California. Recommended rates for the tank-mix compounds should be determined from the product labels of both PENDULUM WDG Industrial Herbicide and ARSENAL herbicide prior to use.

WEED CONTROL IN AND AROUND ESTABLISHED PLANTINGS

PENDULUM WDG Industrial Herbicide is recommended for preemergence control of the weed species listed in and around established Christmas tree plantations and in and around es-

highway rights-of-way, utility substations, or similar areas.

Precautions

Apply PENDULUM WDG Industrial Herbicide only to established plantings.

The efficacy of PENDULUM WDG Industrial Herbicide will be improved if the application is followed by one-half inch of rainfall or its equivalent in sprinkler irrigation.

Care must be taken that soil or planting mixes have settled firmly following transplanting and that there are no cracks that would allow direct contact of PENDULUM WDG Industrial Herbicide and roots. Directed sprays where soil and media surfaces are uniformly covered will result in best weed control and ornamental tolerance. Plant only those desirable plant species listed on this label into soil treated the previous season with PENDULUM WDG Industrial Herbicide or injury may occur.

RECOMMENDED SPECIES

PENDULUM WDG Industrial Herbicide sprays can be safely applied over the top of the established plants listed below:

TREES	
Common Name	Scientific Name
Ash, Red	<i>Fraxinus pennsylvanica</i>
Birch, European Weeping	<i>Betula pendula</i>
Birch, River	<i>Betula nigra</i>
Cedar, Northern White	<i>Thuja occidentalis</i>
Cedar, Red	<i>Juniperus virginiana</i>
Chamaecyparis, Boulevard	<i>Chamaecyparis pisifera</i>
Crapemyrtle, Common	<i>Lagerstroemia indica</i>
Cryptomena, Japanese	<i>Cryptomena japonica</i> cv. "Nana"
Dogwood, Flowering	<i>Cornus florida</i>
Dogwood, Silky	<i>Cornus amomum</i>
*Fir, Balsam	<i>Abies balsamiae</i>
Fir, Douglas	<i>Pseudotsuga menziesii</i>
Fir, Fraser	<i>Abies fraseri</i>
Fir, White	<i>Abies concolor</i>
Hemlock, Eastern	<i>Tsuga canadensis</i>
Holly, American	<i>Ilex opaca</i> cv. "Tsuga"
Lilac, Common	<i>Syringa vulgaris</i>
Locust, Honey	<i>Gleditsia inacanthos</i> cv. "Inermis"
Maple, Red	<i>Acer rubrum</i>
Oak, Live	<i>Quercus virginiana</i>
Oak, Water	<i>Quercus nigra</i>
Peach	<i>Prunus persica</i>
*Pine, Austrian	<i>Pinus nigra</i>

SHRUBS	
Common Name	Scientific Name
Barberry, Red	<i>Berberis thunbergii</i> cv. "Atropurpurea Nana"
Bottlebrush	<i>Callistemon citrinus</i>
Boxwood, Common	<i>Buxus sempervirens</i>
Capejasmine	<i>Gardenia jasminoides</i> cv. "Mystery"
Cotoneaster, Rock	<i>Cotoneaster horizontalis</i>
Euonymous	<i>Euonymus alata</i> cv. "Compacta"
Firethorn	<i>Pyracantha coccinea</i>
Forsythia, Border	<i>Forsythia intermedia</i>
Hawthorne, Indian	<i>Raphiolepis indica</i>
Holly, Chinese	<i>Ilex cornuta</i>
Holly, Japanese	<i>Ilex crenata</i> cv. "Compacta"
Holly, Yaupon	<i>Ilex vomitoria</i> cv. "Shillings Dwarf"
Juniper, Chinese	<i>Juniperus chinensis</i> cv. "Gold Coast" cv. "Pfitzer" cv. "Pfitzerana" cv. "Pfitzer Aurea" cv. "Pfitzer Glauca" cv. "Procumbens Nana" cv. "San Jose" cv. "Sea Green"
Juniper, Creeping	<i>Juniperus horizontalis</i> cv. "Wiltonii"
Juniper, Shore	<i>Juniperus conferta</i>
Juniper, Trailing	<i>Juniperus horizontalis</i> cv. "Plumosa" cv. "Prince of Wales" cv. "Youngstown"

SHRUBS	
Common Name	Scientific Name
Yew	<i>Taxus media</i>
Yew, Japanese	<i>Taxus cuspidata</i>
GROUND COVERS	
Common Name	Scientific Name
Ajuga	<i>Ajuga reptans</i>
Brush, Dwarf Coyote	<i>Baccharis chiloensis</i>
Capeweed	<i>Arctotheca calendula</i>
Daisy, Trailing African	<i>Osteospermum fruticosum</i>
Euonymous	<i>Euonymus fortunei</i> cv. "Sarcocoe"
Gazania	<i>Gazania splendens</i>
Rose-of-Sharon	<i>Hypericum calycinum</i>
Iceplant, Large Leaf	<i>Carpobrotus edule</i>
Ivy, English	<i>Helix hedera</i>
Ivy, Geranium	<i>Pelargonium peltatum</i>
Myoporum	<i>Myoporum parviflorum</i>
Pachysandra	<i>Pachysandra terminalis</i>
Potentilla	<i>Potentilla jackmanii</i>
Potentilla	<i>Potentilla verna</i>
Red Apple	<i>Aptenia cordifolia</i>
Rosemary	<i>Rosemarinus officinalis</i>
Sand Strawberry	<i>Fragaria chiloensis</i>
Verbena, Peruvian	<i>Verbena peruviana</i>
Vinca	<i>Vinca minor</i> cv. "Bowles"

PERENNIALS

BEST COPY AVAILABLE