

Reg # 241-341

FM-25

137

5.75 Inches

0.50 Inches

PENDULUM®

3.3 EC Industrial Herbicide

FOR CONTROL OF MOST ANNUAL GRASSES AND CERTAIN BROADLEAF WEEDS IN NONCROPLAND AREAS, ESTABLISHED ORNAMENTALS IN NONCROPLAND AREAS ONLY AND CHRISTMAS TREE PLANTATIONS

ACTIVE INGREDIENT:

pendimethalin, N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine 37.4%

INERT INGREDIENTS*

62.6%

TOTAL

100.0%

(1 gallon contains 3.3 lbs of pendimethalin)

EPA Reg. No. 241-341

* Contains Pendimethalin

EPA Est. No. 241-MO-1

KEEP OUT OF REACH OF CHILDREN!

CAUTION/PRECAUCION!

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201-835-3100.

FIRST AID

If in eyes: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Call a physician if eye irritation persists.

If swallowed: DO NOT induce vomiting. Call a physician or Poison Control Center immediately.

For skin contact: Wash thoroughly with soap and water. Call a physician if skin irritation persists.

NOTE TO PHYSICIAN: Because of increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent, vomiting should be induced only under professional supervision.

See next page for Additional Precautionary Statements.



CYANAMID

American Cyanamid Company
Agricultural Products Division
Specialty Products Department
Wayne, NJ 07470 ©1994

Net Contents: 110 Gallons

● Registered Trademark of American Cyanamid Company

22931-67

11/94 NTEG

BEST AVAILABLE COPY

Front Cover

FRONT PANEL PRINTING INFORMATION

PENDULUM LOGO: PRINTED, FOLDED, DIE CUT LABEL IS PLACED IN WHITE CAPSULATED POUCH. "PEND" THE BRAND BELOW PENDULUM AND @ PRINT BLACK. "ECL" PRINTS PMS 102 YELLOW WITH BLACK OUTLINE. THE GRAPHIC RUNNING THROUGH THE LOWER CASE "L" IN PENDULUM PRINTS PMS 375 GREEN.

TOP BAND PRINTS PMS 102 YELLOW. 3.3 EC Industrial Herbicide PRINTS BLACK.

BOTTOM PANEL PRINTS PMS 375 GREEN WITH DIE CUT CALLET AND BOTTOM AND THE @ FEED ON RIGHT. ALL COPY AND LINE ART WITHIN PANEL DIE PRINT BLACK.

INTEG AND PEEF DOWN ART PRINT BLACK.

SIZE: 100MM SYSTEMS 2.5 GALLON 4 PANEL ECL PLOT 6.125" PRINT METHOD

0.56
Inches

5.69 Inches

278

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)**

CAUTION

Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Use with adequate ventilation.

Personal Protective Equipment (PPE): Some material that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category G on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves, such as barrier laminate or viton (≥ 14 mils)
- Shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing

ENVIRONMENTAL HAZARDS

This product is toxic to fish. DO NOT apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. DO NOT contaminate water when disposing of equipment washwaters

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at time of herbicide application. DO NOT apply this product through any type of irrigation system

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves, such as barrier laminate or viton (≥ 14 mils)
- Shoes plus socks

DISCLAIMER

The label instructions for use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the use or application of the product contrary to label instructions, all of which are beyond the control of American Cyanamid Company. All such risks shall be assumed by the user.

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risk referred to above

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages

American Cyanamid Company makes no other express or implied warranty, including other express or implied warranty of FITNESS or of MERCHANTABILITY

GENERAL INFORMATION

PENDULUM 3.3 EC Industrial Herbicide is recommended for preemergence control of grasses and certain broadleaf weed species as they germinate on noncropland areas and in established Christmas tree plantations. PENDULUM 3.3 EC Industrial Herbicide treatments are most effective in controlling weeds when adequate rainfall is received within 30 days after application

BEST AVAILABLE COPY

INTERIOR PRINTING INFORMATION
ALL COPY AND LINE ART PRINT BLACK



7.06
Inches

5.69 Inches

PENDULUM 3.3 EC Industrial Herbicide will not control established weeds. Therefore, areas to be treated should be free of established weeds at the time of treatment, or PENDULUM 3.3 EC Industrial Herbicide may be used in conjunction with herbicides registered for postemergence use in noncropland areas and in established Christmas tree plantations. Consult the labels of those herbicides for suggested treatments, rates to be used and precautions or restrictions for use in noncropland areas.

STORAGE AND DISPOSAL

STORAGE: DO NOT STORE BELOW 40°F. Extended storage at temperatures below 40°F can result in the formation of crystals on the bottom of container. If crystallization does occur, store the container on its side at room temperature (70°F) and rock occasionally until crystals redissolve.

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL FOR MINI BULK AND BULK: Return empty container to point of purchase for repackaging or recycling.

Observe all cautions and limitations in this label and the labels of products used in combination with PENDULUM 3.3 EC Industrial Herbicide. The use of PENDULUM 3.3 EC Industrial Herbicide not consistent with this label can result in injury to crops, animals, or persons. Keep containers closed to avoid spills and contamination.

MIXING INSTRUCTIONS

1. Fill tank one-half to three-quarters full with clean water
2. Add PENDULUM 3.3 EC Industrial Herbicide to the partially filled tank while agitating and then fill the remainder of the tank with water.
3. **MAINTAIN CONTINUOUS AGITATION WHILE ADDING PENDULUM 3.3 EC INDUSTRIAL HERBICIDE AND UNTIL SPRAYING IS COMPLETED.** If the spray mixture is allowed to settle for any period of time, thorough agitation is essential to resuspend the mixture before spraying is resumed. Continue agitation while spraying.
4. If PENDULUM 3.3 EC Industrial Herbicide is to be used in tank mixtures with other registered herbicides, then follow directions on the labels of those products which recommend tank mixing.

SPRAYING INSTRUCTIONS

Uniformly apply with properly calibrated ground equipment in sufficient water per acre to uniformly treat the area with a spray pressure of 25 to 50 psi. Maintain continuous agitation during spraying with good mechanical or bypass agitation.

PENDULUM 3.3 EC Industrial Herbicide treatments in noncropland areas and in Christmas tree plantations are most effective in controlling weeds when adequate rainfall is received within 30 days after application.

Avoid contact of spray solution with driveways, stone, wood, or other porous surfaces. Rinse immediately to avoid staining.

NONCROPLAND WEED CONTROL

PENDULUM 3.3 EC Industrial Herbicide is recommended for preemergence control of most annual grasses and certain broadleaf weeds as they germinate on noncropland areas such as railroad, utility, highway, and pipeline rights-of-way; highway guardrails, delineators, and sign posts; utility substations, petroleum tank farms, pumping installations, fence rows, storage areas, windbreaks and shelterbelts; and other similar areas.

For postemergence control of weeds, tank-mix combinations of PENDULUM 3.3 EC Industrial Herbicide plus ARSENAL® herbicide are recommended. DO NOT tank mix with ARSENAL in California. Recommended rates for the tank-mix compounds should be determined from the product labels of both PENDULUM 3.3 EC Industrial Herbicide and ARSENAL prior to use.

WEED CONTROL IN AND AROUND ORNAMENTAL PLANTINGS

PENDULUM 3.3 EC Industrial Herbicide is recommended for use on the following established ornamentals and ground covers planted in noncropland areas such as highway rights-of-way, utility substations, or similar areas. Care must be taken that soil or planting mixes have settled firmly following transplanting and that there are no cracks that would allow direct contact of PENDULUM 3.3 EC Industrial Herbicide and roots. Directed sprays where soil and media surfaces are uniformly covered will result in best weed control and ornamental tolerance. PENDULUM 3.3 EC Industrial Herbicide sprays can be safely applied over-the-top of those plants listed below.

ESTABLISHED ORNAMENTALS

TREES

Common Name	Scientific Name
*Arborvitae, American	<i>Thuja occidentalis</i>
*A. butus	<i>Arbutus spp.</i>
Asi. Red	<i>Fraxinus pennsylvanica</i>
*Basswood	<i>Tilia spp.</i>
Birch, European Weeping	<i>Betula pendula</i>
Birch, River	<i>Betula nigra</i>
Buckeye, Red	<i>Aesculus pavia</i>
Cedar, Northern White	<i>Thuja occidentalis</i>
Cedar, Red	<i>Juniperus virginiana</i>
Chamaecyparis, Boulevard	<i>Chamaecyparis pisifera</i>
Cherry, Kwanzan	<i>Prunus serrulata</i>
Crabapple	<i>Malus spp.</i>
Crape Myrtle, Common	<i>Lagerstroemia indica</i>
Cryptomeria, Japanese	<i>Cryptomeria japonica</i>
Cypress, Leyland	<i>Cupressocyparis leylandii</i>

© Registered Trademark of American Cyanamid Company

7.06
Inches

2

BEST AVAILABLE COPY

INTERIOR PRINTING INFORMATION
ALL COPY AND LINE ART PRINT IN BLACK

5.69 inches

11 6 7

7.06
Inches

TREES	
Common Name	Scientific Name
Dogwood, Flowering	<i>Cornus florida</i>
Dogwood, Korean	<i>Cornus kousa</i>
Dogwood, Silky	<i>Cornus amomum</i>
* Fir, Balsam	<i>Abies balsamiae</i>
Fir, Douglas	<i>Pseudotsuga menziesii</i>
Fir, Fraser	<i>Abies fraseri</i>
Fir, White	<i>Abies concolor</i>
* Franklinia	<i>Franklinia</i> spp.
Hemlock, Eastern	<i>Tsuga canadensis</i>
Locust, Honey	<i>Gleditsia triacanthos</i>
Magnolia, Saucer	<i>Magnolia soulangeana</i>
Magnolia, Southern	<i>Magnolia grandiflora</i>
Magnolia, Star	<i>Magnolia stellata</i>
Maidenhair Tree	<i>Ginkgo biloba</i>
Maple, Crimson King	<i>Acer platanoides</i>
Maple, Japanese	<i>Acer palmatum</i>
Maple, Red	<i>Acer rubrum</i>
Maple, Sugar	<i>Acer saccharum</i>
Oak, Live	<i>Quercus virginiana</i>
Oak, Pin	<i>Quercus palustris</i>
Oak, Water	<i>Quercus nigra</i>
Oak, Willow	<i>Quercus phellos</i>
Olive	<i>Olea europaea</i>
* Palm, Date	<i>Phoenix</i> spp.
* Palm, Fan	<i>Washingtonia</i> spp.
* Palm, Pindo	<i>Butia</i> spp.
Peach	<i>Prunus persica</i>
Pear, Bradford	<i>Pyrus calleryana</i> 'Bradford'
* Pine, Austrian	<i>Pinus nigra</i>
Pine, Italian Stone	<i>Pinus pinea</i>
Pine, Loblolly	<i>Pinus taeda</i>
Pine, Monterey	<i>Pinus radiata</i>
* Pine, Scotch	<i>Pinus sylvestris</i>
* Pine, Virginia	<i>Pinus virginiana</i>
Pine, White	<i>Pinus strobus</i>
Plum, Purple Leaf	<i>Prunus cerasifera</i>
Red Ironbark	<i>Eucalyptus sideroxyloides</i>
Redcedar, Western	<i>Thuja plicata</i>
Redwood, Dawn	<i>Metasequoia glyptostroboides</i>
Sequoia, Giant	<i>Sequoiadendron giganteum</i>
Servicberry	<i>Amelanchier laevis</i>
Sourwood	<i>Oxydendron arborescens</i>
Spruce, Colorado Blue	<i>Picea pungens</i>

TREES	
Common Name	Scientific Name
Spruce, Norway	<i>Picea abies</i>
* Spruce, White	<i>Picea glauca</i>
Sweet Gum	<i>Liquidambar styraciflua</i>
Sycamore	<i>Platanus occidentalis</i>
* Trachycarpus	<i>Trachycarpus</i> spp.
Tulip tree	<i>Liriodendron tulipifera</i>
Walnut, Black	<i>Juglans nigra</i>
Willow, Weeping	<i>Salix babylonica</i>
Yellowwood	<i>Cladrastis lutea</i>
SHRUBS	
Common Name	Scientific Name
Abelia, Glossy	<i>Abelia grandiflora</i>
Aucuba, Gold	<i>Aucuba japonica</i>
Azalea	<i>Rhododendron</i> spp.
Bamboo, Heavenly	<i>Nandina domestica</i>
Barberry	<i>Berberis gladiolifolia</i>
Barberry, Japanese	<i>Berberis thunbergii</i>
Bottlebrush, Lemon	<i>Callistemon citrinus</i>
Boxwood, Common	<i>Buxus sempervirens</i>
Boxwood, Japanese	<i>Buxus microphylla</i>
Bush Honeysuckle	<i>Diervilla lonicera</i>
Camellia	<i>Camellia japonica</i>
Cape Jasmine	<i>Gardenia jasminoides</i>
* Cordyline	<i>Cordyline</i> spp.
* Correa	<i>Correa</i> spp.
Cotoneaster	<i>Cotoneaster apiculata</i>
Cotoneaster, Bearberry	<i>Cotoneaster dammeri</i>
Cotoneaster, Rock	<i>Cotoneaster horizontalis</i>
Cypress, Leyland	<i>Cupressocyparis leylandii</i>
Deutzia, Slender	<i>Deutzia gracilis</i>
Eleagnus	<i>Eleagnus ebbingei</i>
Escallonia	<i>Escallonia fradesii</i>
Euonymus	<i>Euonymus tortuosa</i>
* Euonymus, Golden	<i>Euonymus japonica</i>
Euonymus, Winged	<i>Euonymus alata</i>
Firethorn	<i>Pyracantha coccinea</i>
Forsythia, Border	<i>Forsythia intermedia</i>
Fuschia, California	<i>Zauschneria californica</i>
* Gardenia	<i>Gardenia jasminoides</i>
Hawthorne, Indian	<i>Raphiolepis indica</i>
Hibiscus	<i>Hibiscus syriacus</i>
Holly, Chinese	<i>Ilex cornuta</i>
Holly, Japanese	<i>Ilex crenata</i>

INTERIOR PRINTING INFORMATION
ALL COPY AND LINE ART PRINTED AT

6.25 Inches

5
y
2

7.06
Inches

SHRUBS	
Common Name	Scientific Name
Holly, Savannah	<i>Ilex attenuata</i>
Holly, Yaupon	<i>Ilex vomitoria</i>
Juniper	<i>Juniperus</i> spp.
Laurel, Mountain	<i>Kalmia latifolia</i>
*Laurel, Otto Luyken	<i>Prunus laurocerasus</i>
Laurel, Schipka	<i>Prunus schipkanensis</i>
Laurestinus	<i>Viburnum tinus</i>
Lavender, English	<i>Lavandula angustifolia</i>
Leucothoe	<i>Leucothoe fontanesiana</i>
Leucothoe, Coast	<i>Leucothoe axillaris</i>
Lilac, Cutleaf	<i>Syringa laciniata</i>
Lily-of-the-Nile	<i>Agapanthus africanus</i>
Mahonia	<i>Mahonia aquifolium</i>
Mock Orange	<i>Pittosporum tobira</i>
Myrtle, Compact	<i>Myrtus communis</i>
Myrtle, Wax	<i>Myrica cerifera</i>
Nandina	<i>Nandina domestica</i>
Oleander	<i>Nerium oleander</i>
*Osmanthus	<i>Osmanthus fragrans</i>
Palm, European Fan	<i>Chamaerops humilis</i>
*Palm, Mediterranean Fan	<i>Chamaerops</i> spp.
Phlox, Prickly	<i>Leptodactylon californicum</i>
Photinia, Fraser	<i>Photinia x Fraseri</i>
Pieris, Japanese	<i>Pieris japonica</i>
*Pine, Mugo	<i>Pinus mugo</i>
Plum, Natal	<i>Carissa grandiflora</i>
Privet, California	<i>Ligustrum ovalifolium</i>
*Privet, Glossy	<i>Ligustrum lucidum</i>
*Privet, Variegated	<i>Ligustrum sinensis</i>
Privet, Waxleaf	<i>Ligustrum japonicum</i>
Quince, Flowering	<i>Chaenomeles japonica</i>
*Rhododendron	<i>Rhododendron</i> spp.
Spice Plant	<i>Illicium parviflorum</i>
Spiraea	<i>Spiraea vanhouttei</i>
Spiraea, Japanese	<i>Spiraea japonica</i>
Sweet Bay	<i>Laurus nobilis</i>
*Verbena, Lemon	<i>Aloysia</i> spp.
*Wild Lilac	<i>Ceanothus</i> spp.
Xylosma	<i>Xylosma congestum</i>
Yew	<i>Taxus media</i>
Yew, Japanese	<i>Taxus cuspidata</i>

SHRUBS	
Common Name	Scientific Name
Yew, Pine	<i>Podocarpus macrophyllus</i>
Yucca	<i>Yucca filamentosa</i>
Yucca, Weeping	<i>Yucca pendula</i>

PERENNIALS	
Common Name	Scientific Name
Hosta	<i>Hosta</i> spp.
Liriope, Green	<i>Liriope spicata</i>
Liriope, "Monroe White"	<i>Liriope musari</i>
Liriope, Variegated	<i>Liriope muscari "variegata"</i>

GROUND COVER ORNAMENTALS

Common Name	Scientific Name
Capeweed	<i>Arctotheca calendula</i>
Daisy, Trailing African	<i>Osteospermum fruticosum</i>
Gazania	<i>Gazania splendens</i>
Iceplant, Large Leaf	<i>Carpobrotus edule</i>
Ivy, English	<i>Hedera helix</i>
Ivy, Geranium	<i>Pelargonium peltatum</i>
Mondograss	<i>Ophiopogon japonica</i>
Myoporum	<i>Myoporum parviflorum</i>
Pachysandra	<i>Pachysandra terminalis</i>
Potentilla	<i>Potentilla jackmanii</i>
Potentilla	<i>Potentilla verna</i>
Rose-of-Sharon	<i>Hypericum calycinum</i>

PRECAUTION!

Apply only to established plantings.

WEED CONTROL IN CHRISTMAS TREE PLANTATIONS

PENDULUM 33 EC Industrial Herbicide is recommended for pre-emergence control of the weed species listed on this label as they germinate in areas planted with the following Christmas trees

Common Name	Scientific Name
*Austrian Pine	<i>Pinus nigra</i>
*Balsam Fir	<i>Abies balsamiae</i>
Colorado Blue Spruce	<i>Picea pungens</i>
Douglas Fir	<i>Pseudotsuga menziesii</i>
*Scotch Pine	<i>Pinus sylvestris</i>
*Virginia Pine	<i>Pinus virginiana</i>
White Fir	<i>Abies concolor</i>
*White Spruce	<i>Picea glauca</i>

* Do not use in California

BEFORE PRINTING INFORMATION
ALL COPY AND LINE ART PRINT BLACK

6.25 Inches

578

DO NOT apply PENDULUM 3.3 EC Industrial Herbicide to Christmas tree seed or nursery beds. Apply PENDULUM 3.3 EC Industrial Herbicide only to established Christmas tree plantations. PENDULUM 3.3 EC Industrial Herbicide can be applied directly over the top of established Christmas trees.

PENDULUM 3.3 EC Industrial Herbicide will not control established weeds. Therefore, areas to be treated should be free of established weeds at the time of treatment, or PENDULUM 3.3 EC Industrial Herbicide may be used in conjunction with herbicides registered for postemergence use in Christmas trees. Consult the labels of those herbicides for suggested treatments, rates to be used and precautions or restrictions for use in Christmas trees.

WEED SPECIES CONTROLLED

For preemergence control of the weed species listed, apply PENDULUM 3.3 EC Industrial Herbicide at the following rates:

Length of Control	PENDULUM 3.3 EC Industrial Herbicide Rate
Short Term Control (2-4 months)	2.4 Quarts/Acre (1.8 fl. oz./1000 sq. ft.)
Long Term Control (6-8 months)	4.8 Quarts/Acre (3.5 fl. oz./1000 sq. ft.)

PENDULUM 3.3 EC Industrial Herbicide will not control established weeds.

The efficacy of PENDULUM 3.3 EC Industrial Herbicide will be improved if the application is followed by one-half inch of rainfall or its equivalent in sprinkler irrigation.

The following grass and broadleaf weeds are controlled by preemergence treatments of PENDULUM 3.3 EC Industrial Herbicide at the rates recommended

GRASSES CONTROLLED

Common Name	Scientific Name
Barnyardgrass	<i>Echinochloa crus-galli</i>
Bluegrass Annual	<i>Poa annua</i>
Crabgrass	<i>Digitaria</i> spp.
Crowfootgrass	<i>Dactyloctenium aegyptium</i>
Foxtail, Giant	<i>Setaria faberi</i>
Foxtail, Green	<i>Setaria viridis</i>
Foxtail, Yellow	<i>Setaria lutescens</i>
Goosegrass	<i>Eleusine indica</i>
Hitchgrass	<i>Rottboellia exaltata</i>
Johnsongrass (from seed)	<i>Sorghum halepense</i>
Jungle rice	<i>Echinochloa colozum</i>

Common Name	Scientific Name
Lovegrass	<i>Eragrostis</i> spp.
Panicum, Browntop	<i>Panicum fasciculatum</i>
Panicum, Fall	<i>Panicum dichotomiflorum</i>
Panicum, Texas	<i>Panicum texanum</i>
Sandbur, Field	<i>Cenchrus incertus</i>
Signalgrass	<i>Bracharia platyphylla</i>
Sprangletop, Mexican	<i>Leptochloa unineria</i>
Sprangletop, Red	<i>Leptochloa filiformis</i>
Witchgrass	<i>Panicum capillare</i>
Woolly Cupgrass	<i>Eriochloa villosa</i>

BROADLEAF WEEDS CONTROLLED

Common Name	Scientific Name
Burweed, Lawn	<i>Soliva persoperma</i>
Carpetweed	<i>Mollugo verticillata</i>
Chickweed, Common	<i>Stellaria media</i>
Chickweed, Mouseear	<i>Cerastium vulgatum</i>
Clover, Hop	<i>Trifolium procumbens</i>
Cudweed	<i>Gnaphalium</i> spp.
Fiddleneck	<i>Amsinckia intermedia</i>
Filaree	<i>Erodium</i> spp.
Henbit	<i>Lamium amplexicaule</i>
Knotweed (prostrate)	<i>Polygonum aviculare</i>
Kochia	<i>Kochia scoparia</i>
Lambsquarters	<i>Chenopodium album</i>
Pigweed	<i>Amaranthus</i> spp.
Puncturevine	<i>Tribulus terrestris</i>
Purslane	<i>Portulaca oleracea</i>
Pusley, Florida	<i>Richardia scabra</i>
Rocket, London	<i>Sisymbrium ino</i>
Sheperdspurse	<i>Capsella bursa-pastoris</i>
Smartweed, Pennsylvania	<i>Polygonum pennsylvanicum</i>
Speedwell, Corn	<i>Veronica arvensis</i>
Spurge, Annual	<i>Euphorbia</i> spp.
Spurge, Prostrate	<i>Euphorbia humistrata</i>
Woodsorrel, Yellow	<i>Oxalis stricta</i>
Velvetleaf (Buttonweed)	<i>Abutilon theophrasti</i>

7.06 Inches



American Cyanamid Company
Agricultural Products Division
Specialty Products Department
Wayne, NJ 07470 ©1994

INTEG™ is protected by the following Patents: U.S.A. 4680080, 4592572, 4675062, Canada 422793, and others.

INTERIOR PRINTING INFORMATION
ALL INFORMATION APPEARS ON BACK



5.75 inches

PENDULUM

3.3 EC Industrial Herbicide

FOR CONTROL OF MOST ANNUAL GRASSES AND CERTAIN BROADLEAF WEEDS IN NONCROPLAND AREAS, ESTABLISHED ORNAMENTALS IN NONCROPLAND AREAS ONLY, AND CHRISTMAS TREE PLANTATIONS

ACTIVE INGREDIENT:
 pendimethalin, N-(1-ethylpropyl)-4-dimethyl-2,6-dinitrobenzenamine 37.4%

INERT INGREDIENTS 62.6%

TOTAL 100.0%

(1 gallon contains 3.3 lbs. of pendimethalin)
 Contains Petroleum Distillates

EPA Reg. No. 241-341 EPA Est. No. 241-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION ¡PRECAUCION!

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

FIRST AID

If in eyes: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Call a physician if eye irritation persists.

If swallowed: DO NOT induce vomiting. Call a physician or Poison Control Center immediately.

For skin contact: Wash thoroughly with soap and water. Call a physician if skin irritation persists.

NOTE TO PHYSICIAN: Because of increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent, vomiting should be induced only under professional supervision.

In case of an emergency endangering life or property involving this product, call collect, day or night, Area Code 201-835-3100.



American Cyanamid Company
 Agricultural Products Division
 Specialty Products Department
 Wayne, NJ 07470 ©1994

Net Contents: 110 Gallons

Registered Trademark of American Cyanamid Company

22931-67

11/94

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

CAUTION

Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Use with adequate ventilation.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. DO NOT apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. DO NOT contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to leaflet under "Agricultural Use Requirements" in the Directions For Use section for information about this standard

See leaflet for complete Directions For Use

STORAGE AND DISPOSAL

STORAGE: DO NOT STORE BELOW 40°F. Extended storage at temperatures below 40°F can result in the formation of crystals on the bottom of container. If crystallization does occur, store the container on its side at room temperature (70°F) and rock occasionally until crystals redissolve.

DO NOT contaminate water, food, or feed by storage or disposal

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL FOR MINI BULK AND BULK: Return empty container to point of purchase for repackaging or recycling.

Observe all cautions and limitations in this label and the labels of products used in combination with PENDULUM 3.3 EC Industrial Herbicide. The use of PENDULUM 3.3 EC Industrial Herbicide not consistent with this label can result in injury to crops, animals, or persons. Keep containers closed to avoid spills and contamination.

See leaflet for Disclaimer

BEST AVAILABLE COPY

Attached Panel

BACK PANEL PRINTING INFORMATION

PENDULUM LOGO PRINTED FOLDED DIE CUT LABEL IS IN ACRYLIC WHITE CAP ON A 100% COTTON LINED BAND BELOW PENDULUM AND 9 POINT BLACK. GRAPHIC PRINTS ON 100% YELLOW WITH BLACK OUTLINE. THE GRAPHIC PRINTS ON THE LOWER FACE OF THE POUCH. GRAPHIC PRINTS ON 100% GREEN.

TOP BAND PRINTS ON 100% YELLOW. 1.1 EC POUCH PRINTS ON 100% BLACK.

BOTTOM PANEL PRINTS ON 100% GREEN WITH 100% BLACK. 1.1 EC POUCH PRINTS ON 100% BLACK.

1.1 EC POUCH PRINTS ON 100% BLACK WITH 100% GREEN. 1.1 EC POUCH PRINTS ON 100% BLACK.

1.1 EC POUCH PRINTS ON 100% BLACK WITH 100% GREEN. 1.1 EC POUCH PRINTS ON 100% BLACK.

1.1 EC POUCH PRINTS ON 100% BLACK WITH 100% GREEN. 1.1 EC POUCH PRINTS ON 100% BLACK.

1.1 EC POUCH PRINTS ON 100% BLACK WITH 100% GREEN. 1.1 EC POUCH PRINTS ON 100% BLACK.

1.1 EC POUCH PRINTS ON 100% BLACK WITH 100% GREEN. 1.1 EC POUCH PRINTS ON 100% BLACK.



PENDULUM

3.3EC Industrial Herbicide

FOR CONTROL OF MOST ANNUAL GRASSES AND CERTAIN BROADLEAF WEEDS IN NONCROPLAND AREAS, ESTABLISHED ORNAMENTALS IN NONCROPLAND AREAS ONLY, AND CHRISTMAS TREE PLANTATIONS

ACTIVE INGREDIENT:

pendimethalin, N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine	37.4%
INERT INGREDIENTS*	62.6%
TOTAL	100.0%

(1 gallon contains 3.3 lbs. of pendimethalin)
*Contains Petroleum Distillates

EPA Reg. No. 241-341

EPA Est. No. 241-MO-1

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUCION!

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

In case of an emergency endangering life or property involving this product, call collect day or night. Area Code 201-835-3100.



CYANAMID

American Cyanamid Company
Agricultural Products Division
Specialty Products Department
Wayne, NJ 07470 ©1994

Net Contents: 110 Gallons 22931-67
Registered Trademark of American Cyanamid Company 11/94

FIRST AID

If in eyes: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Call a physician if eye irritation persists. • If swallowed: DO NOT induce vomiting. Call a physician or Poison Control Center immediately. • For skin contact: Wash thoroughly with soap and water. Call a physician if skin irritation persists.

NOTE TO PHYSICIAN: Because of increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent, vomiting should be induced only under professional supervision.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

CAUTION

Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Use with adequate ventilation.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. DO NOT apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. DO NOT contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to leaflet under "Agricultural Use Requirements" in the Directions For Use section for information about this standard.

See leaflet for complete Directions For Use.

STORAGE AND DISPOSAL

STORAGE: DO NOT STORE BELOW 40°F. Extended storage at temperatures below 40°F can result in the formation of crystals on the bottom of container. If crystallization does occur, store the container on its side at room temperature (70°F) and rock occasionally until crystals redissolve.

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or mixate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL FOR MINI BULK AND BULK: Return empty container to point of purchase for repackaging or recycling.

Observe all cautions and limitations in this label and the labels of products used in combination with PENDULUM 3.3 EC Industrial Herbicide. The use of PENDULUM 3.3 EC Industrial Herbicide not consistent with this label can result in injury to crops, animals, or persons. Keep containers closed to avoid spills and contamination.

See leaflet for Disclaimer.

BEST AVAILABLE COPY

Stay Behind Pouch

PRINTED INFORMATION
ALL INFORMATION ON THIS LABEL IS PRINTED IN
TYPE PRINTING OR BY OTHER MEANS, INCLUDING
PRINT METHODS



PULL DOWN TAB TO ACCESS INFORMATION BOOKLET.