

MAR 14 1982

PM 25 241-350  
EPA Reg. No. 241-350

Page 1 of 2

of the Federal Insecticide,  
Fungicide and Rodenticide Act,  
for the pesticide  
registered under  
EPA Reg. No. 241-350

**FOR USE IN SOYBEANS  
IN NORTH DAKOTA AND NORTHERN MINNESOTA  
(SEE USE AREA BELOW)**

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE PURSUIT DG LEAFLET LABEL BEFORE USING. SEE THE PURSUIT DG LEAFLET LABEL FOR ADDITIONAL USE AREAS, MIXING AND APPLICATION INFORMATION, WEEDS CONTROLLED AND ROTATIONAL CROP RESTRICTIONS. THE ROTATIONAL CROP RESTRICTIONS IN THIS SUPPLEMENTAL LABEL SUPERSEDE THE RESTRICTIONS LISTED IN THE LEAFLET LABEL.

**GENERAL INFORMATION**

PURSUIT DG herbicide is a broad spectrum herbicide that provides season long control of many weeds. Under some conditions (such as heavy texture soil, high organic matter, low pH or low rainfall) PURSUIT DG may cause injury to subsequent planted crops. Sugar beets are particularly sensitive to PURSUIT DG residues in soil. **PURSUIT DG is not recommended in crop rotations that include sugar beets.** See the ROTATIONAL CROP section of this supplemental label for rotations to other sensitive crops.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system.

**USE AREA**

PURSUIT DG may be used in North Dakota and in Minnesota north of Highway #210.

**APPLICATION RATES**

Apply PURSUIT DG at 1.08 ounces per acre postemergence only (one 7.2 ounce soluble bag of PURSUIT DG treats 6.7 acres at the recommended rate)

**BROADLEAF WEEDS**

**WEEDS CONTROLLED**

<u>Weeds controlled</u>	<u>Maximum Leaf Stage</u>	<u>(inches)</u>
Cocklebur, common*	1-4	
Nightshade,		
black	4	1-3
Eastern black	4	1-3
hairy	4	1-3
Kochia	4	1-3
Pigweed, redroot	4	1-4
Mustard species	4	1-3
Wild oats**	3	1-4

\* For control of common cocklebur, add COBRA<sup>1</sup> herbicide at the rate of 4 ounces per acre to the spray solution.

\*\* PURSUIT DG will reduce competition from wild oats.

(see reverse side)

10/2

PURSUIT DG 1.08 oz/Acre (soluble bag treats 6.7 acres)  
SELECT - 6-8 oz/Acre\*

\*Refer to the SELECT label for grasses controlled

### VOLUNTEER CORN

For control of volunteer corn, tank-mix PURSUIT DG and SELECT herbicides at the following rates

PURSUIT DG- 1.08 oz/Acre  
SELECT - 4 oz/Acre

Apply the tank-mixture to volunteer corn when 4 - 12 inches tall

Refer to the COBRA or SELECT labels for additional information, precautions and restrictions. The most restrictive labeling applies when using a tank-mixture

POSTEMERGENCE APPLICATIONS OF PURSUIT DG REQUIRE THE ADDITION OF AN ADJUVANT AND A LIQUID FERTILIZER SOLUTION

#### I. ADJUVANTS

**SURFACTANTS:** Use a non-ionic surfactant containing at least 80% active ingredient. Apply the surfactant at the rate of 1 qt /100 gal

OR

**CROP OIL CONCENTRATE:** Instead of a surfactant, a petroleum or vegetable seed based oil concentrate (such as SUN-IT II™) may be used. SUN-IT II is recommended when weeds are under moisture or temperature stress. Use SUN-IT II or other crop oil concentrates at the rate of 1.5 to 2 pts /acre (use the higher rate when weeds are at the maximum label size).

include liquid fertilizers (such as 28%N, 32%N or 10-34-0) at the rate of 1-2 qts./acre. Use the higher rate when weeds are under moisture or temperature stress. Instead of a liquid fertilizer, spray grade ammonium sulfate may be used at the rate of 2.5 lbs./acre

### ROTATIONAL CROPS

The following crops may be planted after applying PURSUIT DG at the recommended rate in soybeans

- 1 Anytime
  - IMI-Corn
  - Soybeans
- 2 Nine and one-half months after PURSUIT DG application
  - Field Corn
  - Edible beans and peas
  - Wheat
- 3 Eighteen months after PURSUIT DG application
  - Barley
  - Oats
  - Rye
- 4 Twenty six months after PURSUIT DG application
  - Canola (rapeseed)
  - Carrots
  - Celery
  - Cole crops
  - Garlic
  - Flax
  - Onions
  - Potatoes
  - Spinach
  - Sunflower
  - Tomatoes
- 5 Forty months after PURSUIT DG application
  - Sugar beets
  - Red table beets

DO NOT plant other rotational crops prior to 26 months after a PURSUIT DG application.

This label must be in the possession of the user at the time of herbicide application

PE- 1793

<sup>1</sup>Trademarks of Valent U.S.A. Corporation

<sup>2</sup>Trademark of Agase, Incorporated

<sup>3</sup>Registered Trademark of American Cyanamid Company



American Cyanamid Company  
Agricultural Products Division  
Crop Protection Chemicals Department  
Wayne, NJ 07470 ©1995

2