


PM 25 241-350 1/12/99 Page 185

# PURSUIT DG<sup>®</sup> herbicide

# Supplemental Labeling

EPA Reg. No. 241-350



FOR PREPLANT INCORPORATED AND PREEMERGENCE USE  
IN SNAP BEANS GROWN IN WISCONSIN, ILLINOIS, MINNESOTA  
AND MICHIGAN ONLY

THIS LABEL EXPIRES APRIL 30, 2001

OBSERVE ALL PRECAUTIONARY STATEMENTS AND SPRAYING AND APPLICATION  
INFORMATION IN THE PURSUIT DG LEAFLET LABEL BEFORE USING. APPLY WITH  
GROUND EQUIPMENT ONLY.

### DISCLAIMER

THIS PRODUCT WHEN USED ON EDIBLE LEGUME VEGETABLE CROPS MAY LEAD TO  
CROP INJURY, LOSS, OR DAMAGE. CYANAMID RECOMMENDS THAT THE USER  
AND/OR GROWER TEST THIS PRODUCT IN ORDER TO DETERMINE ITS SUITABILITY  
FOR SUCH INTENDED USE. CYANAMID MAKES THIS PRODUCT AVAILABLE TO THE  
USER AND/OR GROWER SOLELY TO THE EXTENT THE BENEFIT AND UTILITY, IN THE  
SOLE OPINION OF THE USER AND/OR GROWER, OUTWEIGH THE EXTENT OF  
POTENTIAL INJURY ASSOCIATED WITH THE USE OF THIS PRODUCT. THE DECISION  
TO USE OR NOT TO USE THIS HERBICIDE MUST BE MADE BY EACH INDIVIDUAL  
PURSUIT DG USER AND/OR GROWER ON THE BASIS OF POSSIBLE CROP INJURY  
FROM PURSUIT DG, THE SEVERITY OF WEED INFESTATION, THE COST OF  
ALTERNATIVE WEED CONTROLS, AND OTHER FACTORS. CYANAMID INTENDS THAT  
BECAUSE OF THE RISK OF FAILURE TO PERFORM OR CROP DAMAGE THAT ALL  
SUCH USE IS AT THE USER'S AND/OR GROWER'S RISK.

AMERICAN CYANAMID DISCLAIMS ANY LIABILITY FOR CLAIMS, CAUSES OF ACTION,  
FINES, PENALTIES, DAMAGES, INCLUDING CONSEQUENTIAL INCIDENTS AND  
DAMAGES, LOSSES, LIABILITIES, JUDGMENTS, AND EXPENSES ARISING OUT OF OR  
RELATING TO INJURY TO PERSONS, CROPS, OR PROPERTY RESULTING FROM THE  
USE OF PURSUIT HERBICIDE ON EDIBLE LEGUMES CONTRARY TO THE LABEL  
INSTRUCTIONS. AMERICAN CYANAMID COMPANY WARRANTS ONLY THAT THE  
MATERIAL CONTAINED HEREIN CONFORMS TO THE CHEMICAL DESCRIPTION ON  
THE LABEL AND IS REASONABLY FIT FOR THE USE THEREIN, DESCRIBED WHEN  
USED IN ACCORDANCE WITH THE DIRECTIONS FOR USE, SUBJECT TO THE RISKS  
REFERRED TO ABOVE.

CYANAMID DOES NOT MAKE OR AUTHORIZE ANY AGENT OR REPRESENTATIVE TO  
MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED AND EXPRESSLY EXCLUDES

AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

**BUYER'S EXCLUSIVE REMEDY AND AMERICAN CYANAMID'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF PURSUIT DG. In no case shall Cyanamid or the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product.**

**GENERAL INFORMATION**

Reduced crop growth, quality, yield and/or delayed maturity may result from a PURSUIT DG application to snap beans. Since crop maturity may be delayed, timing of harvest may need to be adjusted accordingly.

**DO NOT** apply PURSUIT DG if planting is delayed and chance of frost prior to maturity is likely.

**DO NOT** apply PURSUIT DG if cold and/or wet conditions are present or predicted to occur within one week of application.

**USE PURSUIT DG ONLY** if proper agronomic practices have been utilized, including good soil fertility, proper crop rotation, disease and insect management and tillage practices that eliminate compaction and hardpans.

Use of PURSUIT DG herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system. This labeling must be in the possession of the user at the time of herbicide application.

**DO NOT** apply by air.

**DO NOT** apply PURSUIT DG in any manner not specifically described in this labeling.

Sensitive crops such as sugar beets, canola, and leafy vegetables may be injured by spray drift or other indirect contact with PURSUIT DG.

Spray equipment used for PURSUIT DG applications must be drained and thoroughly cleaned with water before being used to apply other products.

Allow at least 30 days between application and harvest.

**DO NOT** make more than one application of PURSUIT DG per year.

DO NOT apply PURSUIT DG after July 31.

When PURSUIT DG is used in combination with another herbicide, refer to the respective label for rates, methods of application, proper timing, weeds controlled, restrictions and precautions. Always use in accordance with the more restrictive label restrictions and precautions. No label dosages should be exceeded. PURSUIT DG cannot be mixed with any product containing a label prohibiting such mixtures.

### APPLICATION INSTRUCTIONS

**Preplant Incorporated Applications.** Apply PURSUIT DG at 0.54 oz per acre within 1 week of planting. Applied preplant incorporated, PURSUIT DG may be tank-mixed with a registered grass herbicide.

**Preemergence Applications.** Apply PURSUIT DG at the broadcast rate of 0.54 oz per acre immediately after, or up to 3 days after planting. PURSUIT DG may be applied in a tank-mix with a registered grass herbicide or applied preemergence following a preplant incorporated application of a registered grass herbicide.

### WEEDS SUPPRESSED

PURSUIT DG applied at the broadcast rate of 0.54 oz/A preplant incorporated or preemergence will suppress or reduce competition of the following weeds:

- Eastern Black Nightshade
- Redroot Pigweed
- Wild Mustard

### ECO-PAK CONVERSION TABLE

<u>Use Rate (oz/acre)</u>	<u>1 ECO-PAK (2.88 oz) Soluble Bag Treats</u>
0.54	5.33 acres

### ROTATIONAL CROP GUIDELINE

The following crops may be planted after applying PURSUIT DG as recommended in this label:

1. Anytime:
  - Soybeans
  - Peanuts
  - Edible beans and peas
  - Snap beans
  - IMI-CORN® seed hybrids (resistant/tolerant to PURSUIT)
2. Four months after PURSUIT DG application:
  - Alfalfa
  - Wheat
  - Rye
3. Eight and one-half months after PURSUIT DG application:
  - Field corn
  - Field corn grown for seed



Stunting and maturity delay or other adverse effects may result when sweet corn or popcorn are planted following PURSUIT DG use.

**Corn inbred lines:** Corn inbred seed lines may be planted the year following an application of PURSUIT DG. Several seed companies have tested a wide range of inbreds for sensitivity to PURSUIT DG soil residues and have reported good crop safety. However, due to the proprietary nature of seed production, American Cyanamid has not been given access to the inbred data. Growers are directed to contact the seed company for information and recommendations regarding the planting of corn grown for seed in fields treated with PURSUIT DG the previous year. Since growing conditions, environmental conditions and grower practices are beyond the control of American Cyanamid Company, **ALL RISKS AND CONSEQUENCES ASSOCIATED WITH PLANTING SEED CORN INBREDS INTO FIELDS TREATED PREVIOUSLY WITH PURSUIT DG SHALL BE ASSUMED BY THE USER.**

**CONSULT THE PURSUIT DG LEAFLET LABEL FOR OTHER PRECAUTIONS.**



**American Cyanamid Company**  
North America Agricultural Products Division  
Crop Protection Products Department  
One Campus Drive  
Parsippany, NJ 07054 ©1998

<sup>®</sup>Registered Trademarks of American Cyanamid Company

PE-xxxx 12/07 98

8339