



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (117505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg.  
Number:  
241-352

Date of Issuance:  
MAR 17 1994

NOTICE OF PESTICIDE:  
 Registration  
 Reregistration

(under FIFRA, as amended)

Term of Issuance:  
Conditional

Name of Pesticide Product:  
Time Out Plus  
Herbicide

Name and Address of Registrant (include ZIP Code):

American Cyanamid Co.  
Agricultural Research Division  
P.O. Box 400  
Princeton, N.J. 08543-0400

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

Add the phrase "EPA Registration No. 241-342".

3. See comments on revised Statement of Formula that are enclosed in the Product Chemistry review.

4. Submit five copies of the revised final printed label before releasing your product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Date:

MAR 17 1994

ACCEPTED  
with COMMENTS  
to EPA Label Draft

TIMEOUT® PLUS herbicide  
Liquid Lawn Weed Control  
for Southern Grasses

MAR 17 1994

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

Weed Control for Established Lawns of 241-352  
Bermudagrass, St. Augustinegrass, Zoysiagrass

ACTIVE INGREDIENT:

Ammonium salt of imazaquin (2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-quinolinecarboxylic acid)\*..... 0.75%

INERT INGREDIENTS..... 99.25%

TOTAL.....100.00%

\*Equivalent to 0.75% 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-quinolinecarboxylic acid.

EPA Reg. No. 241-

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN

CAUTION!/PRECAUCION!

---

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada amplimente.

---

See Additional Precautionary Statements Inside

In case of emergency endangering life or property involving this product, call collect, day or night, Area Code 201-835-3100.

AMERICAN CYANAMID COMPANY  
AGRICULTURAL DIVISION  
VEGETATION AND PEST CONTROL  
WAYNE, NJ 07470 ©1993

Net Contents:

®Registered Trademark of American Cyanamid Company

2/93

3076

**STATEMENT OF PRACTICAL TREATMENT**

If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

If on skin: Wash with plenty of soap and water. Get medical attention.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS**

**CAUTION!**

Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARDS**

DO NOT apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

DO NOT contaminate water when disposing of equipment washwaters.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Observe all cautions and limitations on this label and on the labels of products used in combination with TIMEOUT PLUS. The use of TIMEOUT PLUS not consistent with this label may result in plant injury. Keep container closed to avoid spills and contamination.

**STORAGE AND DISPOSAL**

**PROHIBITIONS:** KEEP FROM FREEZING.  
DO NOT store below 32°F.  
DO NOT contaminate water, food, or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**BEST AVAILABLE COPY**

40/6

DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Plant injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the use or application of the product contrary to label instructions, all of which are beyond control of American Cyanamid Company. All such risks shall be assumed by the user.

American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

American Cyanamid Company makes no other express or implied warranty, including other express or implied warranty of FITNESS or of MERCHANTABILITY.

BEST AVAILABLE COPY

2/93

GENERAL INFORMATION

TIMEOUT PLUS Liquid Lawn Weed Control for southern lawns controls certain troublesome weeds such as the nutsedges (purple, yellow, globe) and wild onion and wild garlic. Grass growth will be slowed for a three to four week interval after application. The duration of this interval depends on various lawn care practices and environmental influences. TIMEOUT PLUS will effectively control susceptible weeds when applied to the foliage of actively growing weeds (postemergence treatment). Apply according to label directions. USE ONLY TWO TIMES PER GROWING SEASON. Use this product only on established lawns of St. Augustinegrass, Bermudagrass, or Zoysiagrass.

CONTROL OF WINTER WEEDS

- |                    |              |
|--------------------|--------------|
| Common chickweed   | White clover |
| Mouseear chickweed | Wild garlic  |
| Henbit             | Wild onion   |

For control of winter weeds such as wild onion, wild garlic, chickweed, and henbit, apply in the fall just after a hard frost. The product should be applied soon after emergence of the weeds listed above. Applications should not be made later than 2 months prior to anticipated spring green-up. Mowing the wild onion/garlic 1-2 weeks after treatment is recommended for improved appearance and initial control.

CONTROL OF SUMMER WEEDS

- |                |                 |
|----------------|-----------------|
| Dollarweed     | Purple nutsedge |
| Globe sedge    | Yellow nutsedge |
| Rice flatsedge |                 |

For control of summer weeds such as the nutsedges and dollarweed, apply when weeds and turf are green and actively growing. Application should not be made during periods of very slow turf growth (i.e. during the spring green-up or prior to the onset of winter dormancy) as discoloration could occur. The visual effects of control appear slowly. The weeds may remain green for about 10 days before weeds begin to wither and die. A repeat application may be required for extended postemergence control.

HOW TO APPLY

- This product will treat 1,000 sq. ft. of lawn when applied according to directions.
- Remove cap from bottle, being sure the siphon tube is in place, then screw spray nozzle onto bottle. Attach spray nozzle to hose.
- Turn ON/OFF switch to OFF position, then turn on water at faucet.
- Beginning at a point farthest from your faucet, turn the ON/OFF switch to ON.

**BEST AVAILABLE COPY**

6076

- Holding the bottle in front of you at waist height, use a moderate, side-to-side swinging motion to apply the product. Each pass should cover an 8 to 10 foot swath.
- Walk at a steady pace and overlap treated areas by at least one foot to ensure proper coverage.
- For best results, lightly water the entire lawn immediately after application.

**PRECAUTIONS**

Do not apply with spray equipment other than that provided with or for the product.

Do not mix with any other product during spray application.

Do not use on turfgrasses that are not listed on front label, including Bahiagrass, Dichondra, and Tall Fescue.

Do not apply within six months following establishment of new lawns by seeding, sodding, plugging, or sprigging.

Do not use on ornamentals or on mulched or bare ground areas where ornamentals are growing.

Do not apply to flower or vegetable gardens, flower beds, or other non-turfgrass areas.

Avoid walking on treated areas until the turfgrass has dried.

Apply only when the air is calm to avoid spray contact with non-target plants.

NOTE: This product may result in temporary discoloration (yellow or blue) of the grass. Return to original color will be rapid, with length of time dependent on weather conditions.

**BEST AVAILABLE COPY**

2/93