

# CONTOUR<sup>®</sup> herbicide

# Supplemental Labeling

**RESTRICTED USE HERBICIDE  
DUE TO GROUND AND SURFACE WATER CONCERNS**

**USERS MUST READ AND FOLLOW ALL PRECAUTIONARY STATEMENTS AND INSTRUCTIONS FOR USE IN ORDER TO MINIMIZE POTENTIAL FOR ATRAZINE TO REACH GROUND AND SURFACE WATER.**

**FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USERS COVERED BY THE CERTIFIED APPLICATOR' CERTIFICATION.**

EPA Reg. No 241-353

## FOR AERIAL APPLICATIONS OF CONTOUR HERBICIDE ON IMI-CORN<sup>™1</sup> HYBRIDS

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE CONTOUR LEAFLET LABEL BEFORE USING. SEE THE CONTOUR LEAFLET LABEL FOR USE AREA, MIXING AND APPLICATION INFORMATION, WEEDS CONTROLLED AND ROTATIONAL CROP RESTRICTIONS.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system.

### SPRAYING INSTRUCTIONS

**AERIAL APPLICATIONS:** Uniformly apply with properly calibrated aerial equipment in 5 or more gallons of water per acre. When applied POSTEMERGENCE, the addition of a non-ionic surfactant AND fertilizer solution are required for optimum weed control; apply a non-ionic surfactant at the rate of 1 quart per 100 gallons of spray mixture OR instead of a non-ionic surfactant, add a petroleum or vegetable based seed oil (such as SUN-IT II<sup>™2</sup>) at the rate of 1.25 gallons per 100 gallons of spray mixture AND a liquid fertilizer at the rate of 1 quart per acre. (See directions under MIXING INSTRUCTIONS in CONTOUR leaflet label.)

ACCEPTED

MAY 23 1982

U.S. Department of Agriculture  
Federal Insecticide, Fungicide, and Rodenticide Act  
Registration Number  
EPA Reg. No. 241-353

292

To avoid injury to sensitive crops from drift, aerial applicators must adhere to the following SPECIAL AERIAL USE DIRECTIONS AND PRECAUTIONS.

- Nozzle height above ground must be a maximum of 10 feet.
- Nozzles must be pointed towards the rear of the aircraft. The downward angle of the nozzle should not be greater than 20 degrees.
- To minimize wing-tip vortex roll, nozzles or spray boom must not be located any closer to end of wing or rotor than three-fourths the distance from the center of the aircraft.
- Use a maximum spray pressure of 40 psi.
- A buffer zone must be established between the area to be sprayed and sensitive crops.
- DO NOT spray when wind velocity is greater than 5 mph. Coarse sprays (larger droplets) are less likely to drift.

Avoid applications to humans or animals. Flagmen and loaders should avoid inhalation of spray mist and prolonged contact with skin.


Applicator is responsible for any loss or damage which results from spraying CONTOUR in a manner other than recommended in this label. In addition, applicator must follow all applicable state and local regulations and ordinances in regard to spraying.

This label must be in the possession of the user at the time of herbicide application.

<sup>SM</sup>Registered Trademark of American Cyanamid Company  
<sup>TM</sup>Trademark of American Cyanamid Company  
<sup>TM</sup>Trademark of Agseco, Inc

PE: 501185 SD

 **CYANAMID**  
American Cyanamid Company  
Agricultural Products Division  
Crop Protection Chemicals Department  
Wayne, NJ 07470 ©1995



2