

EPA Reg. No. 241-361

## FOR USE IN SOYBEANS

### DETAIL AND ROUNDUP<sup>1</sup> FOR WEED CONTROL IN SOYBEANS AND DETAIL USE IN ROUNDUP READY<sup>1</sup> SOYBEANS

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE DETAIL LEAFLET LABEL BEFORE USING. SEE THE DETAIL LEAFLET LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, APPLICATION INFORMATION, USES WITH OTHER PRODUCTS AND ROTATIONAL CROP RESTRICTIONS.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application. The use of DETAIL herbicide not consistent with this labeling may result in injury to crops, animals, or persons. Keep container closed to avoid spills and contamination. **DO NOT** apply this product through any type of irrigation system.

#### GENERAL INFORMATION

DETAIL provides control of many broadleaf and grass weeds when applied preplant, preemergence, preplant incorporated and early postemergence. DETAIL can be applied to either conventional or no-till soybeans. When applied as a burndown application, Roundup may be tank-mixed with DETAIL for control of weeds common to no-till production, such as marestalk. Always include a nonionic surfactant in the spray solution.

DETAIL may be applied to Roundup Ready soybeans.

Refer to the DETAIL label and Roundup label for specific use recommendations, rates and weeds controlled.


#### No-till Soybeans (non-glyphosate resistant)

Apply DETAIL plus Roundup for weed control in no-till soybeans. Roundup will enhance the control of weeds including marestalk and prickly lettuce. Always use a nonionic surfactant in the spray solution. **DO NOT** apply Roundup postemergence to non-glyphosate resistant soybeans.

#### Roundup Ready Soybeans (glyphosate resistant)

DETAIL may be used for weed control in Roundup Ready soybeans. Apply DETAIL either preplant soil applied, preplant as a burndown treatment, preemergence or for postemergence weed control. DETAIL may be applied either prior to Roundup, or following Roundup for general weed control and residual activity on broadleaf and grass weeds. For sequential treatments, a sufficient time period should occur between treatments to allow an appropriate assessment of weed control needs.

DETAIL may be tank-mixed with other herbicides (not Roundup) on Roundup Ready soybeans when applied postemergence. Refer to the DETAIL label for recommended herbicides. Refer to the other herbicide labels for weeds controlled and recommended application rates.



to the spray tank first and make sure it is thoroughly mixed before adding Roundup, then add Roundup to the tank and fill the remainder of the tank with clean water. Maintain agitation while spraying to ensure a uniform spray mixture. To avoid injury to sensitive crops, spray equipment used for DETAIL herbicide applications must be drained and thoroughly cleaned with water before being used to apply other products.

## USE RATE

Refer to the DETAIL and Roundup labels for recommended use rates.

NOTE: Only one application of DETAIL may be made during the growing season.

## DETAIL HERBICIDE USE AREA

See DETAIL leaflet label for use area and a description of Use Regions.

## APPLICATION INSTRUCTIONS

DETAIL may be applied in conventional, minimum, or no-till soybeans as a preplant or preemergence surface application or preplant incorporated application. Surface applications of DETAIL may also be applied during planting or early postemergence to soybeans.

**DO NOT** apply DETAIL to coarse soil classified as sand with less than 3% organic matter (as determined by soil test, if not known) and where depth to ground water is 30 feet or less.

Adequate moisture is required for activation of DETAIL.

### PREPLANT, PREEMERGENCE AND EARLY POSTEMERGENCE SURFACE APPLICATIONS (INCLUDING NO-TILL)

DETAIL may be applied in conventional, minimum, or no-till soybeans as a preplant incorporated or preemergence application up to 30 days before, during or after planting, and early postemergence to soybeans. As with other herbicides applied preemergence, rainfall or irrigation is necessary to activate DETAIL in the soil. If sufficient rainfall or irrigation to activate DETAIL is not received within 7 days after application, a thorough shallow tillage, cultivation, or postemergence herbicide treatment (as appropriate to the tillage system) may be required for control of emerged weeds.

For no-till uses, DETAIL may be applied prior to, in tank mix with or following the use of Roundup to kill existing vegetation. This tank mixture **must not** be applied postemergence to non-glyphosate resistant soybeans or severe crop injury will occur.

### PREPLANT INCORPORATED APPLICATIONS

Apply DETAIL up to 14 days before planting and incorporate uniformly into the top 1 to 2 inches of soil. Avoid deeper incorporation or reduced weed control and/or crop injury may result. Incorporate within 7 days after application.

If soybeans are planted on beds, apply and incorporate after bed formation, using PTO-driven equipment or rolling cultivator.

Refer to DETAIL label and the Roundup label for additional information regarding WEEDS CONTROLLED, SPRAYING INSTRUCTIONS, PRECAUTIONARY STATEMENTS AND WORKER PROTECTION INFORMATION. Refer to the Roundup label for additional information regarding application rates, restrictions, weeds controlled and other information.

When tank-mixing herbicides, always follow the most restrictive label.

Use of DETAIL herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

---

®Registered Trademark of American Cyanamid Company

† Trademark of Monsanto Agricultural Products Company

PE-XXXX 7/7/95 SD



American Cyanamid Company  
Agricultural Products Division  
Crop Protection Chemicals Department  
Wayne, NJ 07470 ©1995

**EPA Reg. No. 241-361**  
**FOR USE IN SOYBEANS**

**DETAIL PLUS ROUNDUP<sup>1</sup> TANK MIX FOR WEED CONTROL IN ROUNDUP READY<sup>1</sup>  
SOYBEANS**

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE DETAIL LEAFLET LABEL BEFORE USING. SEE THE DETAIL LEAFLET LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, APPLICATION INFORMATION, USES WITH OTHER PRODUCTS AND ROTATIONAL CROP RESTRICTIONS.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application. The use of DETAIL herbicide not consistent with this labeling may result in injury to crops, animals, or persons. Keep container closed to avoid spills and contamination. **DO NOT** apply this product through any type of irrigation system.

**GENERAL INFORMATION**

DETAIL provides control of many broadleaf and grass weeds when applied preplant, preemergence, preplant incorporated and early postemergence. DETAIL can be applied to either conventional or no-till soybeans. Roundup may be tank-mixed with DETAIL for enhanced control of weeds common to soybean production. When applied postemergence, tank mixes containing Roundup herbicide can only be applied to Roundup Ready soybeans. Refer to the DETAIL label and the Roundup label for specific use recommendations, rates and weeds controlled.

**MIXING INSTRUCTIONS**

Fill the spray tank one-fourth to one-half full with clean water or liquid fertilizer. Prior to mixing DETAIL or DETAIL tank mixtures in liquid fertilizer, refer to appropriate label directions for each tank mix partner regarding instructions for use in liquid fertilizer. When tank-mixing DETAIL with Roundup, while agitating, add the required amount of DETAIL to the spray tank first and make sure it is thoroughly mixed before adding Roundup; then add Roundup to the tank, and fill the remainder of the tank with clean water. Maintain agitation while spraying to ensure a uniform spray mixture. To avoid injury to sensitive crops, spray equipment used for DETAIL herbicide applications must be drained and thoroughly cleaned with water before being used to apply other products.


**USE RATE**

Refer to the DETAIL and Roundup labels for recommended use rates.

NOTE: Only one application of DETAIL may be made during the growing season.

**DETAIL HERBICIDE USE AREA**

See DETAIL leaflet label for use area and a description of Use Regions.



(See other side)

**When tank-mixing herbicides, always follow the most restrictive label.**

Use of **DETAIL** herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

---

®Registered Trademark of American Cyanamid Company

¹Trademark of Monsanto Agricultural Products Company

PE-XXXX 7/7/95 SD



American Cyanamid Company  
Agricultural Products Division  
Crop Protection Chemicals Department  
Wayne, NJ 07470 ©1995