

PM 25

241-364

1/15

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
225452

Application for Pesticide - Section I

1. Company/Product Number 241-364	2. EPA Product Manager R. Taylor	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) CADRE® Herbicide	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) American Cyanamid Company Agricultural Research Center P.O. Box 400 Princeton, NJ 08543-0400 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of alternate trade name.

NOTIFICATION

APR 18 1996

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	If "Yes" Unit Packaging wgt. No. per container		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Package wgt No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV


1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name John J. Wrubel	Title Product Registrations Manager	Telephone No. (Include Area Code) 609-716-2378
2. Signature 		6: Date Application Received (Stamped)
3. Title Product Registrations Manager		
4. Typed Name John J. Wrubel	5. Date 3/7/96	

2/15



CADRE[®]

PEANUT HERBICIDE



FOR USE ONLY IN PEANUTS IN THE STATES OF ALABAMA, FLORIDA, GEORGIA, NEW MEXICO, NORTH CAROLINA, OKLAHOMA, SOUTH CAROLINA, TEXAS, AND VIRGINIA

ACTIVE INGREDIENT: (S)-2-(4,5-dihydro-4-methyl-5-(1-methylethyl)-5-oxo-1H-imidazo-2-yl)-5-methyl-3-pyridinecarboxylic acid 23.6%

INERT INGREDIENTS 76.4%

TOTAL 100.0%

*Equivalent to 22.2% (s)-2-(4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl)-5-methyl-3-pyridinecarboxylic acid (1 gallon contains 2.0 pounds of active ingredient as the free acid)

EPA Reg. No. 241-304 EPA Est. No. 6906-AR-001

KEEP OUT OF REACH OF CHILDREN
CAUTION/¡PRECAUCION!

Net Contents: 1 Quart 3/96
© Registered Trademark of American Cyanamid Company

STATEMENT OF PRACTICAL TREATMENT
IF INHALED: Remove victim to fresh air.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.
IF IN EYES: Flush eyes with plenty of water.

See Next Page For Additional Precautionary Statements
In case of an emergency endangering life or property involving this product, call collect, day or night, area code 201-835-3100.

CYANAMID
American Cyanamid Company
Agricultural Products Division
Crop Protection-Chemicals Department
Wayne, NJ 07470 © 1995


NITE

FRONT COVER

ORIGINAL

PRINTING INFORMATION:
CADRE LOGO, PEELDOWN ART, AND HORIZONTAL RULE PRINT BLACK. THE COLOR PANEL PRINTS PMS 202C MAROON. ALL COPY AND LINE ART WITHIN THE COLOR PANEL KNOCKS OUT WHITE.
SIZE: INPRINT 7 PANEL PLOT - 1/13/96
PRINT METHOD:

3/15



**PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
CAUTION!**

Harmful if inhaled or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment (PPE):
Applicators and other handlers must wear:

- long-sleeved shirt and long pants
- waterproof gloves
- shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:
Users Should:

- Wash hands before eating, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial use only. DO NOT apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark.

DO NOT contaminate water when disposing of equipment washwaters.

This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground-water contamination.

DIRECTIONS FOR USE



It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

This labeling must be in the possession of the user at the time of pesticide application.

PRINTING INFORMATION:
ALL COPY AND LINE ART PRINTS BLACK.
TINTS PRINT 20% BLACK AS SHOWN.

4/15



Observe all cautions and limitations on this label and on the labels of products used in combination with CADRE. Do not use CADRE other than in accordance with the instructions set forth on this label. The use of CADRE not consistent with this label may result in injury to crops. Keep containers closed to avoid spills and contamination.
DO NOT apply this product through any type of irrigation system.
DO NOT graze or feed treated peanut hay to livestock.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- coveralls
- waterproof gloves
- shoes plus socks

STORAGE AND DISPOSAL


PROHIBITIONS: KEEP FROM FREEZING. DO NOT store below 20°F. DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

PRINTING INFORMATION:
ALL COPY AND LINE ART PRINTS BLACK.
TINTS PRINT 20% BLACK AS SHOWN.



5/15.



CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration or, if allowed by State and local authorities by burning. If burned, stay out of smoke.

DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on research and field use. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, herbicide resistant weed populations, or the use of, or application of the product contrary to label instructions, all of which are beyond the control of American Cyanamid Company. All such risks shall be assumed by the user.

American Cyanamid Company shall not be responsible for losses or damages resulting from use of this product in any manner not set forth on this label. User assumes all risks associated with the use

of this product in any manner not specifically set forth on this label.


American Cyanamid Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above. CYANAMID DOES NOT MAKE OR AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED AND EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

BUYER'S EXCLUSIVE REMEDY AND AMERICAN CYANAMID'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF CADRE. In no case shall Cyanamid or the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product.

American Cyanamid Company makes no other express or implied warranty, including other express or implied warranty of

PRINTING INFORMATION:
ALL COPY AND LINE ART PRINTS BLACK.
TINTS PRINT 20% BLACK AS SHOWN.

6/15



FITNESS or of MERCHANTABILITY. User assumes the risk of any use contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable by American Cyanamid Company.

USES WITH OTHER PRODUCTS (TANK-MIXES)

If this product is used in combination with any other product except as specifically recommended in writing by American Cyanamid Company then American Cyanamid Company shall have no liability for any loss, damage, or injury arising out of its use in any such combination not so specifically recommended. If used in combination recommended by American Cyanamid Company, the liability of American Cyanamid Company shall in no manner extend to any damage, loss or injury not directly caused by the inclusion of the American Cyanamid Company product in such combination use, and in any event shall be limited to return of the amount of the purchase price of the American Cyanamid Company product.

GENERAL INFORMATION

CADRE can be applied early postemergence in peanuts. Refer to the specific treatment under the "APPLICATION INSTRUCTIONS" section of the label.

The weed killing activity involves uptake of CADRE by weed roots and/or foliage and rapid translocation to the growing points. After CADRE application, sus-

ceptible weeds may show yellowing and weed growth will stop. Several days may be required before the complete death of susceptible weeds. Adequate soil moisture is important for optimum CADRE activity. When adequate soil moisture is present, CADRE will have residual activity on susceptible germinating weeds; activity on established weeds will depend on the weed species and the depth of its root system in the soil. A timely cultivation made at least 14 days after CADRE application may improve general herbicide performance, particularly when adequate soil moisture is not present.

A CADRE application may result in some peanut yellowing and/or a reduction in vine growth. These effects are temporary and will not impact peanut yields.

Naturally occurring biotypes* of some of the weeds listed on this label may not be effectively controlled by this and/or other products with either the ALS/AHAS enzyme inhibiting mode of action. Other herbicides with the ALS/AHAS enzyme inhibiting mode of action include the sulfonylureas (e.g., Accent¹, Basic¹, Classic¹, Concert¹, Exceed², Permit³, Pinnacle¹, etc.), the sulfonamides (e.g., Broadstrike⁴, etc.) and the pyrimidyl benzoates (e.g., Staple¹, etc.) if naturally occurring ALS/AHAS resistant biotypes are present in a field, CADRE and/or any other ALS/AHAS enzyme inhibiting mode of action herbicide should be tank-mixed or applied sequentially with an appropriate registered herbicide having a different mode of action to ensure control.


4.125"

3.250"

5

PRINTING INFORMATION:
 ALL COPY AND LINE ART PRINTS BLACK.
 TINTS PRINT 20% BLACK AS SHOWN.

7/15



*A weed biotype is a naturally occurring plant within a given species that has a slightly different, but distinct, genetic makeup from other plants.

Use of CADRE is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

Replanting: If replanting is necessary in a field previously treated with CADRE, the field may be replanted to peanuts. Rework the soil no deeper than 2 inches. DO NOT apply a second treatment of CADRE.

MIXING INSTRUCTIONS

Fill the spray tank one-half to three-quarters full with clean water. Use a calibrated measuring device to measure the required amount of CADRE. Add CADRE to the spray tank while agitating. Fill the remainder of the tank with water.

Add a nonionic surfactant or crop oil concentrate to the spray tank. Maintain agitation while spraying to ensure a uniform spray mixture. An antifoaming agent may be added to the tank if needed.

When tank-mixing CADRE with recommended herbicides, add CADRE to the spray tank first and make sure it is thoroughly mixed before adding the other herbicide.

To avoid injury to sensitive crops, spray equipment used for CADRE applications must be drained and thoroughly cleaned with water before applying other products or spraying other crops.

SPRAYING INSTRUCTIONS

DO NOT apply when wind velocity is greater than 10 mph, or when spray may be carried to sensitive crops. Sensitive crops include but are not limited to leafy vegetables and cotton. DO NOT apply if rainfall is threatening. Rainfall within 1 hour after CADRE application may reduce weed control.

GROUND APPLICATIONS:

Uniformly apply with properly calibrated ground equipment in 10 or more gallons of water per acre. A spray pressure of 20 to 40 psi is recommended.

Adjust the boom height to ensure proper coverage of weed foliage (according to the manufacturer's recommendation). Use only standard flat-fan nozzle tips.

DO NOT apply by helicopter, airplane, or any other aerial equipment.



Avoid overlaps when spraying.

APPLICATION INSTRUCTIONS

CADRE is active on many grass weeds, but a soil-active grass herbicide such as PFWL®, Balan®, or Sonalan® should be applied according to label directions before CADRE use.

PRINTING INFORMATION:
 ALL COPY AND LINE ART PRINTS BLACK.
 TINTS PRINT 20% BLACK AS SHOWN.

8/15.



Apply CADRE plus an approved spray adjuvant (refer to the SPRAY ADJUVANTS section of this label) early postemergence to control broadleaf and grass weeds in peanuts. Refer to the WEEDS CONTROLLED chart below for weed species controlled.

WEEDS CONTROLLED


An early postemergence application of CADRE will control or suppress the weeds listed below at a use rate of 4 ounces per acre*.

MAXIMUM HEIGHT AT APPLICATION (inches)		MAXIMUM HEIGHT AT APPLICATION (inches)	
BROADLEAF WEEDS CONTROLLED		BROADLEAF WEEDS CONTROLLED	
Anoda, Spurred	2	Pusley, Florida	2
Cocklebur, Common	6	Radish, Wild	4
Crownbeard, Golden	2	Redweed	4
Indigo, Hairy	2	Senna, Coffea	3
Morningglory,		Sicklepod	3
Cypressvine	3	Sida, Prickly	2
Entireleaf	3	Starbur, Bristly	2
Ivyleaf	3	Velvetleaf	2
Pitted	3	BROADLEAF WEEDS SUPPRESSED	
Smallflower	3	Beggarweed, Florida	2
Tall	3	Lambsquarter, Common	2
Pigweed spp.	4	Ragweed, Common	2
Poinsettia, Wild			

7

PRINTING INFORMATION:
 ALL COPY AND LINE ART PRINTS BLACK.
 TINTS PRINT 20% BLACK AS SHOWN.

9/15



MAXIMUM HEIGHT AT APPLICATION (inches)	
GRASS WEEDS CONTROLLED**	
Crabgrass,	
Large	4
Smooth	4
Crowfootgrass	2
Johnsongrass,	
Rhizome***	8-10
Seedling	4
Panicum,	
Fall	4
Texas	2
Sandbur spp.	4
Signalgrass, Broadleaf	4
GRASS WEEDS SUPPRESSED	
Goosegrass	2
SEDGES CONTROLLED	
Nutsedge,	
Purple	4
Yellow	4

*One quart of CADRE will treat 8 acres of peanuts at the 4 ounce per acre rate.

**CADRE will control many grass weeds which escape from the application of a soil-applied grass herbicide. However, CADRE should be used as a component of a grass weed control program and following the application of a soil-applied grass herbicide. Grass weeds must be present at the time of application to obtain control.

***For control of rhizome johnsongrass, weeds must be at least 8 to 10 inches tall at application. Smaller weeds do not generally have enough leaf surface area to take up enough CADRE for complete control.

SPRAY ADJUVANTS


Always include a nonionic surfactant or crop oil concentrate with CADRE applications. Use a non-ionic surfactant with at least 80% active ingredient at one quart of surfactant for each 100 gallons of spray solution. If using crop oil concentrate, add one quart per acre.

CULTIVATION

The control of difficult weeds (such as Florida beggarweed) and weeds treated under dry conditions is often greatly enhanced by a timely cultivation. Cultivation should be done at least 14 days after CADRE application. DO NOT cultivate prior to 14 days after CADRE application since this timing is too early to take full advantage of the weed control activity offered by CADRE. In addition, cultivations should be

PRINTING INFORMATION:
 ALL COPY AND LINE ART PRINTS BLACK.
 TINTS PRINT 20% BLACK AS SHOWN.

10/15



shallow to avoid excessive movement of treated soil and to avoid exposing weed seed buried deep within the soil.

HERBICIDE COMBINATIONS

CADRE may be tank-mixed with other herbicides if the practice is not prohibited by the label of the tank-mix partner. When CADRE is tank-mixed with another herbicide, read each label carefully to determine use rates, methods of application, proper timing, weeds controlled, restrictions and precautions. Always use in accordance with the more restrictive label. No labeled use rate should be exceeded. DO NOT mix CADRE with any product whose label prohibits tank-mixes.

Using Starfire[®] or Classico in tank-mixtures with CADRE may result in increased peanut injury.

Using Basagran[®] in tank-mixtures with CADRE may result in reduced broadleaf weed control.

Using a postemergence grass control herbicide or fungicide in tank-mixtures with CADRE may result in reduced weed control.

ROTATIONAL CROPS

The following rotational crops may be planted after applying CADRE in peanuts:


1. Any interval after CADRE application:
Peanuts
2. Four months after CADRE application:
Bahagrass Wheat
Rye
3. Nine months after CADRE application:
Field Corn Soybeans
Snapbeans Tobacco
Southern Peas
4. Eighteen months after a CADRE application:
Barley Oats
Cotton* Sweet Corn
Grain Sorghum

*For New Mexico, Oklahoma, and Texas only: Cotton may be planted 18 months after CADRE application in the states of New Mexico, Oklahoma, and Texas unless drought conditions develop the year of CADRE application (DO NOT rotate to cotton at 18 months after CADRE application if less than 15 inches of rainfall or irrigation is received from the

9

PRINTING INFORMATION:
ALL COPY AND LINE ART PRINTS BLACK.
TINTS PRINT 20% BLACK AS SHOWN.

11/15



time of CADRE application through November 1 of the same year). If drought conditions develop the year of CADRE application, cotton may be planted 26 months after CADRE application.

5. Twenty-six months after a CADRE application:

All crops not otherwise listed.

6. Forty months after CADRE application:

- Canola
- Potatoes
- Red Table Beets
- Sugar Beets

Use of CADRE herbicide in accordance with label directions is expected to result in normal growth of rotational crops in

most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.

Applying products containing Imazethapyr (i.e. PURSUIT®, PURSUIT® PLUS) or chlorimuron (i.e. Classic) the same year as a CADRE application may increase the likelihood of rotational crop injury. DO NOT apply products containing imazethapyr or chlorimuron the same year as CADRE if rotational crop injury cannot be tolerated.

There must be an interval of at least 90 days between an application of CADRE and peanut harvest.

PRINTING INFORMATION:
 ALL COPY AND LINE ART PRINTS BLACK.
 TINTS PRINT 20% BLACK AS SHOWN.

12/05

4.125"


3.250"

WEED SCIENTIFIC NAMES

BROADLEAF WEEDS		BROADLEAF WEEDS	
Anoda, Spurred	(<i>Anoda cristata</i>)	Sicklepod	(<i>Cassia obtusifolia</i>)
Beggarweed, Florida	(<i>Desmodium tortuosum</i>)	Sida, Prickly	(<i>Sida sp. nosa</i>)
Cocklebur, Common	(<i>Xanthium strumarium</i>)	Starbur, Bristly	(<i>Acanthospermum hispidum</i>)
Crownbeard, Golden	(<i>Verbesina encelioides</i>)	Velvetleaf	(<i>Abitilon theophrasti</i>)
Indigo, Hairy	(<i>Indigofera hirsuta</i>)	GRASS WEEDS	
Lambsquarters, Common	(<i>Chenopodium album</i>)	Crabgrass,	
Momingglory,		Large	(<i>Digitaria sanguinalis</i>)
Cypressvine	(<i>Ipomoea quamoclit</i>)	Smooth	(<i>Digitaria ischaemum</i>)
Entireleaf	(<i>Ipomoea hederacea</i> var. <i>integrifolia</i>)	Crowfootgrass	(<i>Dactyloctenium aegyptium</i>)
Ivyleaf	(<i>Ipomoea hederacea</i>)	Goosegrass	(<i>Eleusine indica</i>)
Pitted	(<i>Ipomoea lacunosa</i>)	Johnsongrass	(<i>Sorghum halepense</i>)
Smallflower	(<i>Jacquemontia tamnifolia</i>)	Panicum,	
Tall	(<i>Ipomoea purpurea</i>)	Fall	(<i>Panicum dichotomiflorum</i>)
Pigweed spp.	(<i>Amaranthus</i> spp.)	Texas	(<i>Panicum texanum</i>)
Poinsettia, Wild	(<i>Euphorbia heterophylla</i>)	Sandbur spp.	(<i>Cenchrus</i> spp.)
Pusley, Florida	(<i>Richardia scabra</i>)	Signalgrass,	
Radish, Wild	(<i>Raphanus raphanistrum</i>)	Broadleaf	(<i>Brachiaria platyphylla</i>)
Ragweed, Common	(<i>Ambrosia artemisiifolia</i>)	SEDGES	
Redweed	(<i>Melochia corchorifolia</i>)	Nutsedge,	
Senna, Coffee	(<i>Cassia occidentalis</i>)	Purple	(<i>Cyperus rotundus</i>)
		Yellow	(<i>Cyperus esculentus</i>)

PRINTING INFORMATION:
 ALL COPY AND LINE ART PRINTS BLACK.
 TINTS PRINT 20% BLACK AS SHOWN.

13/15



PRINTING INFORMATION:
ALL COPY AND LINE ART PRINTS BLACK.
TINTS PRINT 20% BLACK AS SHOWN.

14/5

3.500"

3.250"

CADRE[®]

PEANUT HERBICIDE

FOR USE ONLY IN PEANUTS IN THE STATES OF ALABAMA, FLORIDA, GEORGIA, NEW MEXICO, NORTH CAROLINA, OKLAHOMA, SOUTH CAROLINA, TEXAS, AND VIRGINIA

ACTIVE INGREDIENT: (+)-2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-methyl-3-pyridinecarboxylic acid (antimonium salt) 23.6%
INERT INGREDIENTS 76.4%
TOTAL 100.0%

EPA Reg. No. 241-364
EPA Est. No. 5905-AR-001

**KEEP OUT OF REACH OF CHILDREN
CAUTION!
¡PRECAUCIÓN!**



American Cyanamid Company
Agricultural Products Division
Crop Protection Chemicals Department
Wayne, NJ 07470 ©1996

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

See Container Back Panel For Additional Precautionary Statements

Net Contents: 1 Quart

© Registered Trademark of American Cyanamid Company

3/96

BACK COVER

PRINTING INFORMATION:

CADRE LOGO AND HORIZONTAL RULE PRINT BLACK. THE COLOR PANEL PRINTS PMS 202C MAROON. ALL COPY AND LINE ART WITHIN THE COLOR PANEL KNOCKS OUT WHITE.

SIZE: INPRINT 7 PANEL PLOT - 1/13/96

PRINT METHOD:

15/15

4.375"

3.250"

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove victim to fresh air.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.
IF IN EYES: Flush eyes with plenty of water.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

CAUTION

Harmful if inhaled or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

ENVIRONMENTAL HAZARDS

For terrestrial use only. DO NOT apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. DO NOT contaminate water when disposing of equipment washwaters.

This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground-water contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to leaflet under "Agricultural Use Requirements" in the Directions For Use section for information about this standard.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Observe all cautions and limitations on this label and on the labels of products used in combination with CADRE. Do not use CADRE other than in accordance with the instructions set forth on this label. The use of CADRE not consistent with this label may result in injury to crops. Keep containers closed to avoid spills and contamination.

DO NOT apply this product through any type of irrigation system.

DO NOT graze or feed treated peanut hay to livestock.

See inside leaflet for complete Directions For Use.

STORAGE AND DISPOSAL

PROHIBITIONS: KEEP FROM FREEZING. DO NOT store below 20°F. DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration or, if allowed by State and local authorities by burning. If burned, stay out of smoke.

See inside leaflet for Disclaimer.

In case of an emergency endangering life or property involving this product, call collect, day or night, area code 201-835-3100.

CONTAINER BACK LABEL

PRINTING INFORMATION:

ALL COPY AND LINE ART PRINTS BLACK.
TINTS PRINT 20% BLACK AS SHOWN.