

STEELTM
herbicide

Supplemental Labeling

EPA Reg. No. 241-376

FOR USE IN SOYBEANS

TANK-MIXTURE APPLICATIONS OF STEEL AND SULFENTRAZONE-CONTAINING PRODUCTS FOR PREPLANT OR PREEMERGENCE WEED CONTROL IN SOYBEANS

OBSERVE ALL PRECAUTIONARY STATEMENTS IN THE STEEL LEAFLET LABEL BEFORE USING. SEE THE STEEL LEAFLET LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, APPLICATION INFORMATION, WEEDS CONTROLLED, USES WITH OTHER PRODUCTS AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The use of STEEL herbicide not consistent with this labeling may result in injury to crops. DO NOT apply this product through any type of irrigation system.

This label must be in the possession of the user at the time of herbicide application.

GENERAL INFORMATION

STEEL provides control of broadleaf and grass weeds when applied preplant and preemergence. STEEL can be applied to either conventional or no-till soybeans. Sulfentrazone-containing products (such as Authority¹ Broadleaf or Canopy² XL) may be tank-mixed with STEEL when applied early preplant, preplant incorporated or preemergence only for enhanced control of weeds common to soybean production.

When tank-mixing herbicides, always follow the most restrictive label.

Use of STEEL herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible.



ACCEPTED
with COMMENTS
In EPA Letter Dated

APR 14 1997
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

TM Trademark of American Cyanamid Company
¹ Trademark of FMC Corporation
² Trademark of E. I. du Pont de Nemours and Company
PE- 3/7/97 SD

241-376