241	-385
-----	------

04/03/2001

ACCEPTED	
APR 3 2001	
Under the Federal Insecticide, Fungicide, and Bodenticide Act. as amended, for the pesticide registered under EPA Rog. No. 24/-385	Sı

# Supplemental Labeling

EPA Reg. No. 241-385

# SPLIT OUT USE DIRECTIONS TO ADD AN APPLICATION METHOD AND MODIFY TIMINGS FOR USE IN SUCCULENT PEAS, DRY EDIBLE PEAS, LENTILS, CHICKPEAS, AND LIMA BEANS IN THE STATES OF WASHINGTON, IDAHO, OREGON AND MONTANA ONLY

## THIS LABEL EXPIRES APRIL 30, 2002

OBSERVE ALL DISCLAIMER AND PRECAUTIONARY STATEMENTS AND SPRAYING, APPLICATION, AND ROTATIONAL CROP INFORMATION IN THE PURSUIT W LEAFLET LABEL BEFORE USING. APPLY WITH GROUND EQUIPMENT ONLY.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT apply this product through any type of irrigation system. This labeling must be in the possession of the user at the time of herbicide application.

#### **USE RATE**

Apply PURSUIT W herbicide at a broadcast rate of 3 ounces per acre for preplant, preplant incorporated, and preemergence applications.

#### **APPLICATION INSTRUCTIONS**

#### **Preplant and Preplant Incorporated Applications:**

Apply PURSUIT W at the broadcast rate of 3 ounces per acre within 30 days before planting. If incorporated, DO NOT incorporate deeper than 3 inches.

In no-till and minimum tillage systems, PURSUIT W may be applied in the fall prior to spring planting. Rainfall is required for incorporation. Unpredictable weed control can be expected since factors such as length of time between application and planting as well as uncontrollable weather factors (temperature, rainfall) will determine herbicide activity and longevity. Apply PURSUIT W in the fall when soil temperatures at the 4-inch depth are less than 55°F and before the ground is frozen.

#### **Preemergence Applications:**

Apply PURSUIT W at the broadcast rate of 3 ounces per acre after planting, but prior to crop emergence.

PURSUIT W may be tank-mixed with Sencor<sup>1</sup> DF or Lexone<sup>2</sup> DF to assist in the control of lambsquarters or mayweed-chamomile (dog-fennel). Refer to the Sencor or Lexone label for proper application rates and restrictions. Always use in accordance with the more restrictive label restrictions and precautions.

CONSULT THE PURSUIT W LEAFLET LABEL FOR OTHER PRECAUTIONS.

**BASF Corporation** 26 Davis Drive Research Triangle Park, NC 27709



<sup>®</sup>Registered Trademark of BASF.
<sup>1</sup>Sencor is a trademark of Bayer Corporation.
<sup>2</sup>Lexone is a trademark of E.I. duPont de Nemours & Co., Inc.

©2001 BASF Corporation All rights reserved NVA 2001-04-130-036 PE-17424 Rev. 1 04/03 01