PLEASE NOTE

This image contains more than one label approved for this product on this date.

241-386

4-30-2002

Please read instructions on reverse before completing form.

Rebecca L. Johnston

Registration
Amendmen
Other

Form Approved. OMB No. 2070-0060

OPP Identifier Number

\$EPA	Environmental Protect Washington, DC 2	tion Agency	Amendment Other	
	Applicat	ion for Pesticide - Se	ction I	
1. Company/Product Numl	per 241-386	2. EPA Product M Mr. J.	anager . Tompkins	3. Proposed Classification
4. Company/Product (Nam PURSUIT® WD		PM#	25	None Restricted
BASF Corpora P.O. Box 400 Princeton, NJ		(b)(i), my produc to: EPA Reg. No.	et is similar or identical in	with FIFRA Section 3(c)(3) n composition and labeling
Cireck II b	is is a flew equitess	Product Name		
Amendment - Expl		Agency	nted labels in response to	NOTIFICATION
Resubmission in re Notification - Expla	in below.		* Application.	APR 3 0 2002
98-10 and EPA regulation formula of this product. understand that if this no	self-imposed expiration date per ons at 40 CFR 152.46, and no oth I understand that it is a violation of tification is not consistent with the may be subject to enforcement a	er changes have been made of 18 U.S.C. Sec. 1001 to will e terms of PR Notice 98-10 a ction and penalties under sec	to the labeling or the conf fully make any false stater nd 40 CFR 152.46, this pr	fidential statement of ment to EPA. I further roduct may be in
		Section - III		
1. Material This Product V Child-Resistant Packaging Yes* No * Cartification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt. No. per	Water Soluble Packaging Yes No If "Yes" No. per Package wgt contain		tal stic ss
3. Location of Net Content	S Information 4. Size(s) I	Retail Container	5. Location of Label Direction On Label On Labeling ac	ections ocompanying product
6. Manner in Which Label	is Affixed to Product Lith	ograph Ut er glued nciled	her	
		Section - IV		
1. Contact Point (Comple	te items directly below for identifica		ed, if necessary, to process	this application.)
Name Rebec	ca L. Johnston	Title Global Regulatory Affa	•	ohene Ma. finclude Area Code) -716-2235
i certify that the sta i acknowledge that both under applicab	Certifi tements I have made on this form a any knowingly faise or misleading s le law.	nd all attachments thereto are t	rue, accurate and complete fine or imprisonment or	6. Date Application Received (Stamped)
2. Signature Www. Z	Johnson	3. Title Global Regul 4-23-02	atory Affairs Mgr	
4. Typed Name	U	5. Date		



Supplemental Labeling

NOTIFICATION

APR 3 0 2002

EPA Reg. No. 241-386

FOR PREPLANT INCORPORATED AND PREEMERGENCE USE IN CHICKPEAS (GARBANZO BEANS) GROWN IN ARIZONA

OBSERVE ALL PRECAUTIONARY STATEMENTS AND SPRAYING AND APPLICATION INFORMATION IN THE PURSUIT W DG LEAFLET LABEL BEFORE USING. APPLY WITH GROUND EQUIPMENT ONLY.

DISCLAIMER

THIS PRODUCT WHEN USED ON EDIBLE LEGUME VEGETABLE CROPS MAY LEAD TO CROP INJURY, LOSS, OR DAMAGE. BASF CORPORATION RECOMMENDS THAT THE USER AND/OR GROWER TEST THIS PRODUCT IN ORDER TO DETERMINE ITS SUITABILITY FOR SUCH INTENDED USE. BASF MAKES THIS PRODUCT AVAILABLE TO THE USER AND/OR GROWER SOLELY TO THE EXTENT THE BENEFIT AND UTILITY, IN THE SOLE OPINION OF THE USER AND/OR GROWER, OUTWEIGH THE EXTENT OF POTENTIAL INJURY ASSOCIATED WITH THE USE OF THIS PRODUCT. THE DECISION TO USE OR NOT TO USE THIS HERBICIDE MUST BE MADE BY EACH INDIVIDUAL PURSUIT W DG USER AND/OR GROWER ON THE BASIS OF POSSIBLE CROP INJURY FROM PURSUIT W DG, THE SEVERITY OF WEED INFESTATION, THE COST OF ALTERNATIVE WEED CONTROLS, AND OTHER FACTORS. BASF INTENDS THAT BECAUSE OF THE RISK OF FAILURE TO PERFORM OR CROP DAMAGE THAT ALL SUCH USE IS AT THE USER'S AND/OR GROWER'S RISK.

BASF DISCLAIMS ANY LIABILITY FOR CLAIMS, CAUSES OF ACTION, FINES, PENALTIES, DAMAGES, INCLUDING CONSEQUENTIAL INCIDENTS AND DAMAGES, LOSSES, LIABILITIES, JUDGMENTS, AND EXPENSES ARISING OUT OF OR RELATING TO INJURY TO PERSONS, CROPS, OR PROPERTY RESULTING FROM THE USE OF PURSUIT W DG HERBICIDE ON EDIBLE LEGUMES CONTRARY TO THE LABEL INSTRUCTIONS. BASF WARRANTS ONLY THAT THE MATERIAL CONTAINED HEREIN CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL AND IS REASONABLY FIT FOR THE USE THEREIN DESCRIBED WHEN USED IN ACCORDANCE WITH THE DIRECTIONS FOR USE, SUBJECT TO THE RISKS REFERRED TO ABOVE.

BASF DOES NOT MAKE OR AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED AND EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF PURSUIT W DG. In no case shall BASF or the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product.

GENERAL INFORMATION

Use of PURSUIT W DG herbicide in accordance with label directions is expected to result in normal growth of chickpeas/garbanzo beans and rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product. Rotationar crop injury is always possible, and reduced crop growth, quality, yield and/or delayed maturity may result from a PURSUIT W DG application to chickpeas/garbanzo beans. Since crop maturity may be delayed, timing of harvest may need to be adjusted accordingly.

DO NOT apply PURSUIT W DG if planting is delayed and chance of frost prior to maturity is likely.

DO NOT apply PURSUIT W DG if cold and/or wet conditions are present or predicted to occur within one week of application. If applied under cool conditions (40° or less), temporary stunting and yellowing of the chickpeas may occur.

USE PURSUIT W DG ONLY if proper agronomic practices have been utilized, including good soil fertility, proper crop rotation, disease and insect management and tillage practices that eliminate compaction and hardpans.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system. This labeling must be in the possession of the user at the time of herbicide application.

DO NOT apply by air.

DO NOT apply PURSUIT W DG in any manner not specifically described in this labeling.

Sensitive crops such as sugar beets, canola, and leafy vegetables may be injured by spray drift or other indirect contact with PURSUIT W DG.

Spray equipment used for PURSUIT W DG applications must be drained and thoroughly cleaned with water before being used to apply other products.

Allow at least 30 days between application and harvest.

DO NOT make more than one application of PURSUIT W DG per year.

When PURSUIT W DG is used in combination with another herbicide, refer to the respective label for rates, methods of application, proper timing, weeds controlled, restrictions and precautions. Always use in accordance with the more restrictive label restrictions and precautions. No label dosages should be exceeded. PURSUIT W DG cannot be mixed with any product containing a label prohibiting such mixtures.

APPLICATION INSTRUCTIONS

Preplant Incorporated Applications. Apply PURSUIT W DG at the broadcast rate of 1.1 oz per acre within 1 week of planting. Applied preplant incorporated, PURSUIT W DG may be tank-mixed with a registered grass herbicide.

Preemergence Applications. Apply PURSUIT W DG at the broadcast rate of 1.1 oz per acre immediately after, or up to 3 days after planting, prior to crop emergence. PURSUIT W DG may be applied in a tank-mix with a registered grass herbicide or applied preemergence following a preplant incorporated application of a registered grass herbicide.

WEEDS CONTROLLED

WEEDS CONTROLLED	PREPLANT INCORPORATED	PREEMERGENCE	
	-	_	
Buckwheat, wild	C	C	_ +-
Kochia	С	C	
Lambsquarters, common	C		NA.
Mustard, wild	C	C	
Nightshade,			
black	С	C	
Eastern black	С	С	
hairy	C	C	
Pigweed, redroot	C	С	
Shepherdspurse	C	C	
Thistle, Russian	C	C	

NOTE: C = Control

Refer to the PRECAUTIONS section for additional instructions.

ROTATIONAL CROP GUIDELINE

The following crops may be planted after applying PURSUIT W DG as recommended in this label:

1. Anytime:

Soybeans

Chickpeas/Garbanzo beans

Peanuts

CLEARFIELD* seed hybrids (resistant/tolerant to PURSUIT W DG)

2. Four months after PURSUIT W DG application:

Alfalfa

Rye

Wheat

Dry beans and peas

3. Eight and one-half months after PURSUIT W DG application:

Field com

Field corn grown for seed

4. Nine and one-half months after PURSUIT W DG application:

Barley

Tobacco

5. Eighteen months after PURSUIT W DG application:

Cotton

Safflower

Lettuce

Sorghum

Oats

Sunflower

Popcorn

Sweet corn

6. Twenty-six months after PURSUIT W DG application:

Potatoes

Flax

7. Forty months after PURSUIT W DG application*:

All crops not listed elsewhere in this ROTATIONAL CROP GUIDELINE.

^{*}Following forty months after a PURSUIT W DG application, and before planting any crop not listed elsewhere in the ROTATIONAL CROP GUIDELINE, a successful field bioassay must be completed. The field bioassay consists of a test strip of the intended rotational crop planted across the previously treated field

ROTATIONAL CROP GUIDELINE (continued)

and grown to maturity. The test strip should include low areas and knolls, and include variations in soil such as a type and pH. If no crop injury is evident in the test strip, the intended rotational crop may be planted the following year.

Sugarbeet production can be reduced when grown in soil conditions with a pH less than 6.5.

If the field is limed to adjust pH prior to planting rotational crops not listed in the ROTATIONAL CROP GUIDELINE, apply the lime at least 12 months prior to planting the rotational crop.

In the event of a crop loss, garbanzo beans, chickpeas, CLEARFIELD corn seed hybrids, peanuts, or soybeans may be replanted.

DO NOT feed treated forage, hay, or straw to livestock.

EXCEPTIONS TO ROTATIONAL CROP GUIDELINE

Sweet corn and popcorn varieties: Sweet corn and popcorn varieties may be planted the year following an application of PURSUIT W DG. Some sweet corn and popcorn varieties may be injured when planted at less than 18 months following an application of PURSUIT W DG herbicide. Before planting sweet corn for processing, contact the processor company for information and recommendations regarding the tolerance of sweet corn varieties planned for fields treated with PURSUIT W DG the previous year. DO NOT plant fresh market sweet corn varieties prior to 18 months after PURSUIT W DG use. Before planting popcorn, contact the popcorn company for information and recommendations regarding the tolerance of popcorn varieties planned for fields treated with PURSUIT W DG the previous year. Since growing conditions, environmental conditions and grower practices are beyond the control of BASF Corporation, ALL RISKS AND CONSEQUENCES ASSOCIATED WITH PLANTING SWEET CORN OR POPCORN VARIETIES INTO FIELDS TREATED PREVIOUSLY WITH PURSUIT W DG SHALL BE ASSUMED BY THE USER.

Stunting and maturity delay or other adverse effects may result when sweet corn or popcorn are planted following PURSUIT W DG use.

Corn inbred lines: Corn inbred seed lines may be planted the year following an application of PURSUIT W DG. Several seed companies have tested a wide range of inbreds for sensitivity to PURSUIT W DG soil residues and have reported good crop safety. However, due to the proprietary nature of seed production, BASF Corporation has not been given access to the inbred data. Growers are directed to contact the seed company for information and recommendations regarding the planting of corn grown for seed in fields treated with PURSUIT W DG the previous year. Since growing conditions, environmental conditions and grower practices are beyond the control of BASF Corporation, ALL RISKS AND CONSEQUENCES ASSOCIATED WITH PLANTING SEED CORN INBREDS INTO FIELDS TREATED PREVIOUSLY WITH PURSUIT W DG SHALL BE ASSUMED BY THE USER.

CONSULT THE PURSUIT W DG LEAFLET LABEL FOR OTHER PRECAUTIONS.

BASF Corporation P.O. Box 13528 Research Triangle Park, NC 27709

Agricultural Products

BASF

**/*Trademarks of BASF Corporation NVA 2002-04-130-0 069

©2002 BASF Corporation All rights reserved

NEXT

LABEL

241-386 4-30-2002 Form Approved. OMB No. 2070-0060 Please read instructions on reverse before completing form. **OPP Identifier Number** Registration **United States \$EPA Environmental Protection Agency Amendment** 276964 Washington, DC 20460 Other **Application for Pesticide - Section I** 2. EPA Product Manager 1. Company/Product Number 3. Proposed Classification Mr. J. Tompkins 241-386 None Restricted 4. Company/Product (Name) 25 PURSUIT® WDG Herbicide 5. Name and Address of Applicant (Include ZIP Code) Expedited Review. In accordance with FIFRA Section 3(c)(3). (b)(i), my product is similar or identical in composition and labeling **BASF Corporation** P.O. Box 400 Princeton, NJ 08543-0400 EPA Reg. No. Check if this is a new address **Product Name** Section - II NOTIFICATION Final printed labels in response to Amendment - Explain below. Agency letter dated "Me Too" Application. Resubmission in response to Agency letter dated_ APR 3 0 2002 Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification to delete the self-imposed expiration date per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged in: Unit Packaging Water Soluble Packaging 2. Type of Container Child-Resistant Packaging Matal Yes' Yes Plastic No No No Glass Paper If "Yes" If "Yes" No. per No. per * Certification must Unit Packaging wgt, container Package wgt Other (Specify) be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label Container On Labeling accompanying product Lithograph Paper glued Stenciled Other 6. Manner in Which Label is Affixed to Product Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Title Telephone No. (Include Area Code) Name 609-716-2235 Rebecca L. Johnston Global Regulatory Affairs Manager β. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2. Signature Global Regulatory Affairs Manager When Larmom 5. Date 4. Typed Name Rebecca L. Johnston 4-23-02

White - EPA File Copy (original)

Yellow - Applicant Cop

EDA Form 8570-1 (Ray 8-94) Previous editions are obsolete.



Supplemental Labeling

NOTIFICATION

EPA Reg. No. 241-386

APR 3 0 2002

FOR PREPLANT INCORPORATED AND PREEMERGENCE USE IN CHICKPEAS (GARBANZO BEANS) GROWN IN CALIFORNIA

OBSERVE ALL PRECAUTIONARY STATEMENTS AND SPRAYING AND APPLICATION INFORMATION IN THE PURSUIT W DG LEAFLET LABEL BEFORE USING. APPLY WITH GROUND EQUIPMENT ONLY.

DISCLAIMER

THIS PRODUCT WHEN USED ON EDIBLE LEGUME VEGETABLE CROPS MAY LEAD TO CROP INJURY, LOSS, OR DAMAGE. BASF CORPORATION (BASF) RECOMMENDS THAT THE USER AND/OR GROWER TEST THIS PRODUCT IN ORDER TO DETERMINE ITS SUITABILITY FOR SUCH INTENDED USE. BASF MAKES THIS PRODUCT AVAILABLE TO THE USER AND/OR GROWER SOLELY TO THE EXTENT THE BENEFIT AND UTILITY, IN THE SOLE OPINION OF THE USER AND/OR GROWER, OUTWEIGH THE EXTENT OF POTENTIAL INJURY ASSOCIATED WITH THE USE OF THIS PRODUCT. THE DECISION TO USE OR NOT TO USE THIS HERBICIDE MUST BE MADE BY EACH INDIVIDUAL PURSUIT W DG USER AND/OR GROWER ON THE BASIS OF POSSIBLE CROP INJURY FROM PURSUIT W DG, THE SEVERITY OF WEED INFESTATION, THE COST OF ALTERNATIVE WEED CONTROLS, AND OTHER FACTORS. BASF INTENDS THAT BECAUSE OF THE RISK OF FAILURE TO PERFORM OR CROP DAMAGE THAT ALL SUCH USE IS AT THE USER'S AND/OR GROWER'S RISK.

BASF DISCLAIMS ANY LIABILITY FOR CLAIMS, CAUSES OF ACTION, FINES, PENALTIES, DAMAGES, INCLUDING CONSEQUENTIAL INCIDENTS AND DAMAGES, LOSSES, LIABILITIES, JUDGMENTS, AND EXPENSES ARISING OUT OF OR RELATING TO INJURY TO PERSONS, CROPS, OR PROPERTY RESULTING FROM THE USE OF PURSUIT W DG HERBICIDE ON EDIBLE LEGUMES CONTRARY TO THE LABEL INSTRUCTIONS. BASF WARRANTS ONLY THAT THE MATERIAL CONTAINED HEREIN CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL AND IS REASONABLY FIT FOR THE USE THEREIN DESCRIBED WHEN USED IN ACCORDANCE WITH THE DIRECTIONS FOR USE, SUBJECT TO THE RISKS REFERRED TO ABOVE.

BASF DOES NOT MAKE OR AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED AND EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF PURSUIT W DG. In no case shall BASF or the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product.

GENERAL INFORMATION

Use of PURSUIT W DG herbicide in accordance with label directions is expected to result in normal growth of chickpeas/garbanzo beans and rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product. Rotational crop injury is always possible, and reduced crop growth, quality, yield and/or delayed maturity may result from a PURSUIT W DG application to chickpeas/garbanzo beans. Since crop maturity may be delayed, timing of harvest may need to be adjusted accordingly.

DO NOT apply PURSUIT W DG if planting is delayed and chance of frost prior to maturity is likely.

DO NOT apply PURSUIT W DG if cold and/or wet conditions are present or predicted to occur within one week of application. If applied under cool conditions (40° or less), temporary stunting and yellowing of the chickpeas may occur.

USE PURSUIT W DG ONLY if proper agronomic practices have been utilized, including good soil fertility, proper crop rotation, disease and insect management and tillage practices that eliminate compaction and hardpans.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** apply this product through any type of irrigation system. This labeling must be in the possession of the user at the time of herbicide application.

DO NOT apply by air.

DO NOT apply PURSUIT W DG in any manner not specifically described in this labeling.

Sensitive crops such as sugar beets, canola, and leafy vegetables may be injured by spray drift or other indirect contact with PURSUIT W DG.

Spray equipment used for PURSUIT W DG applications must be drained and thoroughly cleaned with water before being used to apply other products.

DO NOT make more than one application of PURSUIT W DG per year.

When PURSUIT W DG is used in combination with another herbicide, refer to the respective label for rates, methods of application, proper timing, weeds controlled, restrictions and precautions. Always use in accordance with the more restrictive label restrictions and precautions. No label dosages should be exceeded. PURSUIT W DG cannot be mixed with any product containing a label prohibiting such mixtures.

APPLICATION INSTRUCTIONS

Preplant Incorporated Applications. Apply PURSUIT W DG at the broadcast rate of 1.1 oz per acre within 1 week of planting. Applied preplant incorporated, PURSUIT W DG may be tank-mixed with a registered grass herbicide.

Preemergence Applications. Apply PURSUIT W DG at the broadcast rate of 1.1 oz per acre immediately after, or up to 3 days after planting, prior to crop emergence. PURSUIT W DG may be applied in a tank-mix with a registered grass herbicide or applied preemergence following a preplant incorporated application of a registered grass herbicide.

WEEDS CONTROLLED

WEEDS CONTROLLED	PREPLANT INCORPORATED	PREEMERGENCE
Buckwheat, wild	С	С
Kochia	С	С
Lambsquarters, common	С	
Mustard, wild	С	С
Nightshade,		
black	С	C
Eastern black	С	С
hairy	С	С
Pigweed, redroot	С	С
Shepherdspurse	С	C
Thistle, Russian	С	С

NOTE: C = Control

Refer to the PRECAUTIONS section for additional instructions.

ROTATIONAL CROP GUIDELINE

The following rotational crops may be planted after applying PURSUIT W DG at the recommended rate: (Planting earlier than the recommended interval may result in crop injury).

1. Anytime

Lima beans

Soybeans

Southern peas

Peanuts

CLEARFIELD* corn hybrids (resistant/tolerant to PURSUIT W DG)

Four months after PURSUIT W DG application: 2.

Alfalfa

Wheat

Rye

Edible beans and peas (other than lima beans and Southern peas)

3. Nine and one-half months after PURSUIT W DG application:

Barley

Field com

Tobacco

Field corn grown for seed

Eighteen months after PURSUIT W DG application: 4.

Cotton

Safflower

Lettuce

Sorghum

Oats

Sunflower

Popcorn

Sweet com

5. Twenty six months after PURSUIT W DG application.

Potatoes

6. Forty months after PURSUIT W DG application.

All crops not listed elsewhere in this ROTATIONAL CROP GUIDELINE¹

¹ Following forty months after a PURSUIT W DG application, and before planting any crop not listed elsewhere in the ROTATIONAL CROP GUIDELINE, a successful field bioassay must be completed. The field bioassay consists of a test strip of the intended rotational crop planted across the previously treated field and grown to maturity. The test strip should include low areas and knolls, and include variations in soil such as type and pH). If no crop injury is evident in the test strip, the intended rotational crop may be planted the following year.

ROTATIONAL CROP GUIDELINE (continued)

Sugarbeet production can be reduced when grown in soil conditions with a pH less than 6.5

If the field is limed to adjust pH prior to planting rotational crops not listed in the ROTATIONAL CROP GUIDELINE, apply the lime at least 12 months prior to planting the rotational crop.

In the event of a crop loss, garbanzo beans, chickpeas, CLEARFIELD corn seed hybrids, peanuts, or soybeans may be replanted.

DO NOT feed treated forage, hay, or straw to livestock.

EXCEPTIONS TO ROTATIONAL CROP GUIDELINE

Sweet corn and popcorn varieties: Sweet corn and popcorn varieties may be planted the year following an application of PURSUIT W DG. Some sweet corn and popcorn varieties may be injured when planted at less than 18 months following an application of PURSUIT W DG herbicide. Before planting sweet corn for processing, contact the processor company for information and recommendations regarding the tolerance of sweet corn varieties planned for fields treated with PURSUIT W DG the previous year. DO NOT plant fresh market sweet corn varieties prior to 18 months after PURSUIT W DG use. Before planting popcorn, contact the popcorn company for information and recommendations regarding the tolerance of popcorn varieties planned for fields treated with PURSUIT W DG the previous year. Since growing conditions, environmental conditions and grower practices are beyond the control of BASF, ALL RISKS AND CONSEQUENCES ASSOCIATED WITH PLANTING SWEET CORN OR POPCORN VARIETIES INTO FIELDS TREATED PREVIOUSLY WITH PURSUIT W DG SHALL BE ASSUMED BY THE USER.

Stunting and maturity delay or other adverse effects may result when sweet corn or popcorn are planted following PURSUIT W DG use.

Corn inbred lines: Corn inbred seed lines may be planted the year following an application of PURSUIT W DG. Several seed companies have tested a wide range of inbreds for sensitivity to PURSUIT W DG soil residues and have reported good crop safety. However, due to the proprietary nature of seed production, BASF has not been given access to the inbred data. Growers are directed to contact the seed company for information and recommendations regarding the planting of corn grown for seed in fields treated with PURSUIT W DG the previous year. Since growing conditions, environmental conditions and grower practices are beyond the control of BASF, ALL RISKS AND CONSEQUENCES ASSOCIATED WITH PLANTING SEED CORN INBREDS INTO FIELDS TREATED PREVIOUSLY WITH PURSUIT W DG SHALL BE ASSUMED BY THE USER.

CONSULT THE PURSUIT W DG LEAFLET LABEL FOR OTHER PRECAUTIONS.

BASF Corporation26 Davis Drive
Research Triangle Park, NC 27709

BASF

**/*Trademarks of BASF ©2002 BASF Corporation All rights reserved NVA 2002-04-130-0068