



Extreme[®] Supplemental Label

HERBICIDE

EPA Reg. No. 241-405

FOR USE ON ROUNDUP[®] READY SOYBEANS**FALL APPLICATIONS OF EXTREME[®] HERBICIDE IN A PLANNED SEQUENTIAL PROGRAM ON SOYBEANS**

OBSERVE ALL PRECAUTIONARY STATEMENTS ON THE EXTREME LABEL BEFORE USING. SEE THE EXTREME[®] LEAFLET LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, APPLICATION INFORMATION, WEEDS CONTROLLED, USES WITH OTHER PRODUCTS AND ROTATIONAL CROP RESTRICTIONS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The use of EXTREME[®] herbicide not consistent with this labeling may result in injury to crops. DO NOT apply this product through any type of irrigation system.

Apply EXTREME[®] herbicide after fall harvest and prior to ground freeze-up in the winter. Fall applications of EXTREME[®] herbicide will control existing weeds and provide residual control of winter annual weeds and early spring germinating weeds in soybeans. See the EXTREME[®] herbicide label for a complete list of weeds controlled.

Soybeans must be planted in the spring following the fall application of EXTREME[®] herbicide. If weeds emerge in-season, other registered soybean products may be applied postemergence for weed control.

Refer to the EXTREME[®] herbicide product label for additional information on application instructions.

GENERAL INFORMATION

EXTREME[®] herbicide provides control of many broadleaf and grass weeds when applied preplant or preemergence to soybeans. EXTREME[®] may be applied in the late fall for control of weeds in soybeans, rather than in the spring. Treated areas must be planted to soybeans the following spring.

USE RATE


Apply EXTREME[®] herbicide at the rate of 3 pints per acre.

ROTATIONAL CROP INFORMATION

Refer to rotational crop restrictions listed on the EXTREME[®] herbicide product label.

NOTE: For fall applications of EXTREME[®] herbicide, adjust the rotational crop intervals by basing the interval on the date of soybean planting rather than the date of herbicide application.

Use of EXTREME[®] herbicide in accordance with label directions is expected to result in normal growth of rotational crops in most situations; however, various environmental and agronomic factors make it impossible to eliminate all risks associated with the use of this product and, therefore, rotational crop injury is always possible



EXTREME is a registered trademarks of BASF Corporation.
ROUNDUP READY is a registered trademark of Monsanto Agricultural Products Company

© 2002 BASF Corporation
All rights reserved.
NVA 2002-04-116-0095
6-5-02

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709

Agricultural Products

BASF