



Supplemental Labeling

EPA Reg. No. 241-407

FOR USE ON ROUNDUP¹ READY SOYBEANS

REVISED MIXING INSTRUCTIONS

NOTIFICATION

JAN 14 2002

THIS LABEL EXPIRES DECEMBER 31, 2002

OBSERVE ALL PRECAUTIONARY STATEMENTS ON THE EXTREME LABEL BEFORE USING. SEE THE EXTREME LEAFLET LABEL FOR PRECAUTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, APPLICATION INFORMATION, WEEDS CONTROLLED, USES WITH OTHER PRODUCTS AND ROTATIONAL CROP RESTRICTIONS.

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

This labeling must be in the possession of the user at the time of herbicide application.

MIXING INSTRUCTIONS

Fill the spray tank one-fourth to one-half full with clean water. While agitating add the required amount of BACKDRAFT and then fill the remainder of the tank with water. For postemergence applications, add the nonionic or organo-silicone surfactant or as last ingredient in the tank. An antifoaming agent may be added to the tank if needed. Maintain agitation while spraying to ensure a uniform spray mixture.

BURNDOWN OR POSTEMERGENCE APPLICATIONS OF BACKDRAFT REQUIRE THE ADDITION OF A SURFACTANT AND FERTILIZER.

- I. **SURFACTANTS:** Use a non-ionic surfactant containing at least 80% active ingredient. Apply the surfactant at the rate of 1 pint per 100 gallons of spray mixture (0.125% v/v of the spray mixture).

AND

- II. **FERTILIZER:** Include a fertilizer in the spray solution. Add spray grade ammonium sulfate at the rate of 12-15 lb/100 gallons. Instead of ammonium sulfate, a nitrogen-based liquid fertilizer (such as 28%N, 32%N or 10-34-0) may be used at the rate of 1-2 quarts per acre. Use the higher rate when weeds are under moisture or temperature stress.

(see reverse side)

When mixing BACKDRAFT, while agitating, add components in the following order:

- 1) Fill spray tank 1/2 full with clean water.
- 2) Add BACKDRAFT and thoroughly mix.
- 3) Add surfactant to the spray tank.
- 4) Add fertilizer.
- 5) While agitating, fill the remainder of the tank with water.

When tank mixing BACKDRAFT with 2,4-D, and/or PROWL® 3.3 EC herbicide, add products to the tank in the following order: 1) BACKDRAFT, 2) PROWL 3.3 EC, 3) 2,4-D, 4) surfactant, and 5) fertilizer.

BASF Corporation
P.O. Box 13528
Research Triangle Park, NC 27709

Agricultural Products

BASF

™/®Trademarks of BASF Corporation
¹Registered Trademark of Monsanto Agricultural Products Company

©2001 BASF Corporation
All rights reserved
NVA 2001-04-107-0254
12/12/01

