

241-411

7/31/2001

Page 1 of 10

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number
283830

Application for Pesticide - Section I

1. Company/Product Number 241-411	2. EPA Product Manager M. Waller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Stature™ WP Fungicide	PM# Team 21	
5. Name and Address of Applicant (Include ZIP Code) BASF Corporation P.O. Box 400 Princeton, NJ 08543-0400 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION JUL 31 2001
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification of minor label changes and final print label as per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Christina L. Hartman, Ph.D.		Title Global Regulatory Affairs Manager		Telephone No. (Include Area Code) 609-716-2457	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamp/J)
2. Signature <i>Christina L. Hartman</i>			3. Title Global Regulatory Affairs Manager		
4. Typed Name Christina L. Hartman, Ph.D.			5. Date 7/13/01		

JUL 31 2001

STWP6572



Stature™

WP Fungicide

**FOR USE ON ORNAMENTAL CROPS
GROWN
IN COMMERCIAL GREENHOUSES AND
SHADEHOUSES**

ACTIVE INGREDIENTS:

dimethomorph.....	9.0%
mancozeb	60.0%
INERT INGREDIENTS	31.0%
TOTAL	100.0%

EPA Reg. No. 241-411-67690

EPA Est. No. 5905-GA-01

U.S. Patent No. 5,952,496 and Re. 35,985

SC-65-0300

NVA 2001-05-102-0340

**KEEP OUT OF REACH
OF CHILDREN**

**CAUTION
PRECAUCION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

In case of emergency endangering health or the environment involving this product, call INFOTRAC at 1-800-535-5053 or 800-832-HELP.

Refer to inside of label booklet for additional **Precautionary Information and Directions for Use including Storage and Disposal.**

Notice: Read entire label. Use only according to label directions. **Before buying or using this product, read "Warranty Disclaimer" and "Limitation of Remedies"**

Stature™ is a Trademark of BASF

MANUFACTURED FOR:

SePRO Corporation • Carmel, IN 46032 U.S.A.

Fungicide

Net Contents: 3.5 Lbs

FIRST AID

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Do not breathe dust or spray mist. Avoid contact with skin, eyes and clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemically resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Applicators and other handlers (other than mixers or loaders) must wear:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

Mixers and Loaders must wear:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks
- Protective eyewear
- Chemical-resistant apron when cleaning equipment, mixing or loading

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)], the handlers PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or disposing of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

THIS LABEL MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF FUNGICIDE APPLICATION. DO NOT apply this product through any type of irrigation system.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

AGRICULTURAL USE REQUIREMENTS (Cont.)

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE requirements for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

STORAGE AND DISPOSAL:

DO NOT contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, well-ventilated area. DO NOT allow to become overheated in storage. Keep container closed when not in use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

STATURE™ fungicide is a 69% wettable powder (WP) used for the control of a broad-spectrum of diseases on ornamental plants grown in greenhouses and shadehouses. STATURE is a broad-spectrum fungicide to be used in a preventative spray program. Consult the Use Direction Table. STATURE must be used in accordance with this label.

STATURE has a different mode of action than other fungicide chemical classes. It can be used in disease management programs where fungicide rotation is emphasized to help prevent the development of resistance.

Carefully read, understand, and follow all directions and precautions.

Disease pressure and environmental conditions will determine the length of the spray interval. Sprayers should be properly calibrated before application.

MIXING INSTRUCTIONS

Fill the spray tank until it is approximately 1/2 full with clean water. Add STATURE to the spray tank while agitating. Agitation must be engaged prior to the addition of the product to obtain a complete and uniform mixture of STATURE. Add other fungicides, insecticides, growth regulators, micronutrients, and spray adjuvants after STATURE has been placed in suspension. Once mixing is complete, add water to desired volume.

When preparing spray solutions for use in a hand sprayer, premix as a slurry in a small container, and then add to sprayer containing 1/3 to 1/2 the desired final water volume and agitate. Once mixing is complete, add water to desired volume. Please refer to the following table when mixing spray solutions.

Gallonage	Pounds of Formulated Product	Ounces of Formulated Product	Grams of Formulated Product
100	1.75	28	794
10	0.175	2.8	79
5	0.09	1.4	40

COMPATIBILITY

The tank-mixing behavior of this fungicide with other pesticides has not been fully investigated. If tank mixing with other pesticides is desirable, conduct a jar test with rates and volumes of carrier typically used in an agricultural application. Look for signs of separation, globules, sludge, flakes or other precipitates. DO NOT tank mix with the other pesticides if the jar test with STATURE has indicated incompatibility.

DISEASE MONITORING

STATURE is a broad-spectrum protectant fungicide. If not applied on a routine protectant spray schedule, crops should be examined on a weekly basis. Fungicide application should be made, at the recommended label use rate and spray schedule, at the first sign of disease, or during environmental conditions favorable for disease development.

RESTRICTIONS

DO NOT use on plants for food or feed purposes.

DO NOT apply this product through any type of irrigation system.

USE RATE DETERMINATION

Carefully read, understand, and follow all directions and precautions.

Disease pressure and environmental conditions will determine the length of the application interval. Under severe or threatening disease conditions, the minimum interval should be used.

For proper application, determine the number of square feet to be treated and the gallonage to be applied per 1000 square feet. Prepare only the amount of spray solution required to treat the measured area. Careful calibration of spray equipment is recommended prior to use. If you have questions about calibration, you should contact State Extension Service Specialist or Horticultural Consultant, equipment manufacturers or other experts.

Neither the manufacturer nor the seller has determined the effects of using STATURE on all ornamental species and cultivars. For this reason, it is recommended that prior to any large-scale application on such plants, the user should determine the effects of STATURE by testing a small section of the type of plants to be treated. User assumes all risks arising out of application to unlabeled plants. The DISCLAIMER applies to all uses.

PRODUCT USE DIRECTIONS

For greenhouses and shadehouses apply the equivalent of 1.75 lbs. STATURE per 100 gallons of dilute spray, or consult the dilution table for product use in smaller volumes.

Thoroughly spray plant foliage until runoff.

Begin spraying when plants are well established or at first sign of disease, in a full coverage spray at 7-10 day intervals throughout the production cycle.

USE DIRECTIONS

Crop	Diseases Controlled	Remarks (Also refer to Directions for Use)	Restrictions
Greenhouse plants: Potted plants, bedding plants, cut flowers and foliage plants			
African Violet	Botrytis blight, Downy mildew, Phytophthora parastica*		(Applies to all Ornamental uses.)
Alyssum	Downy mildew		
Anthurium	Anthracnose spadix rot		
Aster, perennial	Rusts		
Begonia	Botrytis blight		
Carnation	Downy mildew, Rust, Septoria leaf spot		
Dianthus	Downy mildew		
Chrysanthemum	Ascochyta blight, Botrytis petal spot, Rust	Apply twice weekly during blooming period.	
Dahlia	Botrytis blight		
Dieffenbachia	Leptosphaeria brown spot		
Dracaena	Fusarium leaf spot		
Fern	Rhizoctonia blight		
Ficus	Cercospora leaf spot		
Fuchsia	Botrytis blight, Rust		
Geranium	Rust		
Gerbera daisy	Downy mildew		
Gladiolus	Botrytis blossom blight, Curvularia leaf spot	Make regular weekly applications starting before diseases appear and increase to 2 or 3 applications per week during periods of heavy disease and during rainy weather. On flower spikes, reduce spray concentration to 1 lb. per 100 gals.	
Hydrangea	Botrytis blight, Cercospora leaf spot		
Iris	Didymellina leaf spot, Mystrosporium ink spot		
Limonium (Statice)	Downy mildew		

USE DIRECTIONS (Cont.)

Greenhouse plants: (Cont.)			
Crop	Diseases Controlled	Remarks (Also refer to Directions for Use)	Restrictions
Lily	Botrytis blight		
Marigold	Botrytis blossom blight		DO NOT USE on French dwarf double or Signet-type marigold seedlings.
Narcissus	Botrytis blight (fire), Smoulder		
Orchid (Dendrobium)	Botrytis blossom blight		
Pansy	Anthrachnose, Downy mildew, Phytophthora parastica*, Rust		
Peperomia	Cercospora leaf spot		
Periwinkle (Vinca)	Phytophthora parastica*		
Philodendron	Dactylaria leaf spot, Phytophthora leaf spot		
Phlox	Downy mildew		
Poinsettia	Sphaceloma scab		
Rose (cut or potted) Miniature Rose	Black spot, Cercospora leaf spot, Downy mildew, Rust		
Schefflera	Alternaria blight		
Snapdragon	Downy mildew, Phytophthora parastica*, Rust		
Statice (Limonium)	Cercospora frog-eye, Downy mildew		
Stock	Downy mildew		
Sunflower	Downy mildew		
Syngonium	Cephalosporium leaf spot		
Tulip	Botrytis blight (fire)		
Venus, flytrap	Anthrachnose		
Viola	Anthrachnose, Downy mildew, Phytophthora parastica*, Rust		
Vinca (Periwinkle)	Phytophthora parastica*		
Zinnia	Alternaria leaf blight		

*For suppression of Phytophthora parastica. Apply a directed spray (srench) to stem and crown of plants prior to visible disease symptoms and continue preventative applications on a 5-7 day spray interval.

USE DIRECTIONS (Cont.)

Woody Ornamentals:			
Crop	Diseases Controlled	Remarks (Also refer to Directions for Use)	Restrictions
Arborvitae	Cercospora blight		
Ash, mountain	Entomosporium leaf spot, Guignardia leaf blotch		
Ash, white	Anthracnose, Cylindrosporium leaf spot		
Aucuba-japonica	Alternaria leaf spot, Anthracnose		
Azalea	Cylindrocladium rot, Petal blight, Phytophthora twig and bud blight	Apply in a full coverage spray, 2 to 3 times a week, while flowers are opening. Direct spray into flowers and thoroughly drench the soil.	
Buffaloberry	Cylindrosporium leaf spot		DO NOT USE fruit for food or feed purposes
Camellias	Petal blight	Refer to Azalea.	
Cedar, red (Juniper)	Cercospora blight, Phomopsis blight		
Conifers	Lophodermium needle cast, Pine gall rust, Scirrhia brown spot	Begin application in spring or early summer before infection occurs. Repeat after heavy rains and at two-week intervals as long as needed.	
Cordyline	Cercospora leaf spot		
Crabapple (Ornamental)	Cedar-apple rust, Scab, Sphaeropsis leaf spot		
Cypress, Arizona (Cupressus sp.)	Cercospora blight, Monochaetia canker		
Dogwood, Flowering	Anthracnose, Elsinoe leaf spot, Septoria leaf spot	Apply when buds begin to open, when bracts have fallen, 4 weeks later and again in late summer after flower buds for next season have formed.	
Elm	Black leaf spot		
Euonymus	Anthracnose		
Fatsia	Anthracnose		
Fir, Douglas	Swiss needle cast		
Firethorn (Pyracantha)	Fusicladium scab		
Hawthorn	Cedar-apple rust, Fabraea leaf spot, Frogeye leaf spot, Hawthorn rust, Scab		
Holly	Purple spot		
Hollyhock	Anthracnose, Cercospora leaf spot, Rust		

USE DIRECTIONS (Cont.)

Woody Ornamentals: (Cont.)			
Crop	Diseases Controlled	Remarks (Also refer to Directions for Use)	Restrictions
Honeysuckle	Herpobasidium blight		
Horsechestnut, Buckeye	Alternaria leaf spot, Guignardia leaf blotch		
Juniper	Phomopsis blight		
Laurel, mountain	Cercospora leaf spot, Petal blight	Refer to Azalea.	
Ligustrum	Cercospora leaf spot		
Magnolia	Gloeosporium leaf spot		
Maple	Alternaria leaf spot, Phyllosticta leaf spot		DO NOT USE ON SUGAR MAPLES INTENDED FOR THE PRODUCTION OF MAPLE SYRUP.
Oak	Actinopelte leaf spot, Taphrina leaf blister		
Peony	Botrytis blossom blight, Phytophthora blight	Apply in early spring and early fall, drenching soil around plants as well as the foliage. Promptly destroy all infected plant parts.	
Photinia	Entomosporium leaf spot		
Pleomele	Fusarium leaf spot		
Rhododendron	Cercospora leaf spot, Discosia leaf spot, Petal blight	Refer to Azalea.	
Skunkbush, sumac	Cylindrosporium leaf spot		
Viburnum	Downy mildew, Ramularia leaf spot		
Walnut	Anthracnose		Do not use treated walnuts for food or feed purposes.

Disease pressure and environmental conditions determine application rates and spray intervals. Applications should begin prior to the onset of disease infection. Apply STATURE to insure spray runoff.

DO NOT exceed 2.25 lbs/acre/application and no more than 11.25 total lbs/acre in any one season

CONDITIONS OF SALE AND WARRANTY DISCLAIMER

SePRO Corporation only warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the Directions for Use. This limited warranty is provided in lieu of all other expressed or implied warranties. SePRO Corporation specifically disclaims all other warranties, expressed or implied, including but not limited to, any warranty of merchantability or fitness for a particular purpose. SePRO shall not be liable for any damages resulting from any use or handling of this product and SePRO's sole liability and user's exclusive remedy shall be limited as set forth below under the heading "Limitation of Remedies".

LIMITATION OF REMEDIES

The exclusive remedy for any losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at SePRO Corporation's election, one of the following:
Refund of purchase price paid by buyer or user for product bought, or replacement of amount of product used.

SePRO Corporation shall only be responsible for refund of purchase price or replacement of product upon prompt notification of any such claim in writing within thirty (30) days of occurrence. SePRO Corporation shall not be held liable for any loss or damages in connection with the handling or use of this product, including but not limited to direct or indirect consequential, individual damages or loss of profits.

No written or verbal statement or agreements can vary the terms of the above Warranty Disclaimer or this Limitation of Remedies. SePRO does not authorize any employee, agent or representative to make any other warranty, guarantee or representation concerning this product.

10 8 10



Stature™

WP Fungicide

FOR USE ON ORNAMENTAL CROPS GROWN IN COMMERCIAL GREENHOUSES AND SHADEHOUSES

ACTIVE INGREDIENTS:

dimethomorph.....	9.0%
mancozeb.....	60.0%
INERT INGREDIENTS.....	31.0%
TOTAL.....	100.0%

EPA Reg. No. 241-411-67690 EPA Est. No. 5905-GA-01
U.S. Patent No. 5,952,496 and Re. 35,985 SC-65-0300

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

In case of emergency endangering health or the environment involving this product, call INFOTRAC at 1-800-535-5053 or 800-832-HELP.

Refer to inside of label booklet for additional Precautionary Information and Directions for Use.

Notice: Read entire label. Use only according to label directions. **Before buying or using this product, read "Warranty Disclaimer" and "Limitation of Remedies"**

Stature™ is a Trademark of BASF
MANUFACTURED FOR:
SePRO Corporation • Carmel, IN 46032 U.S.A.

FIRST AID

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Fungicide

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Do not breathe dust or spray mist. Avoid contact with skin, eyes and clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or disposing of wastes.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. The labeling must be in the possession of the user at the time of fungicide application.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to the leaflet under the "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

STORAGE AND DISPOSAL:

DO NOT contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, well-ventilated area. DO NOT allow to become overheated in storage. Keep container closed when not in use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Net Contents: 3.5 Lbs

PEEL FILM HERE