



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Jeffrey Birk, Ph.D. BASF Corporation 26 Davis Dr. Research Triangle Park, NC 27709

APR 11 2013

Subject:

Notifications; Per PR-Notice 98-10

Pendulum 0.66% Plus Fertilizer
Pendulum 1.15% Plus Fertilizer
Pendulum 0.5% Plus Fertilizer
Pendulum 0.86% Plus Fertilizer
Pendulum 0.86% Plus Fertilizer
EPA Reg. No. 241-423
EPA Reg. No. 241-423
EPA Reg. No. 241-424

Dear Dr. Birk:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated April 9, 2013 for the products referenced above. The Registration Division (RD) has conducted a review of these requests for applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact me at 703 306-0415 or davis.kable@epa.gov.

Sincerely,

Kable Bo Davis Product Manager 25 Herbicide Branch

Registration Division (7505P)

Please read instructions on reverse before compl	eting form.	Form Approved. O	MB No. 2070-006	O. Approval expires 2-28-9
EPA Environmenta	United States al Protection Agency nington, DC 20460	Aı	egistration mendment ther	OPP Identifier Number
	Application for Pest	cide - Section I		
1. Company/Product Number 241-424		A Product Manager le Davis	3. Pr	oposed Classification
4. Company/Product (Name) Pendulum 0.86% Plus Fertilizer	PM# 25			Restricted
5. Name and Address of Applicant (Include ZIP C BASF 26 Davis Drive Research Triangle Park, NC 27709 Check if this is a new eddress	(b)(i) to: EP/	xpedited Reveiw. In , my product is similar A Reg. No duct Name	or identical in co	mposition and labeling
	Section			
Amendment - Explain below, Resubmission in response to Agency lette Notification - Explain below.	r dated	Final printed labels in Agency letter dated "Me Too" Application Other - Explain below	·•	PECATION
Explanation: Use additional page(s) if necessary Notification for Pendulum 0.89% Plus Fertilizer (24 provisions of PR Notice 98-10 and EPA regulations formula of this product. I understand that it is a viol notification is not consistent with violation of FIFRA Contact Jeff Birk at 919-547-2622 (phone), 919-547	1-424) in response to email reque at 40 CFR 152.46, and no other ation of 18 U.S.C. Sec. 1001 to w and I may be subject to enforcen 7-2850 (fax) or by Email at jeffrey	st for minor change, dated changes have been made t illfully make any false state nent action and penalties ur birk@basf.com	o the labeling or the ment to EPA. I furth	confidential statement of ner understand that if this
	Section ·	- [1]		
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes No No ** Certification must be submitted 1. Material This Product Will Be Packaged In: Unit Packaging Yes Yes No No If "Yes" Unit Packaging wgt	Water Soluble Yes No No. per container Package wgt		Type of Container Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Contents Information Lebel Container	4. Size(s) Retail Container	5. Locatio	n of Label Directio	ns
6. Manner in Which Label is Affixed to Product	Lithograph Paper glued Stenciled	Other		
	Section -	IV		
1. Contact Point	for identification of individual to	be contacted, if necessa	ry, to process this	application.)
Name Jeffrey H. Birk	Title Regulatory Ma	nager	Telephone 919-547-2	No. (Include Area Code) 2622
I certify that the statements I have made or I acknowledge that any knowlinglly false or both under applicable law.				6. Date Application Received (Stamped)
2. Signatur	3. Title Regulatory Man	ager		
4. Typed Name Jeffrey H. Birk	5. Date	pril 9, 2013		



April 9, 2013

U.S. Environmental Protection Agency Office of Pesticide Programs (H-7505 P) Document Processing Desk 7504P (NOTIF) One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202 Attn: Mr. Kable Davis (PM 25)

RE:

Pendulum® 0.86% Plus Fertilizer (EPA Reg. No. 241-424)

Label Notification

Dear Mr. Davis:

BASF is hereby submitting a label notification for Pendulum 0.86% Plus Fertilizer (241-424) in response to your email from March 14, 2013 deleting the following inappropriate statement from page 18.

Pendulum 0.86% Plus Fertilizer may be used on plant species not listed on this label. The suitability for such uses should be determined by treating a small number of such plants at the specified rate. Treated plants should be evaluated 1-2 months following treatment for possible injury. TO THE FULLEST EXTENT PERMITTED BY LAW, THE USER ASSUMES RESPONSIBILITY FOR ANY CROP DAMAGE OR OTHER LIABILITY.

Enclosed please find:

- Application form 8570-1
- Email dated March 14, 2013
- Pendulum 0.86% Plus Fertilizer label.

No PRIA fee is required for this notification.

Thank you for your assistance with this matter. If you should have any questions, please feel free to call me at (919) 547-2622.

Regards.

Jeffrey H. Birk, Ph.D. Regulatory Manager Phone 919-547-2622

Fax: 919-547-2850

Email: ieffrey.birk@basf.com

NOTIFICATION

APR 1 1 2013

Group 3 Herbicide

Pendulum[®] 0.86% Plus Fertilizer Preemergence Weed Control

0.86% pendimethalin + X-X-X Fertilizer

FOR USE ON TURFGRASSES AND ESTABLISHED LANDSCAPE ORNAMENTALS NOT FOR USE IN ORGANIC CROP AND FOOD PRODUCTION IN CALIFORNIA

Active Ingredient: pendimethalin: N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobe Other Ingredients: Total:	<u>99</u> .14%
EPA Reg. No. 241-424	EPA Est. No.
GUARANTEED A	NALYSIS
Total Nitrogen (N)	X.X%X.X% d Urea, and Muriate of Potash

KEEP OUT OF REACH OF CHILDREN CAUTION/PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

In case of an emergency endangering life or property involving this product, call day or night 1-800-832-HELP (4357).

See inside for additional First Aid, Precautionary Statements, Directions For Use, Conditions of Sale and Warranty, and state-specific crop and/or use site restrictions.

Net Contents:

BASF Corporation 26 Davis Drive Research Triangle Park, NC 27709



The Chemical Company (1)

	FIRST AID
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison control center or doctor. DO NOT give anything by mouth to an unconscious person.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	 Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eyes. Call a poison control center or doctor for advice.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or ambulance; then give artificial respiration, preferably by mouth to mouth if possible. Call a poison control center or doctor for advice.
	HOTLINE NUMBER

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION. Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing dust.

treatment. You may also contact BASF Corporation for emergency medical treatment information:

Personal Protective Equipment (PPE)

Some materials that are chemically resistant to this product are listed below. If you want more options, follow the instructions for **Category A** on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves made of waterproof material, such as butyl rubber ≥14 mils, nitrile rubber ≥14 mils, or neoprene rubber ≥14 mils
- · Shoes plus socks
- Protective eyewear

1-800-832-HELP (4357).

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.



ccic

(650)

Environmental Hazards

This product is toxic to fish. **DO NOT** apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. **DO NOT** contaminate water when disposing of equipment washwaters or rinsate.

For Florida Only:

- DO NOT apply near water, storm drains or drainage ditches.
- DO NOT apply if heavy rain is expected.
- Apply only to lawn, and sweep any product that lands on the driveway, sidewalk or street, back onto lawn.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This label must be in the possession of the user at time of pesticide application.

BASF Corporation does not recommend or authorize the use of this product in manufacturing, processing or preparing custom blends with other products for application to turf or ornamentals.

DO NOT apply Pendulum[®] 0.86% Plus Fertilizer in greenhouses, shadehouses or other enclosed structures.

NOT FOR USE on grass grown for commercial seed production.

DO NOT apply this product through any irrigation system. Keep children and pets out of treated area until dust has settled.

DO NOT allow dust to drift from the application site and contact people, structures people occupy at any time and the associated property, parks and recreation areas, nontarget crops, aquatic and wetland areas, woodlands, pasture, rangeland, or animals.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves made of waterproof material, such as butyl rubber ≥14 mils, nitrile rubber >14 mils, or neoprene rubber >14 mils
- · Shoes plus socks

NONAGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

DO NOT enter or allow others to enter the treated area until dusts have settled.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP INJURY, OR RESIDUES.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

Pesticide Storage

DO NOT store above 120° F. Store in original container and keep closed. Store in a cool, dry place.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container Handling

(for paper or plastic bags)

Nonrefillable Container. DO NOT reuse or refill this container. After completely emptying container into application equipment, dispose of empty bag in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Observe all cautions and limitations on this label and the labels of products used in combination with Pendulum® 0.86% Plus Fertilizer. The use of Pendulum 0.86% Plus Fertilizer not consistent with this label can result in injury to crops, animals, or persons. Keep containers closed to avoid spills and contamination.

Product Information

Pendulum 0.86% Plus Fertilizer is a combination preemergence herbicide and fertilizer formulated to provide control of most annual grasses and certain broadleaf weeds found in any turfgrass site (lawns, sod, turf areas). Examples of such sites include, but are not limited to: golf courses, lawns in residential, commercial establishments, or grounds around military or other institutions, parks, airports, roadsides, schools or cemeteries; athletic fields or recreational areas; prairiegrass areas; and sod farms.

Pendulum 0.86% Plus Fertilizer can be used around established ornamentals in the landscape and in established wildflower plantings. Pendulum 0.86% Plus Fertilizer may be used for hardwood and conifer regeneration on conservation reserve program land or similar areas.

Pendulum 0.86% Plus Fertilizer is labeled for use on the following turfgrass species:

Kentucky bluegrass, perennial ryegrass, fine fescue, tall fescue, bentgrass, *Poa annua* (except putting greens and tees), Bermudagrass, St. Augustinegrass, Bahiagrass, centipedegrass, zoysiagrass, and blands of these grasses.

Pendulum 0.86% Plus Fertilizer controls weeds as they germinate but will not control established weeds. Therefore, areas to be treated should be free of established weeds. Unusually cold, excessively wet, or hot and dry conditions that delay germination or extend germination over a long period of time can reduce wood control.

Application Instructions

Apply product uniformly at the specified rate using a properly calibrated spreader. The efficacy of **Pendulum® 0.86% Plus Fertilizer** will be improved if the application is followed by 1/2 inch of rainfall or its equivalent in sprinkler irrigation. This will remove the product from the turfgrass foliage and establish a preemergent herbicide barrier in the soil. If **Pendulum 0.86% Plus Fertilizer** is not activated by rainfall or irrigation within 30 days, erratic weed control may result.

Avoid contact of product with porous surfaces such as driveways, stone, or wood. Removing particles will help prevent staining.

Pendulum 0.86% Plus Fertilizer can be applied before or after postemergence herbicides used to control emerged weeds in turfgrasses. For annual grass control, applications can be made with Segment® herbicide, Acclaim Extra® herbicide, or MSMA-containing products to control emerged weeds. Broadleaf weeds can be controlled using Trimec® herbicide; Three-Way™ herbicide; 2,4-D; and other similar products.

Applied according to label directions and under normal growing conditions, **Pendulum 0.86% Plus Fertilizer** will not cause injury to desirable plants. Overapplication can result in stand loss, plant injury, or soil residues. Uneven application can decrease weed control or cause plant injury.

Seedling diseases, cold weather, excessive moisture, high soil pH, high soil salt concentration, or drought can weaken seedlings and plants and increase the possibility of plant damage from **Pendulum 0.86% Plus Fertilizer**.

Apply with properly calibrated spreader equipment to provide uniform distribution. Check application routinely to determine proper calibration. Avoid overlaps that will increase rates above those specified. Avoid application when winds may cause drift.

Spreader Settings

Spreader Type	<u>Settings</u>	
Χ	XXX	
Υ	XXX	
Z	XXX	

Maximum Application Rate by Use Site

Use Site	lbs Product/A	lbs Product/1000 ft ²	lbs a.i./A
Residential and Sod Farm Turf	233	5.3	2.0
Golf Course, Commercial and other Non-residential Turf Sites	349	8.0	3.0

Residential is defined as turf in any residential situation as well as home lawns, schools, parks and playgrounds.

Florida Specific Requirements for Fertilizer Use

For applications to sports turf at golf courses, parks and athletic fields:

DO NOT exceed fertilizer rates recommended in the document titled SL 191, "Recommendations for N, P, K and Mg for Golf Course and Athletic Field Fertilization Based on Mehlich I Extractant" dated March 2007. Copies may be downloaded from http://edi.ifas.ufl.edu/SS404.

Follow "Best Management Practices for the Enhancement of Environmental Quality on Florida Golf Courses," published by the Florida Department of Environmental Protection, dated January 2007. Copies may be downloaded from http://www.dep.state.fl.us/water/nonpoint/pubs.htm.

For all fertilizer uses other than as a specialty fertilizer on urban turf:

DO NOT exceed rates recommended in the document titled Best Management Practices for Protection of Water Resources in Florida, June 2002, Florida Green Industries. This document may be downloaded from http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book.

Weeds Controlled

Pendulum® 0.86% Plus Fertilizer provides preemergence control of weed species listed. Applications can be made around and over the top of ornamentals and to sites listed on this label.

Grasses Controlled		
Common Name	Scientific Name	
Barnyardgrass	Echinochloa crus-galli	
Bluegrass, Annual	Poa annua	
Crabgrass	Digitaria spp.	
Crowfootgrass	Dactyloctenium aegyptium	
Foxtail, Giant	Setaria faberi	
Foxtail, Green	Setaria viridis	
Foxtail, Yellow	Setaria glauca	
Goosegrass	Eleusine indica	
Itchgrass	Rottboellia exaltata	
Johnsongrass (from seed)	Sorghum halepense	
Junglerice	Echinochloa colona	
Lovegrass (from seed)	Eragrostis spp.	
Panicum, Browntop	Panicum fasciculatum	
Panicum, Fall	Panicum dichotomiflorum	
Panicum, Texas	Panicum texanum	
Sandbur, Field	Cenchrus incertus	
Signalgrass	Brachiaria platyphylla	
Sprangletop, Mexican	Leptochloa uninervia	
Sprangletop, Red	Leptochloa filiformis	
Witchgrass	Panicum capillare	
Woolly Cupgrass	Eriochloa villosa	

Broadleaf Weeds Controlled Scientific Name **Common Name** Burweed, Lawn Soliva pterosperma Mollugo verticillata Carpetweed Chickweed, Common Stellaria media Chickweed, Mouseear Cerastium vulgatum Clover, Hop Trifolium procumbens Cudweed Gnaphalium spp. Oenothera biennis Evening primrose Amsinckia intermedia Fiddleneck Filaree Erodium spp. Henbit Lamium amplexicaule Knotweed, prostrate Polygonum aviculare Kochia scoparia Kochia Lambsquarters Chenopodium album Amaranthus spp. Pigweed Puncturevine Tribulus terrestris Portulaca oleracea Purslane Pusley, Florida Richardia scabra Rocket, London Sisymbrium irio Shepherdspurse Capsella bursa-pastoris Polygonum pensylvanicum Smartweed, Pennsylvania Speedwell, Corn Veronica arvensis Spurge, Annual Euphorbia spp. Spurge, Prostrate Chamaesyce humistrata Woodsorrel, Yellow Oxalis stricta Velvetleaf (Buttonweed) Abutilon theophrasti

Turfgrass

Residential, Golf Course, Commercial and other Non-residential Sites

Application Rates For Preemergence Weed Control¹

Turfgrass Species	Weed	Pendulum [®] 0.86% Plus Fertilizer Rate	Comment
Cool-season Grass			
Bluegrass, Kentucky Fescue, fine Fescue, tall Ryegrass, perennial	crabgrass foxtail Poa annua barnyardgrass fall panicum oxalis prostrate spurge purslane knotweed evening primrose hop clover	All Turf Uses 175-233 lbs/acre as the initial application before weed germination in the spring	Apply a repeat application of 116-175 lbs/acre after 5-8 weeks for extended control or where heavy weed infestations are expected.
	goosegrass	Residential and Sod Farm Turf Uses Only ² 175-233 lbs/acre in the spring before weed germination	Apply a repeat application of 116 lbs/acre after 5-8 weeks if the lower rate was used initially or for extended goosegrass control.
		Golf Course, Commercial and other Non-residential Turf Sites 175-349 lbs/acre in the spring before weed germination	
	cudweed Poa annua chickweed lawn burweed henbit corn speedwell	All Turf Uses 175-233 lbs/acre	Apply in late summer or early fall before weed germination. Apply a repeat application of 175-233 lbs/acre after 5-8 weeks for extended Poa annua control.

Application Rates For Preemergence Weed Control¹(continued)

Turfgrass Species	Weed	Pendulum [®] 0.86% Plus Fertilizer Rate	Comment
Cool-season Grass (co	ontinued)		
Bentgrass or established <i>Poa annua</i> ³ (1/2 inch or taller)	crabgrass foxtail Poa annua barnyardgrass fall panicum oxalis prostrate spurge purslane knotweed evening primrose hop clover	All Turf Uses (Non-greens and Tees) 175 lbs/acre in the spring before weed germination	Apply a repeat application of 116-175 lbs/acre after 5-8 weeks where heavy weed infestations are expected.
	goosegrass	All Turf Uses (Non-greens and Tees) 175 lbs/acre in the spring before weed germination	Apply a repeat application of 175 lbs/acre after 5-8 weeks for extended control.
	cudweed Poa annua chickweed lawn burweed henbit corn speedwell	All Turf Uses (Non-greens and Tees) 175-233 lbs/acre	Apply in late summer or early fall before weed germination.

Application Rates For Preemergence Weed Control¹(continued)

Turfgrass Species	Weed	Pendulum [®] 0.86% Plus Fertilizer Rate	Comment
Warm-season Grass			
Bahiagrass Bermudagrass Buffalograss Centipedegrass Fescue, tall St. Augustinegrass Zoysiagrass	crabgrass foxtail Poa annua barnyardgrass fall panicum oxalis prostrate spurge purslane knotweed evening primrose hop clover	Residential and Sod Farm Turf Uses Only ² 175-233 lbs/acre in the spring before weed germination Golf Course, Commerical and other Non-residential Turf Sites 175-349 lbs/acre in the spring before weed germination	Apply a repeat application of 116-175 lbs/acre after 5-8 weeks if necessary.
	goosegrass	All Turf Uses (Non-greens and Tees) 175 lbs/acre before weed germination in the spring. Apply a repeat application of 175-233 lbs/acre after 5-8 weeks.	An additional application of 175 lbs/acre may be applied for extended goosegrass control 8 weeks after the second application.
	cudweed Poa annua chickweed lawn burweed henbit corn speedwell	All Turf Uses 175-233 lbs/acre	Apply in late summer or early fall before weed germination. Apply a repeat application of 175-233 lbs/acre after 5-8 weeks for extended <i>Poa annua</i> control.

¹ DO NOT exceed a maximum rate of 233 pounds per acre per application for use on residential turfgrass and sod farm turfgrass.

DO NOT exceed a maximum rate of 349 pounds per acre per application for use on golf course turfgrass, commercial or other non-residential turfgrass sites.

Residential is defined as turf in any residential situation as well as home lawns, schools, parks and playgrounds.

Turfgrass Precautions

Use on well-established turfgrass with a dense and uniform stand. On newly planted areas, application should not be made until turfgrass has filled in and been mowed at least 4 times. On turf thinned or damaged because of winter injury, excessive moisture, etc., allow for turf recovery before making an application.

Applications made to overseeded warm-season turfgrass may cause thinning or injury of the overseeded species.

DO NOT use on bentgrass or *Poa annua* greens and tees or injury may occur.

Delay reseeding or winter overseeding of treated turfgrass for at least three (3) months following the last **Pendulum® 0.86% Plus Fertilizer** application. Delay sprigging turfgrass for five (5) months after application.

Industrial (Unimproved) Turf

Industrial or unimproved turf areas often have a different spectrum of weeds to control than those found in fine turf. **Pendulum 0.86% Plus Fertilizer** will control annual grasses and broadleaf weeds listed for cool-season and warm-season grass, and the following weeds that might germinate in established grass in rights-of-way, roadsides, construction sites, parks, substations, lots, or similar areas: crowfootgrass, itchgrass, Johnsongrass (from seed), junglerice, lovegrass (from seed), browntop panicum, Texas panicum, field sandbur, signalgrass, Mexican sprangletop, red sprangletop, witchgrass, woolly cupgrass, carpetweed, fiddleneck, filaree, kochia, lambsquarters, pigweed, puncturevine, Florida pusley, London rocket, shepherdspurse, Pennsylvania smartweed, annual spurge, and velvetleaf

Apply before weeds germinate. Use a postemergence herbicide such as 2,4-D; MCPA; MSMA; or similar product to control established weeds.

Landscape and Grounds Maintenance

Pendulum 0.86% Plus Fertilizer can be incorporated into landscape and grounds maintenance programs to provide extended preemergence control of most annual grasses and certain broadleaf weeds. Areas to be treated include but are not limited to established trees or ornamentals in the landscape or in mulch beds; or other commercially maintained landscape areas such as borders, around statuary or monuments in parks or in parking areas. If emerged weeds are present at time of application, either shallow cultivate to destroy existing weeds or, where practical, remove by hand or apply a postemergence product labeled for such use before an application of Pendulum 0.86% Plus Fertilizer. Pendulum 0.86% Plus Fertilizer may be used before or after application of herbicides registered for postemergence use (i.e. Segment® herbicide, Roundup PRO® herbicide or Finale® herbicide) for the control of established weeds.

DO NOT apply sprays containing Roundup[®] herbicide or Finale over the top of desirable plants, and follow label restrictions. A Pendulum 0.86% Plus Fertilizer treatment may be followed by any registered herbicide to control weeds not listed on the Pendulum 0.86% Plus Fertilizer label.

Ornamental Bulbs

Pendulum 0.86% Plus Fertilizer may be applied for control of susceptible annual weeds in ornamental bulbs listed on the label (crocus, daffodil (narcissus), gladiolus, tulip, etc.). Apply Pendulum 0.86% Plus a Fertilizer before, during or after bulb emergence. If weeds have already germinated, use a labeled postemergence herbicide to control emerged weeds.

Wildflowers

Pendulum 0.86% Plus Fertilizer may be applied for control of susceptible annual weeds in plantings of the wildflowers listed on the label (black-eyed Susan, California poppy, coreopsis, oxeye daisy, etc.).

Pendulum 0.86% Plus Fertilizer may be applied to established perennial wildflowers before emergence of weeds or wildflowers. For wildflowers being established from seed, apply Pendulum 0.86% Plus Fertilizer after wildflowers have emerged but before weed germination. If weeds have already germinated, use a labeled postemergence product to control emerged weeds.

· (;

14/22

Because of the diversity of species and varieties which exist in areas where wildflowers are grown, the response to **Pendulum**[®] **0.86% Plus Fertilizer** may vary greatly. Carefully test desirable species to determine if area-wide applications can be made.

Ornamental Precautions

Apply **Pendulum 0.86% Plus Fertilizer** to established plantings. Care must be taken that soil or planting mixes have settled firmly following transplanting and that there are no cracks that would allow direct contact of **Pendulum 0.86% Plus Fertilizer** with roots. Applications where soil and media surfaces are uniformly covered will result in best weed control and ornamental tolerance. Plant only those desirable plant species listed on this label into soil treated the previous season with **Pendulum 0.86% Plus Fertilizer** or injury may occur.

Tolerant Ornamental Species

Pendulum 0.86% Plus Fertilizer is safe around and over the top of the established plants listed below.

Trees		
Common Name	Scientific Name	
Alder, European Black	Alnus glutinosa	
Apple	Malus spp.	
Arborvitae, American	Thuja occidentalis	
Arbutus	Arbutus spp.	
Ash, Red	Fraxinus pennsylvanica	
Ash, White	Fraxinus americana	
Aspen, Bigtooth	Populus grandidentata	
Aspen, Quaking	Populus tremuloides	
Basswood	<i>Tilia</i> spp.	
Birch, European Weeping	Betula pendula	
Birch, River	Betula nigra	
Buckeye, Red	Aesculus pavia	
Cedar, White	Thuja occidentalis	
Chamaecyparis, Boulevard	Chamaecyparis pisifera	
Cherry, Black	Prunus serotina	
Cherry, Choke	Prunus virginiana	
Cherry, Kwanzan	Prunus serrulata	
Cherry, Nanking	Prunus tomentosa	
Cottonwood	Populus deltoides	
Crabapple	Malus spp.	
Crape Myrtle	Lagerstroemia indica	
Cryptoméria, Japanese Cedar	Cryptomeria japonica	
Cypress, Bald	Taxodium distichum	
Cypress, Leyland	Cupressocyparis leylandii	
Dogwood, Flowering	Comus florida	
Dogwood, Korean	Cornus kousa	
Dogwood, Shrub	Cornus spp.	
Dogwood, Silky	Cornue amomum	
∃lm	Ulmus japonica	
Fir, Balsam	Abies balsamae	
Fir, Douglas	Pseudotsuga menziesii	
Fir, Fraser	Abies fraseri	
Fir, White	Abies concolor (care	
Franklinia	Franklinia spp.	
Ginkgo	Ginkao hiloha	
Gum, Black	Nyssa sylvatica	
Gum, Sour	Nyssa sylvatica	
Haw, Black	Viburnum prunifolium	
Hawthorn	Crataegus spp	
, ,	Orataegus app.	

(continued)

Trees (continued)	
Common Name	Scientific Name
Hemlock, Canada	Tsuga canadensis
Hemlock, Eastern	Tsuga canadensis
Holly, American	llex opaca
Honeylocust	Gleditsia triacanthos
Lilac, Common	Syringa vulgaris
Lilac, Japanese Tree	Syringa reticulata
Linden	Tilia spp.
Magnolia, Saucer	Magnolía soulangiana
Magnolia, Southern	Magnolia grandiflora
Magnolia, Star	Magnolia stellata
Maidenhair Tree	Ginkgo biloba
Maple, Paper-bark	Acer griseum
Maple, Norway	Acer platanoides
Maple, Japanese	Acer palmatum
Maple, Red	Acer rubrum
Maple, Sugar	Acer saccharum
Nannyberry, Rusty	Viburnum rufidulum
Oak, Chinquapin	Quercus muehlenbergii
Oak, Live	Quercus virginiana
Oak, Pin	Quercus palustris
Oak, Red	Quercus rubra
Oak, Swamp Chestnut	Quercus michauxii
Oak, Water	Quercus nigra
Oak, White	Quercus alba
Oak, Willow	Quercus phellos
Olive	Olea europaea
Palm, Date	Phoenix spp.
Palm, Fan	Washingtonia spp.
Palm, Pindo	Butia spp.
Palm, Washington	Washingtonia spp.
Peach Parkers	Prunus persica
Pear, Bradford	Pyrus calleryana 'Bradford'
Pecan Pina Austrian	Carya illinoensis
Pine, Austrian	Pinus nigra
Pine, Italian Stone	Pinus pinea
Pine, Loblolly	Pinus taeda
Pine, Monterey	Pinus radiata
Pine, Red	Pinus resinosa
Pine, Scotch	Pinus sylvestris
Pine, Virginia	Pinus virginiana
Pine, White	Pinus strobus Prunus cerasifera
Plum, Purple Leaf	. rando cordonora
Poplar, Black	r opulus riigia
Redcedar, Eastern	camporas virginiaria
Redcedar, Western Red Ironbark	rriaja piloata
	Eucalyptus sideroxylon 'Rosea'
Redwood, Dawn	Metasequoia glyptostroboides.
Sequoia, Giant Serviceberry	Sequoiadendron giganteum Amelanchier laevis
Sourwood	Oxydendrum arboreum
•	Oxydendrum arboreum
Spruce, Colorado Blue	ricea pungens
Spruce, Dwarf Alberta Spruce, Norway	Picea glauca 'Albertiana'
Spiace, Noiway	i icea aules

(continued

Tolerant Ornamental S	Species	(continued)
Tolerani Omanieman	Shecies	(continuea),

Common Name	Scientific Name
Spruce, White	Picea glauca
Sweetgum	Liquidambar styraciflua
Sycamore	Platanus occidentalis
Trachycarpus	Trachycarpus spp.
Tulip tree	Liriodendron tulipifera
Walnut, Black	Juglans nigra
Willow, Weeping	Salix babylonica
Yellowwood	Cladrastis lutea

Shrubs	<u> </u>
Common Name	Scientific Name
Abelia, Glossy	Abelia grandiflora
Aucuba, Gold	Aucuba japonica
Azalea	Rhododendron spp.
Bamboo, Heavenly	Nandina domestica
Barberry	Berberis gladwynensis
Barberry, Japanese	Berberis thunbergii
Blue Indigo Bush	Dalea gregii
Bottlebrush, Lemon	Callistemon citrinus
Boxwood, Common	Buxus sempervirens
Boxwood, Japanese	Buxus microphylla
Brittlebush	Encelia farinosa
Buttonbush	Cephalanthus occidentalis
Camellia	Camellia japonica
Cape Jasmine	Gardenia jasminoides
Cassia, Feathery	Cassia artemisioides
Cordyline	Cordyline spp.
Correa	Correa spp.
Cotoneaster	Cotoneaster apiculatus
Cotoneaster, Bearberry	Cotoneaster dammeri
Cotoneaster, Rock	Cotoneaster horizontalis
Cypress, Italian	Cupressus sempervirens
Cypress, Leyland	Cupressocyparis leylandii
Deutzia, Slender	Deutzia gracilis
Dogwood, Red Twig	Cornus sericea
Elaeagnus	Elaeagnus ebbingei
Escallonia	Escallonia fradesii
Euonymus	Euonymus fortunei
Euonymus, Golden	Euonymus japonica
Euonymus, Winged	Euonymus alata
Firethorn	Pyracantha coccinea
Forsythia, Border	Forsythia intermedia
Fragrant Olive	Osmanthus fragrans ç ccc
Fuchsia, California	Zauschineria californica
Gardenia	Gardenia jasminoides
Hawthorne, Indian	Raphiolepis indica
Hibiscus	Hidiscus syriacus
Holly, Chinese	llex cornuta
Holly, Fosters	Ilex attenuata 'Fosteri'
Holly, Japanese	llex crenata
Holly, Savannah	llex attenuata
Holly, Yaupon	llex vomitoria
•	the contract of the contract o

(continued)

ommon Name	Scientific Name
oneysuckle, Bush	Diervilla Ionicera
ppseed Bush	Dodonaea viscosa
pbush	Dodonaea viscosa
drangea	Hydrangea macrophylla
niper	<i>Juniperus</i> spp.
niper, Chinese	Juniperus chinensis v. pfitzer
niper, Shore	Juniperus conferta
niper, Trailing	Juniperus horizontalis
urel, Cherry	Prunus laurocerasus
urel, Mountain	Kalmia latifolia
urel, Otto Luyken	Prunus laurocerasus
urel, Schipka	Prunus schipkanensis
urustinus	Viburnum tinus -
vender, English	Lavandula angustifolia
ucothoe	Leucothoe fontanesiana
ucothoe, Coast	Leucothoe axillaris
ac, Cut-leaf	Syringa laciniata
y-of-the-Nile	Agapanthus africanus
ahonia	Mahonia aquifolium
ock Orange	Pittosporum tobira
rtle, Compact	Myrtus communis
rrtle, Wax	Myrica cerifera
ındina	Nandina domestica
eander	Nerium oleander
egon Grape	Mahonia aquifolium
manthus	Osmanthus fragrans
lm, European Fan	Chamaerops humilis
lm, Mediterranean Fan	Chamaerops spp.
lox, Prickly	Leptodactylon californicum
otinia, Fraser	Photinia x fraseri
eris, Japanese	Pieris japonica
ne, Mugo	Pinus mugo
um, Natal	Carissa grandiflora
vet, California	Ligustrum ovalifolium
vet, Glossy	Ligustrum lucidum
vet, Variegated	Ligustrum sinensis
vet, Waxleaf	Ligustrum japonicum
racantha	Pyracantha coccinea
ince, Flowering	Chaenomeles japonica
nger, Texas	Leucophyllum frutescens
droot	Ceanothus spp.
ododendron	Rhododendron spp.
bira	Pittosporum tobira
se isa Blast	Rosa spp.
ice Plant	Illicium parviflorum
irea	Spiraea vanhouttei
irea, Anthony Waterer	Spiraea ionania
irea, Japanese	Spiraea japonica
veet Bay	Laurus nobilis
umpet Bush	Tecoma stans
rbena, Lemon	Аюузіа шрпуна
purnum	Viburnum suspensum
ex	Vitex spp.

(continued)

Shrubs (continued)	
Common Name	Scientific Name
Weigela	Weigela florida
Wild Lilac	Ceanothus spp.
Wisteria	Wisteria spp.
Xylosma	Xylosma congestum
Yellowbells	Tecoma stans
Yew	Taxus media
Yew, Japanese	Taxus cuspidata
Yew, Southern	Podocarpus macrophyllus
Yucca, Adam's Needle	Yucca filamentosa
Yucca, Weeping	Yucca pendula

Ground Covers

Common Name	Scientific Name
Ajuga	Ajuga reptans
Baby Sun Rose	Aptenia cordifolia
Beach Strawberry	Fragaria chiloensis
Capeweed	· Arctotheca calendula
Cinquefoil, Spring	Potentilla verna
Coyotebrush, Dwarf	Baccharis pitularis
Daisy, Trailing African	Osteospermum fruticosum
Dymondia	Dymondia margaretae
Gazania	Gazania splendens
Iceplant, Large Leaf	Carpobrotus edulis
lvy, English	Hedera helix
Ivy, Geranium	Pelargonium peltatum
Jasmine, Asiatic	Trachelospermum asiaticum
Jasmine, Primrose	Jasminum mesnyi
Jessamine, Carolina	Gelsemium sempervirens
Manzanita, Bearberry	Arctostaphylos uva-ursi
Miscanthus	Miscanthus spp.
Mondograss	Ophiopogon japonica
Morningglory	Convolvulus spp.
Myoporum	Myoporum parviflolium
Pachysandra	Pachysandra terminalis
Periwinkle, Common	Vinca minor
Potentilla	Potentilla fruticosa
Red Apple	Aptenia cordifolia
Rosemary	Rosemarinus officinalis
Rose-of-Sharon	Hypericum calycinum
Sand Strawberry	Fragaria chiloensis
Sedum	Sedum spurium
St. Johnswort, Creeping	Hypericum calycinum ',,,,,'
Stonecrop	Sedum spurium
Verbena, Peruvian	Verbena peruviana
Vervain	Verbena peruviana
Vetch, Crown	Vicia sativa
Vinca or Greater Periwinkle	Vinca major CCCCC
Wintercreeper	Euonymous fortunei

Perennials	
Common Name	Scientific Name
Acacia	Acacia redolens
Asparagus	Asparagus spp.
Aster, New York	Aster novi-belgii
Aster, Stokes	Stokesia laevis
Astilibe (False Spirea)	Astilibe spp.
Babys Breath	Gypsophila elegans
Beard-tongue	Penstemon spp.
Bellflower	Campanula spp.
Bird of Paradise	Caesalpinia pulcherrima
Black-eyed Susan	Rudbeckia hirta
Blanket Flower	Gaillardia x grandiflora
Bleeding Heart	Dicentra spectabilis
Butterfly Weed	Asclépias tuberosa
California Poppy	Eschscholzia california
Calla Lily	Zantedeschia aethiopica
Canna, Common Garden	Canna generalis 'Lucifer'
Carex	Carex spp.
Cast Iron plant	Aspidistra elatior
Chincherinchee	Ornithogalum thyrsoides
Clover, Crimson	Trifolium incarnatum
Columbine	Aquilegia 'McKana Giant'
Coreopsis	Coreopsis lanceolata
Crinum Lily	Crinum spp.
Crocus	Crocus spp.
Daffodil	Narcissus spp.
Daylily	Hemerocallis spp.
False dragonhead	Physostegia virginiana
Fairy Duster	Calliandra eriophylla
Fern, Asparagus	Asparagus officinalis
Fern, Boston	Nephrolepis exaltata
Fern, Leatherleaf*	Rumohra adiantiformis
Fern, Tree	Asparagus virgatus
Fortnight Lily	Moraea spp.
Foxglove, Common	Digitalis purpurea
Freesia	Freesia x hybrida
Fuchsia, Arizona	Zauschneria californica
Gayfeather	Liatris spp.
Gaillardia	Gaillardia pulchella
Geum	Geum spp.
Gladiolus	Gladiolus spp.
Heather, Dwarf	Calluna vulgaris
Hosta	Hosta spp.
Hyssop, Sunset	Agastache rupestris
Indian Blanket	Gaillardia pulchella
Lantana, Weeping	Lantana montevidensis

(continued)

Doronicum cordatum

Lillium spp.
Liriope muscari
Liriope spicata

Liriope muscari

Lysimachia punctata

Coreopsis verticillata

Crocosmia crocosmiiflora

Leopards Bane

Liriope, Big Blue Liriope, Creeping Liriope, Variegated

Loosestrife, Garden

Montbretia

Moonbeam

Lily

Perennials (continued)	
Common Name	Scientific Name
Nightshade	Solanum spp.
Orchid, Peacock	Acidanthera bicolor
Oxeye Daisy	Chrysanthemum leucanthemum
Peony, Chinese	Paeonia lactiflora
Purple Coneflower	Echinacea purpurea
Purple Loosestrife	Lythrum virgatum
Rosemary	Rosmarinus officinalis
Ruscus, Israeli	Ruscus hypophyllum
Sage, Russian	Perovskia atriplicifolia
Sedge	Carex spp.
Shasta Daisy	Chrysanthemum x superbum
Sweet Flag	Acorus calamus
Texas Bluebonnet	Lupinus texenis
Tickseed	Coreopsis lanceolata
Tulip .	<i>Tulipa</i> spp.
Twinspur	Diasciascia barbaerae
Wonder Flower	Ornithogalum thyrsoides
Yarrow	Achillea millefolium
Zephyr Lily	Zephyranthes spp.

^{*}Applications of **Pendulum® 0.86% Plus Fertilizer** to immature ferns (during periods of new growth of fronds) may result in some injury.

Ornamental Grass	
Common Name	Scientific Name
Beach Grass	Ammophila breviligulata
Fescue, Blue	Festuca ovina
Fescue, Sheep	Festuca ovina
Fountain Grass	Pennisetum setaceum
Pampas Grass	Cortaderia selloana
Reed Canary Grass	Phalaris arundinacea
Reed, Giant	Arundo spp.
Ribbon Grass	Phalaris arundinacea
Tufted Hair Grass	Deschampsia caespitosa

Bedding Plants*

Common Name	Scientific Name
Ageratum	Ageratum houstonianum
Alyssum	Alyssum saxatile
Anemone, Poppy-flowered	Anemone coronaria
Artemesia	Artemesia spp.
Balloonflower	Platycodon grandiflorum
Begonia	Begonia spp.
Cabbage, Ornamental	Brassica oleracea
Caladium	Caladium spp.
China Aster	Callistephus chinensis
Crocosmia, Montebretia	Crocosmia x crocosmiiflora
Dahlia	Dahlia spp.
Dianthus	Dianthus barbatus
Dusty Miller	Senecio cineraria
Gazania, Trailing	Gazania rigens leucolaena
Gazania, Treasure Flower	Gazania rigens
Geranium	Geranium spp.
Gloxinia	Gloxinia simningia
Impatiens	<i>Impatiens</i> spp.
Kale, Ornamental	Brassica napus
Marigold, African	Tagetes erecta
Moss Rose	Portulaca grandiflora
Mum, Garden	Chrysanthemum spp.
Pansy, Garden	Viola x wittrockiana
Periwinkle, Rose	Catharanthus roseus
	or <i>Vinca rosea</i>
Petunia	Petunia spp.
Plumosa Cockscomb	Celosia cristata
Portulaca	Portulaca grandiflora
Salvia	Salvia splendens
Snapdragon	Antirrhinum majus
Statice	Limonium spp.
Sweet William	Dianthus barbatus
Vinca or Periwinkle	Catharanthus roseus
Zinnia	Zinnia spp.

^{*}After planting bedding plants and before **Pendulum® 0.86% Plus Fertilizer** is applied, the area to be treated should be watered sufficiently to pack soil around roots.

DO NOT treat plants grown for food or feed.

DO NOT use treated plants for food or feed.

Conditions of Sale and Warranty

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Pendulum and **Segment** are registered trademarks of BASF.

Acclaim Extra and Finale are registered trademarks of Bayer Environmental Sciences.

Roundup and **Roundup PRO** are registered trademarks of Monsanto Company.

Three-Way is a trademark of Lesco Inc.

Trimec is a registered trademark of PBI/Gordon Corporation.

© 2013 BASF Corporation All rights reserved.

000241-00424.20130320.**NVA 2013-04-123-0057** Supersedes: NVA 2012-04-123-0186

> BASF Corporation 26 Davis Drive Research Triangle Park, NC 27709



The Chemical Company ...