

# A.F.C. POISON CANARY SEED STRYCHNINE SULPHATE

**DANGER: KEEP OUT OF REACH OF CHILDREN**

**ACTIVE INGREDIENT:**

Strychnine Sulphate ..... 0.5%

**INERT INGREDIENTS:** ..... 99.5%

TOTAL ..... 100.0%

Red →



**POISON**  
DIRECTIONS



**MOUSE CONTROL IN AND AROUND BUILDINGS** Place teaspoon quantities of bait at 8 to 10 ft. intervals where mice feed, water and/or travel. Place baits in bait boxes constructed of wood or metal, tamper proof and with baffled entrances. Remove all other food sources. Collect and burn or bury all uneaten baits after 72 hours. Collect and burn or bury dead animals. Do not treat the same area with strychnine in less than 60 day intervals.

**NOTE:** This product is not effective against rats.

**DANGER:** Poisonous if swallowed. Baits should be placed in areas not accessible to children, pets, wildlife and domestic animals, or in tamper proof bait boxes.

**ANTIDOTE:** If less than ten minutes have passed since the poison was taken, give a tablespoonful of salt in a glass of warm water. Have victim lie down in a quiet, darkened room and keep him warm. Call a physician immediately.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supply.

ACCEPTED WITH COMMENTS

**AMERICAN FLUORIDE CORPORATION**

New Rochelle, New York 10801

LOT NO

NET WEIGHT

REG. NO. 2552