

AFC PIVALYL CONCENTRATE

ANTI-COAGULANT RAT AND MOUSE KILLER

CAUTION: KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT:

2-Pivalyl-1, 3-Indandione

0.50%

INERT INGREDIENTS

99.50%

TOTAL

100.00%

DIRECTIONS: Thoroughly mix one part by weight of AFC PIVALYL CONCENTRATE with 19 parts of bait material composed of 65% corn meal, 25% steel cut rolled oats, 5% powdered sugar and 5% vegetable oil.

CAUTION: Baits should be placed in areas not accessible to children, pets, wildlife, and domestic animals, or in tamper-proof bait boxes. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified.

PLACEMENT: Place baits in locations where rats and mice feed, water, and/or travel. Bait placement along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable. **FOR RATS,** bait in amounts from 4 to 16 oz. per placement. An uninterrupted supply of bait should be maintained for at least 10 days. **FOR MICE,** tablespoon amounts (1/4 to 1/2 ounce) of bait should be placed at 8 to 12 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days. Baiting should be maintained as long as infestation persists and rodents continue to feed. Where a continuous source of infestation is present (nearby dumps), permanent bait stations should be established and the bait replenished as needed. Bait stations should be checked regularly and refilled before empty. Contaminated or spoiled baits should be replaced promptly.

CAUTION: The active ingredient of AFC Pivalyl Concentrate is an anti-coagulant chemical which, if ingested, may reduce the clotting ability of the blood. AFC Pivalyl Concentrate and baits prepared with it should be carefully guarded against feeding by humans, poultry, livestock or pets. If the bait or the concentrate is ingested, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

NOTE FOR PHYSICIANS: Intravenous injection of Vitamin K₁ is indicated together with administration of blood transfusions.

CONTAINER DISPOSAL: Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

AMERICAN FLUORIDE CORPORATION

NEW ROCHELLE, N.Y. 10801

EPA REG. NO. 255-69



NET WEIGHT: _____

Nov 12, 1973

255-69