



FRONT PANEL

PROPOSED SPECIMEN LABEL

AFC
RESIDUAL SPRAY TYPE B

CONTAINS BAYGON®


AN INSECTICIDE FOR USE IN FOOD PROCESSING PLANTS,
BREWRIES (NON-FOOD AREAS), HOTELS AND OFFICES.
FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY.

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

ACTIVE INGREDIENTS:	BY WEIGHT
2- (1-Methylethoxy) phenol methylcarbamate*	1.0%
Petroleum Distillate	83.0%
INERT INGREDIENTS:	<u>16.0%</u>
TOTAL	100.0%

®U.S. Patent No. 3,111,539

BAYGON is a Reg. TM of the Parent Company of Farbenfabriken Bayer
GmbH, Leverkusen.



(LOGO)

AMERICAN FLUORIDE CORPORATION
New Rochelle, New York 10801



RIGHT PANEL

PROPOSED SPECIMEN LABEL

AFC
RESIDUAL SPRAY TYPE B

CAUTION

May be harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. In case of contact, wash immediately with soap and water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-use.

In case of accidental poisoning, obtain prompt medical aid. To physician: Atropine sulfate is antidotal.

Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not use in the food areas of food handling establishments. Do not store near feed or food products. Avoid contamination of feed, food, food processing equipment, and food handling surfaces. Do not apply to animals. Remove pets and cover fish bowls before spraying. Do not spray plants.

ENVIRONMENTAL CAUTION

This product is toxic to birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DO NOT REUSE EMPTY CONTAINER. DESTROY BY PERFORATING OR CRUSHING. BURY OR DISCARD IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

WARNING—FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME.
N.Y.F.D.C. of A. No. 2563.

RESTRICTION: Do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained. Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor coverings.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA REG. NO. 255-115

EPA EST. 255-NY-1

NET VOLUME:

LOT NO.



PROPOSED SPECIMEN LABEL

AFC
RESIDUAL SPRAY TYPE B

LEFT PANEL

KILLS: Ants, Brown Dog Ticks, Clover Mites, Cockroaches, Crickets,
Earwigs, Fleas, Flies, Gnats, Millipedes, Mosquitoes, Saw-Toothed
Grain Beetles (exposed stages), Scorpions, Silverfish, Sowbugs,
Spiders, Waterbugs.

(LOGO)



REAR PANEL

PROPOSED SPECIMEN LABEL

AFC
RESIDUAL SPRAY TYPE B

GENERAL DIRECTIONS: Apply with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive runoff. Apply to all insect breeding sites and harborages. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

COCKROACHES: Thoroughly treat the infested area. Spray baseboards, cracks and crevices; around windows and door frames; the under surfaces of shelves, drawers and work tables; behind and beneath cabinets, refrigerators, sinks and stoves; in and around waste containers, switch panels, junction boxes, floor drains and other places where cockroaches hide or rest.

ANTS: Apply to trails and places where ants enter premises such as window frames and door sills. Spray hills and runways outdoors.

SILVERFISH: Apply to localized areas infested by these insects.

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, SOWBUGS, SCORPIONS AND SPIDERS: Thoroughly spray the interior and exterior perimeter of the infested premises. For Clover Mites give special attention to window frames.

FLEAS, FLIES, GNATS, MOSQUITOES (outdoors only): Spray infested areas thoroughly outside surfaces of screens, doors, window frames, foundations, patios and other areas where insects may enter.

INSECT CONTROL IN RESEARCH FACILITIES: The use of this product in and around research animal quarters for insect control will not induce changes in liver microsomal enzyme activity in these animals.

(LOGO)

Manufactured By
AMERICAN FLUORIDE CORPORATION
New Rochelle, New York 10801