

FRONT PANEL

A.F.C.
INDOOR FOGGER
TOTAL RELEASE AEROSOL
INSECTICIDE

#255-128

TREATS UP TO 5,000 CUBIC FEET
WITH SINGLE DISCHARGE

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR OTHER CAUTIONARY STATEMENTS

BEST DOCUMENT AVAILABLE

NET CONTENTS: 5 OZ.

02-21-01

00-00-01

44255-128

Total Release Indoor Fogger Aerosol Insecticide will kill exposed and accessible stages of the listed insects: flies, gnats, ants, cockroaches, fleas, silverfish, small flying moths, wasps, spiders, and crickets.

For use in the following areas:

Homes
Hotels
Kitchens

Restaurants
Dairies
Warehouses

Barns
Trucks
Boxcars
Food Processing
Plants

The contents of this container will treat an unobstructed area of approximately 5,000 cubic feet. This is based on utilizing at least one (1) ounce of contents per 1,000 cubic feet. If area is larger, use additional containers.

DIRECTIONS FOR USE:

Remove pets from areas to be treated and close doors and windows. Turn off fans, air conditioners and extinguish all flames. Cover all food and utensils from direct contact with the spray.

Place can on a raised area such as a table; spread paper under the can to protect the area directly beneath the spray head and can. Remove cap, tilting can away from your face. Latch the hook firmly over rim of can by placing the thumb over the arrow and pressing forward (see illustration). Leave the room; the spray will continue until the complete contents have been released. For maximum effectiveness, keep treated area closed for two (2) hours or more, then open windows and doors and allow space to air for thirty (30) minutes.

This product can be used for spot spraying. Do not lock top; spray in short bursts, pointing spray upwards with a circular motion for 5 to 10 seconds for an average room. Keep room closed for 15 to 20 minutes. Then air room out for 15 minutes. Spray directly on roaches, fleas, silverfish and ants wherever possible. Do not use as a one shot type treatment after using manually.

WARNING: When used in an enclosed area, vacate premises during treatment, and ventilate the area once treatment is completed. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Keep out of reach of children.

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

ACTIVE INGREDIENTS:

Pyrethrins	0.500%
*Piperonyl butoxide, technical	1.000%
N-octyl bicycloheptene dicarboximide	1.670%
Petroleum distillate	11.830%

INERT INGREDIENTS:

85.000%

*Equivalent to .80% (butylcarbityl)(6-propylpiperonyl) ether and .20% related compounds.

E.P.A. Reg. No.

American Fluoride Corporation
New Rochelle, New York

BEST DOCUMENT AVAILABLE

6