


[255-138]



PCE
INDUSTRIAL AEROSOL

Non toxic to humans and pets
NON FLAMMABLE NON STAINING
For flying and crawling insects
CAUTION: Keep out of reach
of children. See back panel
for further directions.

		20.00%
Pyrethrins	0.30%	
Technical Piperonyl Butoxide	0.60%	
N-Octyl Bicycloheptene Dicarboximide	1.00%	
Petroleum Distillates	18.10%	
		80.00%
Dichlorodifluoromethane	40.00%	
Trichloromonofluoromethane	40.00%	
Total		100.00%

Equivalent to 0.48% (butylcarbityl) (6 propylpiperonyl) ether and 0.12% related compounds. **U.S. Patent No. 2,476,512. Store below 110 F. -NON-FLAMMABLE.

PCE Aerosol Insecticide is a specially formulated combination of ingredients designed for Institutional, Restaurant and Industrial use. While PCE Aerosol Insecticide may be used around food and food equipment, it should not be sprayed directly onto food or food utensils. Use as a space spray in food processing plants only when plant is not in operation. All food processing surfaces should be covered or thoroughly cleaned before using.

Remove protective cap. Hold dispenser upright and aim spray opening on button away from you. Press button to release mist. Hold container at least two feet from surfaces while spraying. For Flying Insects: Flies (including DDT-resistant strains), Flying Moths, Mosquitoes, Gnats: Close all doors and windows if possible. Determine the number of cubic feet of space to be treated. Point nozzle upward and direct the aerosol mist to all parts of the area to be treated. Fog particularly well in areas where these insects are most likely to congregate or rest. Fog at rate of 3-5 seconds per 1000 cu. ft. Double dosage for Wasps, Hornets and other large flying insects.

For Crawling Insects: Roaches, Fleas, Silverfish and Waterbugs, Ants: Aim spray directly at insects where possible. Aim spray into cracks, crevices, and darkened areas behind sinks, cabinets, stoves, baseboards and floor coverings. For fleas, treat animal sleeping quarters. Spray ant trails, particularly around door sills and window frames. Leave room closed for 15-20 minutes after spraying area. Repeat treatment as often as necessary.

PEST CONTROL EQUIPMENT COMPANY DIVISION
AMERICAN FLUORIDE CORPORATION, MOUNT VERNON, N.Y. 10550

NET WT. 16 OUNCES

USDA REG. NO. 542-23