

Best Available copy

AFC GENERAL PURPOSE SPRAY TYPE 5

KILLS: Roaches, Flies, Mosquitoes,
Gnats, Indian Meal Moth, Dried
Fruit Beetle, Confused Flour Beetle,
Rice Weevil, Yellow Mealworm,
Cadelle, Sawtoothed Grain Beetle,
Angoumois Grain Moth,
Mediterranean Flour Moth, Rust
Red Flour Beetles, Cigarette
Beetles, Drugstore Beetles, and
Granary Weevils.

AN INSECTICIDE FOR USE IN HOMES, FOOD PROCESSING PLANTS, WAREHOUSES,
RESTAURANTS, INSTITUTIONS, AND INDUSTRIAL LOCATIONS.

CAUTION: Keep Out of Reach of Children

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

ACTIVE INGREDIENTS	100%
Pyrethrins	.50%
*Piperonyl butoxide, technical	1.00%
¹ N-octyl bicycloheptene dicarboximide	1.67%
Petroleum distillate	96.83%

*Equivalent to .80% (butylcarbityl) (6 propylpiperonyl) ether and .20% related compounds.
¹MGK 264, Insecticide Synergist

255-146
04/10/1975-



1/2

AMERICAN FLUORIDE CORPORATION

NEW ROCHELLE, NEW YORK 10801

CAUTION

HARMFUL IF SWALLOWED. "Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when the facility is not in operation."

"Food processing operations do not have to be stopped while applying a coarse wet spray with care and in accordance with the directions and cautions above. After spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In case washing is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours.


Remove pets and cover fish bowls before spraying.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not re-use empty containers. Destroy when empty and discard in a safe place.

Keep container closed. Do not pour, store or spill near heat or open flame. N.Y.F.D. C of A No. 2563.

Note: This spray, when applied per the directions and cautions listed, conforms with Food Additive Regulations 21.1074, 121.1075 and 121.1205 and the food additive tolerances established thereunder. N.Y.F.D. C of A No. 2563.



Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

AFC GENERAL PURPOSE SPRAY TYPE 5

DIRECTIONS FOR USE

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

IN FOGGING EQUIPMENT AND HAND SPRAYERS

TO KILL ACCESSIBLE STAGES OF INSECTS* INFESTING DRIED FRUIT PRODUCTS IN STORAGE OR BEING PROCESSED: Close room or warehouse and shut off all ventilating systems. Dispense this product as a fine mist in the air above trays or shelves of dried fruit. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Do not apply to fruit directly. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat applications at this dosage in any given month. More than ten applications may also be made if this spray is diluted with more petroleum distillate, so that the pyrethrins and synergists in the final spray are reduced proportionately. Do not remain in treated areas. Ventilate the area after treatment is completed. Maximum dilution is 1 part of this product plus 5.6 parts oil.

*Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle and Saw-Toothed Grain Beetle.

TO KILL THE ADULT AND ACCESSIBLE FORMS OF INSECT PESTS* OF STORED FOOD (STORED IN MULTIWALL PAPER BAGS OR IN CLOTH BAGS) IN WAREHOUSES, STORAGE ROOMS AND SIMILAR LOCATIONS: Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Use a dosage of one fluid ounce of this spray per 1000 cubic feet of room space. Do not remain in treated areas. Ventilate the area after treatment is completed. Repeat applications as necessary for insect control.

*Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.

TO KILL ADULT AND INACCESSIBLE FORMS OF INSECT PESTS THAT INFEST STORED FOOD PRODUCTS: Stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

TO KILL FLIES, MOSQUITOES AND GNATS: Close room and discharge spray mist as described above. Use a dosage of 1/2 to 1 fluid ounce per 1000 cubic feet of room space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated areas. Ventilate the area after treatment is completed.

IN PRESSURIZED TANK SPRAYERS FOR WETTING CONTACT SPRAYS

AS A SURFACE SPRAY TO KILL THE ACCESSIBLE STAGES OF GRANARY INSECTS: RICE WEEVILS, CONFUSED FLOUR BEETLES, RUST RED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, CADELLES, MEDITERRANEAN FLOUR MOTH, ANGOUMOIS GRAIN MOTH, CIGARETTE BEETLES, DRUG STORE BEETLES AND GRANARY WEEVILS: Apply as a coarse, wet spray to all areas infested by these insects. Use a dosage of 1 gallon per 1000 square feet. Pay particular attention to cracks and crevices in floor, walls and ceilings. Spray thoroughly around and into floor drains, conveyers and other areas where granary insects may be found. (For small Flying Moths and Adult Beetles, treat as for Flies, Mosquitoes and Gnats. See above.) **Do not apply this spray to surfaces that may come in contact with food: excessive residues in food may result.**

TO KILL ROACHES, SILVERFISH AND WATERBUGS IN SHELTERED SITUATIONS: Apply this spray with a sprayer that produces coarse, wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Repeat as necessary for control. Do not allow spray to contact any stored food.

MANUFACTURED BY AMERICAN FLUORIDE CORPORATION
NEW ROCHELLE, NEW YORK 10801

EPA REG. No. 255-146 ■ EPA EST. 255-NY-1

NET WEIGHT:
LOT NO.

272