

AFC-ESBIOL 35

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

In food areas, cover or remove exposed food during treatment. Cover all food contact surfaces, food handling equipment and utensils during treatment or wash with hot soapy water after treatment. When using this product as a space spray in food areas, apply only when the facility is not in operation.

KEEP OUT OF REACH OF DOMESTIC ANIMALS

Do not contaminate feed. Do not use on household pets or livestock. Remove pets, birds and cover fish aquaria before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by draining of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Combustible: Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or residue that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: a) reuse container and offer for reconditioning, or b) triple rinse or equivalent and offer for recycling, reconditioning or disposal in an approved land fill or bury in a safe place.

GENERAL DISPOSAL: Consult federal, state or local disposal authorities for approved alternate procedures.

ACTIVE INGREDIENTS:

Permethrin—chrysanthemum monocarboxylic acid ester of d-2 allyl-4 hydroxy 3 methyl-2 cyclopent-1-one	0.326%
Other isomers	0.024%
**Technical Piperonyl Butoxide	9.700%
N-octyl bicyclohexene dicarboximide	1.170%
Petroleum distillate	97.780%
TOTAL	100.00%

*S-bioallethrin from ESBIOL™ Rousset-Uo a†
 **Equivalent to 0.56% (butylcarbityl) (6-propylpiperonyl) ether and 0.14% related compounds

EPA REG. NO. 255-151 EPA EST. NO. 255-NY-1

Keep Out of Reach of Children

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician immediately. Do not induce vomiting. Do not give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Wash affected areas with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

See Side Panel For Additional Precautionary Statements.

Manufactured By: **American Fluoride Corporation**
 New Rochelle, New York 10801

NET CONTENTS: GALLON LIQUID

100-10-1001
 255-151

RECI
 Gen
 It is a volatile
 inconsistent
NEE
 When used
 treatment
 return patient
APRIMS PE
 C
 This product
 cockroaches,
 flying moths,
 fleas, carpet
 exposed
 weevils, con
 lesser grain
 moths, me
 caddis.
 This product
 apartments,
 schools,
 hospitals,
 warehouses,
 food m
 service est
 facilities,
 ganges, tru
 industrial
 and comme
 When using
 the Challenger
 foggers or
 particles 0.5
 and doors,
 turn off a
 For the con
 cubic feet
 and keep
 For the con
 insects, ap
 area closed
 To ventilate
 the area
 equipment
 and open
 aerate for
 30 minute
 As a surface
 spray, use
 the B
 will produ
 either
 pattern. A
 Apply the
 square fe
 or appli
 coated with
 a dew
 Treat all
 cracks and
 Treat all
 surfaces
 of the pest.
 This produ
 spray, a sp
 applied in
 food are

ESBIOL 35

ACTIVE INGREDIENTS:

*d-trans—chrysanthemum monocarboxylic acid ester of d-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one	0.32%
Other isomers	0.004%
**Technical Piperonyl Butoxide	9.100%
N-octyl bicyclohexene dicarboximide	1.170%
Petroleum distillate	97.780%
TOTAL	100.00%

*S-bioallethrin from ESBIOL™ Roussel-Uclaf
 **Equivalent to 0.56% (butylcarbityl) (6-propylpiperonyl) ether and 0.14% related compounds

EPA REG. NO. 255-151 EPA EST. NO. 255-NY-1

Keep Out of Reach of Children
CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician immediately. Do not induce vomiting. Do not give anything by mouth to an unconscious person.
If inhaled — Remove victim to fresh air. Apply respiration if indicated.
If on skin — Wash affected areas with soap and water.
If in eyes — Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.
 See Side Panel For Additional Precautionary Statements.

Manufactured By: **American Fluoride Corporation**
 New Rochelle, New York 10801

NET CONTENTS: GALLON LIQUID

DIRECTIONS FOR USE

General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with labeling.

REENTRY STATEMENT

When used in hospitals, patients should be removed prior to treatment and re-ventilate for two hours after treatment. Do not return patients to room until after ventilation.

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

This product may be used to control the following pests: cockroaches, waterbugs, flies, gnats, mosquitoes, small flying moths, beetles, bed bugs, ants, crickets, psocids, fleas, carpet beetles, centipedes, millipedes, sowbugs, and exposed stages of stored products pests such as rice weevils, confused flour beetle, sawtoothed grain beetles, lesser grain borers, indian meal moths, anguiform grain moths, mediterranean flour moths, meal worms, and caddisflies.

This product may be used to control nests in houses, apartments, schools and other educational facilities, hospitals, nursing homes and other health care facilities, warehouses, food manufacturers, food processors, food service establishments, penal institutions, transportation facilities, garages, trucks, buses, boats, airplanes, all types of industrial and commercial buildings.

When using this product as a space spray, apply using either the Challenger Tri-Jet, Roct-Lowell Atomist, Micro-Gon ULV foggers or other atomizing equipment that produces spray particles 0.50 microns in size. Be sure to close all windows and doors, turn off all ventilating equipment.

For the control of flying insects apply one ounce per 1000 cubic feet and keep the area closed for 10 minutes.

For the control of exposed crawling insects as well as flying insects, apply two ounces per 1000 cubic feet and keep the area closed for one hour.

To ventilate the area after treatment turn on ventilating equipment and open the doors and windows and allow to aerate for 30 minutes.

As a surface spray to control crawling insects apply the product using the B&G 124-S sprayer or a similar sprayer that will produce either a fine flat fan spray or pin stream spray pattern. Apply the product at the rate of one gallon per 1000 square feet or apply enough product so that the surface is coated with a dew-like mist.

Treat all cracks and crevices where insects hide and breed. Treat all surfaces contacted by the pests, or spray directly on the pest. This product may be applied in a crack and crevice spray, spot spray or as a general spray. This product may be applied in food areas and non food areas.

255-151