


ACCEPTED  
 FEB 4 1967  
 FEDERAL BUREAU OF INVESTIGATION  
 SUBJECT  
 257-94  
 COMMENTS

*"When you care enough to use the best..."*

**just**



**brand**

**CLEANER  
 DISINFECTANT 10**

**TYPE 10**

*Cleans • Disinfects  
 • Deodorizes • Sanitizes  
 —in ONE Operation!*

**CAUTION:**

KEEP OUT OF REACH OF CHILDREN  
 READ PRECAUTIONS ON BACK PANEL

**NET CONTENTS:  
 1 LIQUID GALLON**

<b>ACTIVE INGREDIENTS</b>	<b>21.47%</b>
✓ Potassium Soap	9.00
✓ Isopropyl Alcohol	5.00
✓ Potassium 4-chloro-2-phenylphenate	3.86
• Potassium 6-chloro-2-phenylphenate	1.10
✓ Trisodium Ethylenediaminetetraacetate	1.10
✓ Potassium Orthophenylphenate	0.52
Para Tertiary Amylphenol	0.25
Para Tertiary Butylphenol	0.25
† Essential Oils	0.25
✓ Sodium Mercaptobenzothiazole	0.10
✓ Potassium 4, 6-dichloro-2-phenylphenate	0.04
<b>INERT INGREDIENTS</b>	<b>78.53%</b>
Includes active cleaning agents	
<b>PHENOL COEF. 10 A.O.A.C.</b>	

**ASSOCIATED JUST DISTRIBUTORS, INC. • BALTIMORE, MD. 21231 • LOS ANGELES, CALIF. 90013**

ACCEPTED WITH COMMENTS

# PERFORMANCE WARRANTY

AJD PRODUCTS are backed by this unqualified money back warranty as to guaranteed performance in your facilities when used according to directions on the container.



**B** **L**  
CLASSIFIED AS TO  
SLIP-RESISTANCE ONLY

## DIRECTIONS

AS A CLEANER, SANITIZER, DISINFECTANT use only in dilutions recom

1. POUR IN PAIL	2. ADD WATER	3. USE A CLEAN MOP	On badly soiled surfaces, let and agitate with mop! Change
--------------------	-----------------	-----------------------	---

### MOPPING

TERRAZZO, LINOLEUM, TILE, MARBLE,  
HARDWOOD & SIMILAR FLOORS

1 1/4 to 3 1/2 ozs. per gal. for Ter-  
razzo, Tile, Marble, Linoleum,  
Hardwood, similar floors. Wet  
floors in large areas. Extra time  
solution contacts dirt before  
removal aids cleaning action. Mop  
or squeegee up.

**DAMP MOPPING (Light soil)**  
Use 1 oz. per gal. No rinsing  
required.

### GENERAL DISINFECTING

1 1/4 to 3 1/2 ozs. per gal. for sick  
room, clothes, towels, water clos-  
ets, urinals, swimming pool areas,  
etc.

### SPONGING OR WIPING

PAINTED WALLS, AUTOS, METAL  
CABINETS, SIMILAR SURFACES

1 1/4 to 3 1/2 ozs. per gal. for  
Painted Walls, Autos, Metal Cabi-  
nets & Furniture, similar surfaces.

DECONTAMINATION OF RADIOACTIVE SURFACES: Consult Asso. Just Dist., Inc. direct for complete

**CAUTION:** CONCENTRATED SOLUTION: Harmful if swallowed. Avoid getting in eyes, in case of  
contact wash thoroughly with water. Skin contact should be avoided, if spilled on skin  
wash well with soap and water. If irritation persists, get medical attention. DILUTE SOLUTIONS: Contact with  
eyes or skin contact should be avoided, particularly by those persons with skin allergies. If stinging is felt,  
flush eyes with water; wash skin with soap and water and apply appropriate emollient. Persons with allergic  
conditions should wear rubber or plastic gloves.

2148

U.S.D.A. Reg. No. 257-94

An AJD product scientifically formulated with the "Twenty-First" century  
As new as tomorrow for today's most discreet users.

**AJD PRODUCTS ARE DESIGNED FOR INDUSTRIAL AND INSTTI**

Contents, Container & Printing: Product of U.S.A.

## DIRECTIONS

AS A CLEANER, SANITIZER, DISINFECTANT use only in dilutions recommended below.

**1. POUR  
IN PAIL**

**2. ADD  
WATER**

**3. USE A  
CLEAN MOP**

On badly soiled surfaces, let solution stay 3 to 5 minutes and agitate with mop! Change mop water often.

### MOPPING

TERRAZZO, LINOLEUM, TILE, MARBLE,  
HARDWOOD & SIMILAR FLOORS

1 1/4 to 3 1/2 ozs. per gal. for Terrazzo, Tile, Marble, Linoleum, Hardwood, similar floors. Wet floors in large areas. Extra time solution contacts dirt before removal aids cleaning action. Mop or squeegee up.

### DAMP MOPPING (Light soil)

Use 1 oz. per gal. No rinsing required.

### GENERAL DISINFECTING

1 1/4 to 3 1/2 ozs. per gal. for sick room, clothes, towels, water closets, urinals, swimming pool areas, etc.

### SPONGING OR WIPING

PAINTED WALLS, AUTOS, METAL CABINETS, SIMILAR SURFACES

1 1/4 to 3 1/2 ozs. per gal. for Painted Walls, Autos, Metal Cabinets & Furniture, similar surfaces.

On surfaces like walls, start at bottom, work towards top. Cover small areas at a time.

### SPRAYING

2 to 3 1/2 ozs. per gal. water in pressure sprayer. Spray in large areas. Let stand a few minutes. Remove with squeegee or wet mop. **AREAS MOPPED OFTEN NEED NOT BE RINSED AFTER EACH CLEANING.** If streaked, rinse with clear water. Keep mops clean.

DECONTAMINATION OF RADIOACTIVE SURFACES: Consult Aso Inst Dist., Inc. direct for complete recommendations

**CAUTION.** CONCENTRATED SOLUTION: Harmful if swallowed. Avoid getting in eyes, in case of contact wash thoroughly with water. Skin contact should be avoided, if spilled on skin wash well with soap and water. If irritation persists, get medical attention. DILUTE SOLUTIONS: Contact with eyes or skin contact should be avoided, particularly by those persons with skin allergies. If stinging is felt, flood eyes with water; wash skin with soap and water and apply appropriate emollient. Persons with allergic conditions should wear rubber or plastic gloves.

2148

NOTICE: Due to the concentrated nature of AJD, some color change may occur after this container has been opened. This, in no way, affects the performance of this product. **WHEN NOT IN USE,** keep container closed tightly in cool place. Do not store near steam pipes, radiators, etc., as contents may be affected by excessive heat.

U.S.D.A. Reg. No. 257-94

An AJD product scientifically formulated with the "Twenty-First" century in mind.  
As new as tomorrow for today's most discreet users.

**AJD PRODUCTS ARE DESIGNED FOR INDUSTRIAL AND INSTITUTIONAL USE**

Contents, Container & Printing: Product of U.S.A.

10-467