



**CLEANS BEAUTIFIES
DEODORIZES
KILLS FLEAS-LICE-TICKS**

ACTIVE INGREDIENTS	0.340%
Pyrethrins	0.054%
Technical Piperonyl Butoxide*	0.108%
N-Octyl Bicycloheptene Dicarboximide	0.178%
INERT INGREDIENTS	99.660%
TOTAL	100.00%

*Equivalent to .086% of (butyl carbityl) (6-propyl piperonyl) ether and .022% of related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION: EYE IRRITANT

Harmful if swallowed

See back panel for additional precautions and first aid.

EPA Reg. No. 257-143-3890

EPA Est. 257-MD-1

8 OUNCES

**SOLD THROUGH GRADUATE
VETERINARIANS ONLY**

This shampoo kills fleas and lice, at the same time conditioning and beautifying the coat.

Directions: Wet the animal thoroughly sprinkling on a small amount of shampoo. Create lather at the head, working well around the ears. Then lather over animal's entire body, working backward. Be sure lather is rubbed thoroughly into folds of skin, between the toes, etc. Allow lather to remain approximately five minutes, then rinse. For stubborn cases repeat as above.

CAUTION: Eye irritant. Avoid contact with eyes. Harmful if swallowed.

FIRST AID: In the event of eye contact, flush eyes with large amounts of clear water for at least 15 minutes. If irritation persists, seek medical attention. If swallowed, do not induce vomiting. Drink large amounts of fruit juice or water. Do not give anything to an unconscious person. Seek immediate medical attention.

Made for Professional Use Only.

STORAGE AND DISPOSAL

Store only in tightly closed, original container in a secure area inaccessible to children. Do not contaminate water, food, or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Contents may become cloudy at lower temperatures. Cloudiness will vanish at room temperature. Keep out of reach of children.

4102670

DISTRIBUTED BY
RICHMOND VETERINARY SUPPLY CO.

505 WEST 14th STREET • RICHMOND, VA. 23225

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

Disc 8 File 189
Pest Off Shampoo

20661084



**CLEANS BEAUTIFIES
DEODORIZES
KILLS FLEAS-LICE-TICKS**

ACTIVE INGREDIENTS	0.340%
Pyrethrins	0.054%
Technical Piperonyl Butoxide*	0.108%
N-Octyl Bicycloheptene Dicarbodiimide	0.178%
INERT INGREDIENTS	99.660%
	TOTAL 100.00%

*Equivalent to .086% of (butyl carbityl) (6-propyl piperonyl) ether and .022% of related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION: EYE IRRITANT

Harmful if swallowed

See back panel for additional precautions and first aid.

EPA Reg. No. 257-143-3890

EPA Est. 257-MD-1

8 OUNCES

**SOLD THROUGH GRADUATE
VETERINARIANS ONLY**

This shampoo kills fleas and lice, at the same time conditioning and beautifying the coat.

Directions: Wet the animal thoroughly sprinkling on a small amount of shampoo. Create lather at the head, working well around the ears. Then lather over animal's entire body, working backward. Be sure lather is rubbed thoroughly into folds of skin, between the toes, etc. Allow lather to remain approximately five minutes, then rinse. For stubborn cases repeat as above.

CAUTION: Eye irritant. Avoid contact with eyes. Harmful if swallowed.

FIRST AID: In the event of eye contact, flush eyes with large amounts of clear water for at least 15 minutes. If irritation persists, seek medical attention. If swallowed, do not induce vomiting. Drink large amounts of fruit juice or water. Do not give anything to an unconscious person. Seek immediate medical attention.

Made for Professional Use Only.

STORAGE AND DISPOSAL

Store only in tightly closed, original container in a secure area inaccessible to children. Do not contaminate water, food, or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Contents may become cloudy at lower temperatures. Cloudiness will vanish at room temperature. Keep out of reach of children.

4102670

RICHMOND VETERINARY SUPPLY CO.

505 WEST 14th STREET • RICHMOND, VA. 23225

Disc 8 File 189
Pest Off Shampoo

2
2
2

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Purpose	Dilution	Directions
General disinfectant		
Ordinary surface	1/2 cup (120 ml) per 15 U.S. gal. (57 liters) water or 1 tablespoon (15 ml) per 2 gal. (7.6 liters) (400 ppm)	For use in poultry and livestock buildings and equipment. Thoroughly clean all surfaces before spraying or brushing with Germex. If soap is used, rinse thoroughly before disinfecting. <u>Special directions: in poultry houses and livestock buildings.</u> 1. Remove all poultry or animals, all feedstuffs, trucks, coops, crates, etc., from the premises. 2. Empty all troughs, .
Porous surface or area difficult to clean	3/4 cup (180 ml) per 10 U.S. gal. (38 liters) water (800 ppm)	

automatic feeders, and other feeding and watering equipment. 3. Remove droppings or manure from floors, walls, and surfaces of facilities normally occupied or traversed by poultry or animals. 4. Remove all litter. 5. Saturate all surfaces, including equipment, with Germex solution. 6. Immerse in the solution all halters, ropes, and other types of equipment used in handling animals. 7. Ventilate buildings, coops, and other closed spaces. 8. Do not rehouse poultry or livestock, and do not reuse equipment, until the Germex solution has dried or set or been absorbed. 9. Rinse thoroughly, with clean, drinkable water, all treated feed troughs, racks, waterers, mangers, and other equipment before reuse.

Purpose	Dilution	Directions
Farrowing swine	1 tablespoon (15 ml) per 4 U.S. gal. (15.2 liters) water (200 ppm)	Before farrowing, apply the lukewarm solution over all areas of udder and flanks, rinse thoroughly.
Dipping hatching eggs	1/2 cup (120 ml) per 30 U.S. gal. (114 liters) water or 1 tablespoon (15 ml) per 4 gal. (15.2 liters) (200 ppm)	To reduce surface contamination, dip eggs in solution at 110° F (43° C) to 120° F (49° C) before placing them in incubator.
Sanitizing meat- and poultry-processing utensils and equipment	1 cup (240 ml) per 60 U.S. gal. (228 liters) water or 1 tablespoon (15 ml) per 4 gal. (15.2 liters) (200 ppm)	Pre-cleanse utensils and equipment. Then, immerse utensils for at least 2 minutes or for contact time specified by governing sanitary code. Place sanitized utensils on a rack or drainboard to dry without rinse.

Hazards to humans and domestic animals

Danger: Keep out of reach of children. **Corrosive.** Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling product. Harmful or fatal if swallowed. Avoid contamination of food.

First aid: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.