

DYNA-MIST

Disinfectant - Sanitizer - Deodorizer - Cleaner

Especially prepared for the terminal disinfection of HOSPITAL ROOMS

to reduce the potential danger of cross infection and as an adjunct to routine disinfection by fog technique.

Active Ingredients:

Nonylphenoxy polyethoxyethanol-Iodine Complex (providing 1.6% titratable Iodine)	16.40%
Phosphoric Acid	1.75%
Inert Ingredients	81.85%
TOTAL	100.00%

U.S.D.A. Reg. No. 257-209

21851067

257-209

**CAUTION:
KEEP OUT OF REACH OF CHILDREN**

Read precautions on back panel

Net Contents: 1 Liquid Gallon

ACCEPTED
JAN 19 1968
UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT FOR EQUIPMENT POISON REGISTERED UNDER NO. 257-209 SUBJECT TO ATTACHED COMMENTS.

This disinfectant when applied by fog technique as an adjunct to routine cleaning and disinfecting further reduces the danger of cross-infection and contagion to personnel and patients.

When properly applied, this disinfectant reduces sharply the number of antibiotic resistant strains of S. Aureus and E. Coli organisms present on curtains, bedding, and many other areas and surfaces not accessible to other methods and treatment. When used by fog technique as recommended, reduces the number of harmful air suspended bacteria.

In use dilution this product is non-staining, non-toxic, non-irritating and non-corrosive. It is an effective cleaning agent, practically odorless and virtually tasteless. Free of "hospital" or "disinfectant" smell.

In concentrated form this product is stable over long periods of storage. It is free of Chlorine, Phenol, Quaternary Ammonium Compounds, and heavy metals such as Copper, Silver, Lead, etc. **Recommended procedure for the disinfecting of rooms:**

1. For routine terminal disinfection of cleaned hard surfaces, apply dilution D. Wherever heavy organic residues are present, use dilution G. Wet all the surfaces thoroughly.
2. To reduce the danger of cross-infection, apply this disinfectant by fog techniques to treat all areas including spaces and surfaces inaccessible to other methods of treatment as follows:
 - a. Remove plants and animal life from room.
 - b. Remove bedding if desired.
 - c. Close all doors and windows, and where central air conditioning is used, place a cover over exhausts and intakes to prevent circulation of germicidal fog to other rooms.
 - d. Use a fogger (see recommendations) in center of room, adjust to give fine spray, place on a platform rotating at 3 RPM. Set mechanism to deliver amount of fog shown in table, depending on size of room. For rooms of various sizes use amounts and times as shown to insure a complete wetting of exposed surfaces. Evacuate room and do not enter again until 30 minutes after treatment.
 - e. To minimize the potential danger of cross-infection to maintenance personnel, apply solution as a fog in the manner described above before applying the standard routine practices of terminal cleaning and disinfecting.
 - f. Rinse fogging equipment thoroughly with clear water after each use.

ADDITIONAL HOSPITAL USES: surfaces such as instruments, linen, books and the like; comb disinfection of porous surfaces; Wet surfaces.

Fogging Equipment Recommended: a 1 gallon epoxy lined can; 6006 or their equivalent. Use electric "on & off" timer will be obtained at any photographic supply store.

SIZE OF ROOM	USE P.P.M.
1,000 Cu. Ft.	100
2,000 Cu. Ft.	100
3,000 Cu. Ft.	200
4,000 Cu. Ft.	200

DILUTION	USE NO. OF OZS. PER 5 GAL. WATER
C	2
D	3
E	4
F	5
G	6
H	8

CAUTION: AVOID CONTACT WITH SKIN AND EYES. USE IN COMBINATION WITH CLEANER OR SANITIZER.

CAUTION: Avoid contact with skin and eyes. In case of contact, wash thoroughly. If irritation persists, get medical attention. KEEP OUT OF REACH OF CHILDREN.

Manufactured by
FULD BROS., INC.
Baltimore, Maryland 21231 Los Angeles, Calif. 90013

Made for Industrial & Institutional Use Only. Contents, Container & Printing U.S.D.A. Reg. No. 257-209

LYNA-MIST

ant - Sanitizer - Deodorizer - Cleaner

prepared for the terminal disinfection of
HOSPITAL ROOMS

to reduce the potential danger of cross infection
and

to routine disinfection by fog technique.

Ingredients:

polyethoxyethanol-iodine Complex	
(1.6% titratable iodine)	16.40%
Acid	1.75%
Water	81.85%
	100.00%

Reg. No. 257-209 21851067

257-209

ACCEPTED
JAN 19 1968
UNDER THE FEDERAL INSECTICIDE ACT
FUNGICIDE AND RODENTICIDE AND
FOR EC ON A POISON RESISTANT
D UNDER NO. 257-209 SUBJECT
TO ATTACHED COMMENTS.

CAUTION:
OUT OF REACH OF CHILDREN
Read precautions on back panel

Net Contents: 1 Liquid Gallon

Manufactured by
LD BROS., INC.
and 21231 Los Angeles, Calif. 90013

This disinfectant when applied by fog technique as an adjunct to routine cleaning and disinfecting further reduces the danger of cross-infection and contagion to personnel and patients.

When properly applied, this disinfectant reduces sharply the number of antibiotic resistant strains of S. Aureus and E. Coli organisms present on curtains, bedding, and many other areas and surfaces not accessible to other methods and treatment. When used by fog technique as recommended, reduces the number of harmful air suspended bacteria.

In use dilution this product is non-staining, non-toxic, non-irritating and non-corrosive. It is an effective cleaning agent, practically odorless and virtually tasteless. Free of "hospital" or "disinfectant" smell.

In concentrated form this product is stable over long periods of storage. It is free of Chlorine, Phenol, Quaternary Ammonium Compounds, and heavy metals such as Copper, Silver, Lead, etc.

Recommended procedure for the disinfecting of rooms:

1. For routine terminal disinfection of cleaned hard surfaces, apply dilution D. Wherever heavy organic residues are present, use dilution G. Wet all the surfaces thoroughly.
2. To reduce the danger of cross-infection, apply this disinfectant by fog techniques to treat all areas including spaces and surfaces inaccessible to other methods of treatment as follows:

- a. Remove plants and animal life from room.
- b. Remove bedding if desired.
- c. Close all doors and windows, and where central air conditioning is used, place a cover over exhausts and intakes to prevent circulation of germicidal fog to other rooms.
- d. Use a fogger (see recommendations) in center of room, adjust to give fine spray, place on a platform rotating at 3 RPM. Set mechanism to deliver amount of fog shown in table, depending on size of room. For rooms of various sizes use amounts and times as shown to insure a complete wetting of exposed surfaces. Evacuate room and do not enter again until 30 minutes after treatment.
- e. To minimize the potential danger of cross-infection to maintenance personnel, apply solution as a fog in the manner described above before applying the standard routine practices of terminal cleaning and disinfecting.
- f. Rinse fogging equipment thoroughly with clear water after each use.

ADDITIONAL HOSPITAL USES: DISINFECTION OF hard non-porous surfaces such as instruments, thermometers, catheters, hard rubber goods and the like; combs and brushes; use dilution D.

DISINFECTION OF porous surfaces and as a Cleaner-Disinfectant for porous surfaces: Wet surfaces thoroughly, use dilution G.

Fogging Equipment Recommended: Klip-on Sprayer equipped with a 1 gallon epoxy lined can; or Challenger Jet Fogmaster Model 6006 or their equivalent. Vue-more turntable Model MB15E. An electric "on & off" timer will be found convenient, this may be obtained at any photographic supply store.)

FOGGING TABLE

SIZE OF ROOM	USE P.P.M.	DILUTION TABLE	ALLOW FOGGER TO OPERATE
1,000 Cu. Ft.	100	E	8 Minutes
2,000 Cu. Ft.	100	E	15 Minutes
3,000 Cu. Ft.	200	H	8 Minutes
4,000 Cu. Ft.	200	H	15 Minutes

DILUTION TABLE

DILUTION	USE NO. OF OZS. PER 5 GAL. WATER	P.P.M. AVAILABLE IODINE	RESULTANT DILUTION
C	2	50.0	1:320
D	3	75.0	1:213
E	4	100.0	1:160
F	5	125.0	1:128
G	6	150.0	1:107
H	8	200.0	1:80

CAUTION: AVOID CONTAMINATION OF FOOD. DO NOT USE IN COMBINATION WITH ANY OTHER SOAP, CLEANER OR SANITIZER. 21851067

CAUTION: Avoid contact with skin and eyes. In case of contact, wash thoroughly with water. If irritation persists, get medical attention. KEEP OUT OF REACH OF CHILDREN.

Made for Industrial & Institutional Use Only. Contents, Container & Printing: Product of U.S.A. U.S.D.A. Reg. No. 257-209