

[257-239]

NON-TOXIC PESTICIDE SPRAY

For Industrial Use Only

Non-Toxic To Humans and Pets

CONTENTS:

Pyrethrum Extract, Botanical	20.00%
Pyrethrin I & II, Botanical	0.50%
Pyrethrin III, Botanical	0.60%
Botanical Insecticides Dicloromimide	1.60%
Botanical Disinfectants	15.10%
Total	50.00%

Pyrethrum (Butylcarboxyl) (3-propinononyl) (3-propinononyl)
and other related compounds.

Caution: Keep Out Of Reach Of Children

Contents Under Pressure

Read Instructions On Back Panel

Not Corrosive:

USP, Ed. No. 257-A

PROD. BY, INC.
1250 N. LA BREA,
LOS ANGELES, CALIF.
90013

Pyrethrum, Pyrethrin, Dicloromimide
are living processes. Do not puncture or damage containers
or expose to heat or strong sunlight.

257-239

DIRECTIONS FOR USE

To Kill Household Spiders, Flying Insects and Small Insects
including ants, or Small Infesting Insects (such as House, Ants, Beetles, Ants, Spiders, Grain Moth, Moth, Mealworms, Ants, Others, Accessible Flying Forms of Stored Foods, Food Posts (such as Carpet Beetles, Tobacco Moth, Drug Store Beetles, Pea Weevil and others); Close all doors and windows. Depending on the number of cubic feet of space to be treated. Point nozzle upward and direct the aerosol mist to all parts of the area to be treated. For particularly well in areas in which insects are most likely to congregate or rest. Fog at the rate of 1 ounce per 1,000 cubic feet of space.

Keep the treated area closed if possible for 15 minutes. Treatment air out thoroughly and sweep up and remove dead bugs. In industrial locations do not spray closer than 12 inches away from fixtures or machinery. Spraying closer will affect or destructive treatment may cause damage.

Caution: Do not apply directly to food. Cover or remove food processing equipment during application. Do not apply while food processing is under way. After spraying, clean surfaces including plants, bakeries and other food processing places with potable water all benches, shelving, etc. where food items will be handled. In case washing is impractical, do not allow food to come in contact with treated surfaces for 6 hours.

Caution

Keep Out Of Reach Of Children