

[257-240]

CONSUMER INFORMATION

For Industrial Use Only

DIRECTIONS FOR USE

ACTIVE INGREDIENTS

Permethrin	2.25%
Technical Cypermethrin	1.00%
Petroleum Distillates	96.75%

Consists of 0.8% (nonyl phenol) (6-phenoxy) (2) ether and 0.2% other related compounds.

CAUTION: Keep out of reach of children. Avoid contact with eyes. Avoid contact with skin. Avoid contact with clothing. Avoid contact with food.

KEEP OUT OF REACH OF CHILDREN

DAKOL, INC. 1967

DAKOL, INC., INC.
St. Louis, Mo. Los Angeles, Calif.
63101 90011

For All Houseflies, Mosquitoes, Flying Nests and Gnats, Accessible Flying Forms of Grain Infesting Insects (such as Confused Flour Beetle, Angoumois Grain Moth, Mediterranean Flour Moth, Indian Meal Moth and Others, Accessible Flying Forms of Stored Product Pests (such as Carpet Beetles, Tobacco Moth, Drug Store Beetles, Pea Weevil and Others); Close all doors and windows. Determine the number of cubic feet of space to be treated. Point nozzle upward and direct the spray mist to all parts of the area to be treated. Fog particularly well in areas in which insects are most likely to aggregate or rest. Fog at the rate of 3 seconds per 1000 cubic feet of space.

Keep the treated area closed if possible for 24 hours. After treatment, air out thoroughly and sweep up and remove dead insects. In industrial locations, do not spray closer than 18 inches away from fabrics or otherwise. Avoid spraying more than once or excessive treatment may cause damage.

CAUTION: IRRITANT OR FATAL IF SWALLOWED

Avoid contact with eyes. If contact occurs, flush with water. Get physician immediately.

Remove plates, cups and fish bowls from treated area.

Do not apply directly to food. Cover or remove all food and processing equipment during application. Do not apply to food processing machinery. After spraying, wash all food processing machinery and other food processing plants with water. Wash all benches, shelves, and other food processing equipment. If time wash with disinfectant. Allow 24 hours to pass in contact with treated surfaces before use.

Do not use in presence of open flame or spark.

ACCEPTED
MAY - 8 1968
257-240