


"When you care enough to use the best...."

JUST AJD BRAND
CLEANER DISINFECTANT 10B
Type 10B

Cleans - Disinfects
Deodorizes - Sanitizes
In ONE Operation!
Contains No Soap!



257-247

CAUTION: Keep Out of Reach of Children
Read Precautions on Back Panel

ACTIVE INGREDIENTS		25.00%
4-chloro-2-cyloptyphenol	5.00%	
Isopropyl Alcohol	10.00	
Sodium dodecyl benzene sulfonate	10.00	
INERT INGREDIENTS		75.00
Includes active cleaning agent		
PHENOL COEFFICIENT A.O.A.C.		
Staphylococcus aureus	10	
Salmonella typhosa	10	
End Use Dilution A.O.A.C.		
Staphylococcus aureus	1:200	
Salmonella choleraesuis	1:200	
Mycobacterium tuberculosis var bovis BCG		1:128

Net Contents: 1 Liquid Gallon

Manufactured by

ASSOCIATED JUST DISTRIBUTORS, INC.
Baltimore, Maryland 21231
Los Angeles, California 90013

PERFORMANCE WARRANTY

AJD PRODUCTS are backed by this unqualified money back warranty as to guaranteed performance in your facilities when used according to directions on the container.



CLASSIFIED AS TO SLIP RESISTANCE ONLY

DIRECTIONS

AS A CLEANER, SANITIZER, DISINFECTANT use only in dilutions recommended below.

1. POUR IN PAIL	2. ADD WATER	3. USE A CLEAN MOP	On badly soiled surfaces, let solution stay 3 to 5 minutes and agitate with mop! Change mop water often.
-----------------	--------------	--------------------	--

MOPPING

TERRAZZO, LINOLEUM, TILE, MARBLE, HARDWOOD & SIMILAR FLOORS

1 1/4 to 3 1/2 ozs per gal. for Terrazzo, Tile, Marble, Linoleum, Hardwood, similar floors. Wet floors in large areas. Extra time solution contacts dirt before removal aids cleaning action. Mop or squeegee off.

DAMP MOPPING (Light soil)

Use 1 oz per gal. No rinsing required.

GENERAL DISINFECTING

1 1/4 to 3 1/2 ozs per gal for sick room, clothes, towels, water closets, urinals, swimming pool areas, etc.

SPONGING OR WIPING

PAINTED WALLS, AUTOS, METAL CABINETS, SIMILAR SURFACES

1 1/4 to 3 1/2 ozs per gal for Painted Walls, Autos, Metal Cabinets & Furniture, similar surfaces.

On surfaces like walls, start at bottom, work towards top. Cover small areas at a time.

SPRAYING

2 to 3 1/2 ozs per gal water in pressure sprayer. Spray in large areas. Let stand a few minutes. Remove with squeegee or wet mop. AREAS MOPPED OFTEN NEED NOT BE RINSED AFTER EACH CLEANING. If streaked, rinse with clear water. Keep mops clean.

DECONTAMINATION OF RADIOACTIVE SURFACE See also Lit. Dir. for complete recommendations.

CAUTION: ~~Keep out of reach of children.~~ Harmful if swallowed. Avoid getting in eyes. In case of rash, wash with soap and water. If irritation persists, get medical attention. DILUTE SOLUTIONS. Contact with eyes or skin contact should be avoided, particularly by those persons with skin allergies. If stinging is felt, flush eyes with water, wash skin with soap and water and apply appropriate emollients. Persons with allergic conditions should wear rubber or plastic gloves.

NOTICE: Due to the concentrated nature of AJD, some color change may occur after this container has been opened. This in no way affects the performance of the product. WHEN NOT IN USE, keep container closed tightly in cool place. Do not store near steam pipes, radiators, etc. as contents may be affected by excessive heat.

U.S.A. Reg. No. 257-4 247

An AJD product scientifically formulated with the "Twenty-First" century in mind. As new as tomorrow for today's most discreet users.

AJD PRODUCTS ARE DESIGNED FOR INDUSTRIAL AND INSTITUTIONAL USE

Contents, Container & Printing: Product of U.S.A.

10-467

DIRECTIONS

AS A CLEANER, SANITIZER, DISINFECTANT use only in dilutions recommended below.

**1. POUR
IN PAIL**

**2. ADD
WATER**

**3. USE A
CLEAN MOP**

On badly soiled surfaces, let solution stay 3 to 5 minutes and agitate with mop! Change mop water often.

MOPPING

TERRAZZO, LINOLEUM, TILE, MARBLE,
HARDWOOD & SIMILAR FLOORS

1¼ to 3½ ozs. per gal. for Terrazzo, Tile, Marble, Linoleum, Hardwood, similar floors. Wet floors in large areas. Extra time solution contacts dirt before removal aids cleaning action. Mop or squeegee up.

DAMP MOPPING (Light soil)

Use 1 oz. per gal. No rinsing required.

GENERAL DISINFECTING

1¼ to 3½ ozs. per gal. for sick room, clothes, towels, water closets, urinals, swimming pool areas, etc.

SPONGING OR WIPING

PAINTED WALLS, AUTOS, METAL CABINETS, SIMILAR SURFACES

1¼ to 3½ ozs. per gal. for Painted Walls, Autos, Metal Cabinets & Furniture, similar surfaces.

On surfaces like walls, start at bottom, work towards top. Cover small areas at a time.

SPRAYING

2 to 3½ ozs. per gal. water in a pressure sprayer. Spray in large areas. Let stand a few minutes. Remove with squeegee or wet mop. AREAS MOPPED OFTEN NEED NOT BE RINSED AFTER EACH CLEANING. If streaked, rinse with clear water. Keep mops clean.

DECONTAMINATION OF RADIOACTIVE SURFACES: Consult Assoc. Just Dist., Inc. direct for complete recommendations.

CAUTION: ~~CONCENTRATED SOLUTION~~ Harmful if swallowed. Avoid getting in eyes, in case of contact wash thoroughly with water. Skin contact should be avoided, if spilled on skin wash well with soap and water. If irritation persists, get medical attention. DILUTE SOLUTIONS: Contact with eyes or skin contact should be avoided, particularly by those persons with skin allergies. If stinging is felt, flood eyes with water, wash skin with soap and water and apply appropriate emollient. Persons with allergic conditions should wear rubber or plastic gloves.

NOTICE: Due to the concentrated nature of AJD, some color change may occur after this container has been opened. This in no way, affects the performance of this product. WHEN NOT IN USE, keep container closed tightly in cool place. Do not store near steam pipes, radiators, etc., as contents may be affected by excessive heat.

U.S.D.A. Reg. No. 257-43 247

An AJD product scientifically formulated with the "Twenty-First" century in mind.
As new as tomorrow for today's most discreet users.

AJD PRODUCTS ARE DESIGNED FOR INDUSTRIAL AND INSTITUTIONAL USE

Contents, Container & Printing: Product of U.S.A.

10-467

Cameraman's Note

Poor Copy