

**FOR USE IN MEAT PACKING AND
FOOD PROCESSING PLANTS:**

Use only in the inedible product areas of meat packing and food processing plants. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed. Treat food processing plants early in the season before canning or other processing begins. Repeat applications, if necessary, when plant is not in operation. Spraying unloading docks and outside areas where insects congregate will aid in preventing re-infestation. Good sanitation and proper disposal of wastes are essential in any effective insect control program.

Kills ants, cockroaches, spiders, silverfish, centipedes, brown dog ticks, clover mites, crickets, earwigs, millepedes, mosquitoes, paper lice, sandflies, scorpions, sowbugs, firebrats. Exposed stages of cadelles, cigarette beetles, drugstore beetles, Indian meal moths, red flour beetles, saw-tooth grain beetles and weevils. Kills fleas, flies, gnats and punkies when used outdoors. Spray only on surface. DO NOT USE AS A SPACE SPRAY. Effective as an indoor residual for 1 to 2 weeks.

DIRECTIONS FOR USE

GENERAL:

Apply with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive run-off. Apply to all insect breeding sites and harborages. Also treat adjacent surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary. Do not spray vegetation.

COCKROACHES:

Thoroughly treat the infested area. Spray baseboards, cracks and crevices around windows and door frames, the under surfaces of shelves, drawers, and work tables, behind and beneath cabinets, refrigerators, sinks and stoves, in and around waste containers, switch panels, junction boxes, floor drains and other places where cockroaches hide or rest.

ANTS:

Apply to trails and places where ants enter premises such as window and door sills. Spray hills and runways outdoors.

CADELLES, CIGARETTE BEETLES, DRUGSTORE BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS, RED FLOUR BEETLES, SAWTOOTHED GRAIN BEETLES AND WEEVILS: (Exposed stages)

Thoroughly treat floors and walls of the infested area with attention to cracks, crevices, corners and perimeters. Sanitation and dust control are of primary importance. Fumigate or destroy infested products.

SILVERFISH, FIREBRATS AND PAPER LICE:

Apply liberally to areas infested by these insects. **BROWN DOG TICKS:** Apply liberally to quarters of pets, around pet kennels, windows and door frames, wall cracks, and other areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after treatment and then animals.

CLOVER MITES, CRICKETS, EARWIGS, MILLEPEDES, CENTIPEDES, SOWBUGS, SCORPIONS AND SPIDERS:

Thoroughly spray the interior and exterior perimeter of the infested premises. For clover mites give special attention to window sills.

FLEAS, FLIES, GNATS, MOSQUITOES, PUNKIES AND SANDFLIES: (Outdoor only)

Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios and other areas where insects may enter.

HORNETS AND WASPS:

Apply liberally after dark when all the insects have returned to the nest.

CAUTION

KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Do not allow children to contact treated areas until surfaces are thoroughly dry. Avoid contamination of food, utensils and food preparation areas. Remove pets and cover fish bowls before spraying. If illness occurs, get prompt medical aid.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

TO PHYSICIAN

ATROPINE SULFATE IS ANTIDOTAL

Do not spray into or near open flame. Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor covering. Before using on fabrics, wallpaper and certain floor tiles, test spray in an inconspicuous area to avoid staining.

EPA Reg. No. 257-252 4/72

No. 2002

ACCEPTED
JUN 20 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PESTICIDE REGISTER
ED UNDER NO. 257-252 SUBJECT
TO ATTACHED COMMENTS

Liquid residual insecticide

CONTAINS BAYGON®

DO NOT USE AS A SPACE SPRAY

ACTIVE INGREDIENTS: 85.00%
Petroleum Distillates 84.00%
*o-Isopropoxyphenyl methylcarbamate 1.00%
INERT INGREDIENTS: 15.00%
Baygon registered trademark Farbenfabriken Bayer
A. G.; Chemagro Corp. licensee.
*U.S. Pat. No. 3,111,539; Canadian Pat. No. 725,204.
EPA Reg No. 257-252 No. 2002

NET CONTENTS: LIQUID GALLON

Manufactured by Fuld Bros., Inc. Baltimore, Maryland 21231
Los Angeles, California 90013