

MULTI-PURPOSE

Insect killer

INSECTICIDE

For Control of Pests
in House and Garden

FAST KNOCKDOWN
with NEO-PYNAMIN®

WARNING:
Keep Out Of Reach Of Children.

CONTENTS UNDER PRESSURE
See rear panel for additional precautions

®Neo-Pynamin Reg. U.S. Pat. Off.
Sumitomo Chemical Co. Ltd.

NET WEIGHT: 1 POUND

ACTIVE INGREDIENTS

* Tetramethrin	0.250%
and related compounds	0.000%
** (S)-Benzyl 3-furyl methyl 2,2-dimethyl-1,3-dimethylpropyl cytopropane carboxylate	0.110%
and related compounds	0.000%
Petroleum Distillate	9.000%

INERT INGREDIENTS	90.500%
TOTAL	100.000%

* 1-Cyano-2-(2,2-dimethyl-1,3-dimethylpropyl)-2-methyl-3-(2-methylpropyl)butyl cytopropane carboxylate

** (S)-trans isomer content: Max. 10% (1) and Min. 70% (1) trans U.S. Patent No. 3,465,007



FULD-STALFORT, INC.
Havre de Grace, Maryland 21078
Los Angeles, California 90013

DIRECTIONS FOR USE

SHAKE BEFORE USE: Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

DO NOT REMAIN IN TREATED AREAS: Ventilate the area after treatment is completed.

FOR CONTROL OF PESTS AROUND THE HOME

FLYING INSECTS (Flies, Mosquitoes, Gnats and small flying moths): Direct spray at insects using short bursts (1 to 2 seconds) or treat unoccupied areas as follows. Close doors and windows. With a sweeping motion direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes and ventilate before reoccupying. Do not remain in treated areas.

CRAWLING PESTS (Ants, Boxelder Bugs, Crickets, Earwigs and Sowbugs): Spray into cracks or woodwork, walls, floors and other hiding and breeding places. Direct spray to exposed parts when possible. Spray ant trails and areas around door sills and window frames.

WASPS AND HORNETS: Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS

For control of aphids, two-spotted spider mites and adult white flies on ornamental house and greenhouse plants (African violet, aralia, Christmas cherry, chrysanthemum, cineraria, diffenbachia, fuschia, gloxinia, ivy, lantana, Neanthe bella palm, petunia, rose and snap dragon and on outdoor plants azalea, chrysanthemum, euonymus, ivy, marigold, petunia, rose, snap dragon and zinnia). Spray plants with a slow sweeping motion so that mist drifts into plants. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors spray when air is still.

For control of these pests as well as tent caterpillars, canker worms and garden webworm on ornamental crab-apple, cherries and plum trees, spray as above. Do not spray bearing fruit trees.

WARNING:

Avoid breathing of vapor and skin contact. Avoid contact with eyes. In case of contact, flush with water. Do not smoke while spraying.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Never throw container into fire or incinerator. Remove pets, birds and cover fish aquariums before spraying.

EPA Reg. No. 257-266
EPA Est. 257-CA-1; MD-1

[992-152]

275 26

